

Recall 17 / 9 / 2022

Obs & gyne

LOCAL EXAM OF OBS & GYNAE , part 1

Retting by:

Dr. Lana Kamal... Dr. Sanaa Abdehalim

1. **Which of the following was a non-neural vaccine for rabies?**
   a. HEPV
   b. Card vaccine
   c. BPL
   d. Simple

2. **Breakdown of 1gm Haemoglobin produces:**
   a. 20 mg of bilirubin
   b. 35 mg of bilirubin
   c. 50 mg of bilirubin
   d. 70 mg of bilirubin

3. **Unconjugated bilirubin in serum is soluble in:**
   a. Water
   b. Alkalis
   c. Acids
   d. Methanal

4. **The active transport system for hepatic uptake of bilirubin is congenitally defective in:**
   a. Gilbert's disease
   b. Crigler-Najjar syndrome type 1
   c. Rotor's syndrome
   d. Crigler-Najjar syndrome type 2

5. **Excretion of conjugation bilirubin from liver cells into biliary canaliculi is defective in:**

a. Gilbert's disease
b. Crigler-Najjar syndrome
c. Lucey-Driscoll syndrome
d. Rotor's syndrome

6. **In iron deficiency anaemia:**
a. mobilization of hemosiderin reserves.
b. activation of ferritin phage
c. elevated intestine apo ferritin
d.

7. **Primary post-partum haemorrhage occurs within?**
a. 12 hours after delivery
b. 24 hours after delivery
c. 72 hours after delivery
d. one week after delivery

8. **The main causes of secondary post-partum haemorrhage are?**
a. uterine atonia
b. infection
c. rupture uterus
d. Endometriosis

9. **Common causes of perinatal mortality worldwide:**
a. congenital malformation

b. prematurity
c. asphyxia
d. infection

10. **Diagnosis of ectopic pregnancy:**
a. serum level of β-HCG
b. transvaginal US
c. abdominal US with fluid in DOP (doglus of pouch)
d. Laparoscopy

11. **The daily requirement of calcium supplementation in pregnant and lactating women:**
a. 600 mg/day
b. 800 mg/day
c. 1200 mg/day
d. 1500 mg/day

12. **In breech presentation:**
a. increase with parity
b. pass of meconium indicate fetal distress
c. breech extraction flexed presentation
d. cord prolapse more with flexed

13. **26-years old female, come with RIF pain, on US show cyst with echogenisty like dermoid cyst, the cause of pain :**

a. rupture
b. torsion
c. infection
d. hemorrhage

14. **Pregnant lady admitted to hospital because has high blood pressure, she develops tonic-clonic convulsion and nurse call you what is your management:**
a. mg sulphate
b. airway, breathing, circulation (ABC)
c. IV line
d. labetalol

15. **Vasopressin and oxytocin circulate unbound to proteins and have very short plasma half-lives on the order of :**
a. 1-2 minutes
b. 2-4 minutes
c. 5-8 minutes
d. 10-12 minutes

16. **A study involving analysis of risk for genetic defects in a family is:**
a. Genetics Engineering
b. Genetics counselling
c. Genetics drift

d. Genetics equilibrium

17. **In ELISA technique, the antibodies are labelled by :**

a. Acridine orange

b. Alkaline phosphate

c. Neutral red

d. Bromothymol blue

18. **Which of the following is an example of live vaccine?**

a. pertusis

b. mumps

c. cholera

d. rabies

19. **Triple toxoid vaccine gives protection against :**

a. diphtheria, tetanus, and rabies

b. tetanus, whooping couph, tuberculosis

c. whooping couph, tetanus, and diphtheria

d. whooping couph, cancer and T.B

20. **In adrenal gland, the cholesterol is stored:**

a. mostly in the free form

b. mostly in esterified form

c. large amount of free form and less amount of esterified form

d. equal amounts of free and esterified form

21. **Biological activity of ACTH is completely lost on removal of :**

a. 10 N-terminal amino acids
b. 24 N-terminal amino acids
c. 24 C-terminal amino acids
d. 15 C-terminal amino acids

22. **Hyperglycaemic effect of glucocorticoids is due to:**

a. inactivation of protein phosphatase
b. inactivation of fructose 1,6-bisphosphatase
c. stimulation of synthesis of pyruvate carboxylase
d. stimulation of synthesis of eltrexykinase

23. **Cortisol is synthesized in:**

a. zona fasiculata
b. zona glomerulosa
c. zona reticularis
d. chromaffin cells

24. **Mineralocorticoids are steroid hormones produced from:**

a. zona fasiculata
b. zona glomerulosa
c. zona reticularis
d. zona pellucida

25. **Catecholamine are released from:**

a. zona fasiculata
b. zona glomerulosa
c. zona reticularis
d. chromaffin cells

26. **Zona pellucida disintegrates just:**

a. before fertilization
b. after fertilization
c. midway during cleavage
d. after completion of cleavage

27. **Virus causing Rabies is:**

a. Orthomyxo virus
b. Paramyxo virus
c. Rhabdo virus
d.Toga virus

28. **Which of the following is an example of RNA virus ?**

a. SV 40
b. T4 phage
c. Tabacco mosaic virus
d. Adeo virus

29. **E.coli produces the following toxins:**

a. Enterotoxins
b. Endotoxins

c. Verocytotoxins
d. Hemolysins

30. **Hering-Breuer reflex related to:**
a. effect of PH on respiratory center
b. effect of CO_2 on respiratory center
c. effect of nerves on respiratory center
d. effect of temperature on respiratory center

31. **Measles is characterized by:**
a. Negribodies
b. Babes-Ernest granules
c. Koplik's spots
d. Fever

32. **Commonest cause of induction of labour:**
a. pregnancy induce hypertension
b. prolonged pregnancy
c. IUGR
d. IUFD

33. **Assessment of fetal well-being:**
a. Doppler umbilical artery
b. Doppler umbilical vein
c. middle cerebral artery
d. fetal heart rate by pinard

34. **Red infarction develop in:**

a. Spleen
b. Liver
c. Kidney
d. Intestine

35. The number of amino acids in the hormone oxytocin is:

a. 7
b. 9
c. 14
d. 18

36. very efficient inhibitor of steroid biosynthesis is:

a. Aminoglutethimide
b. Aminoimidazole
c. Aminoimidazolesuccinyl carboxamine
d. Aminopterin

37. In the synthesis of Angiotensin I, rennin acts on Angiotensinogen and cleaves the:

a. Leucine - leucine at 10 and 11 position
b. Valine - tyrosine at 3 and 4 position
c. Isoleucine - histidine at 5 and 6 position
d. Proline - histidine at 7 and 8 position

38. The defect in adrenal cortex responsible for lack of glucocorticoids and mineralcorticoids is:

a. Androstenedione deficiency
b. 17 α -OH progesterone deficiency
c. C-21 hydroxylase deficiency
d. Testosterone deficiency

39. Which of the normal range of ionized calcium in plasma is:

a. 2-4 mg/dl
b. 2-4 mEq/L
c. 4-5 mg/dl
d. 4-5 mEq/L

40. Gastroenteritis caused by:

a. Shigella
b. V.cholerae
c. V.cholera Parahaemolyticus
d. S.typhi

41. Lymphogranuloma venerum (LGV) is sexually transmitted disease is caused by:

a. C.opthalmia
b. C.trachomatis
c. C.pneumonias
d. C.psittasi

42. Koplic's spots will develop in:

a. HIV
b. Measles
c. Mumps
d. Rubella

43. Scrup typhus is caused by:

a. R.Quintana
b. R.rickettsii
c. R.orinetalis
d. R.prowazekii

44. Regarding the Ureter:

a. partially retroperitoneal
b. received blood supply by ovarian artery
c. on the right cross ovarian vessels
d. on the left cross inferior vena cava

45. grading of tumour is best described as:

a. degree of differentiation
b. size of tumour
c. lymph nodes
d. metastasis

46. Reverse transcriptase is an enzyme involved in the synthesis of:

a. DNA
b. Soluble RNA

c. m-RNA from DNA
d. Nucleotides

47. pure hypertrophy is seen in:

a. breast of pregnant women
b. uterus of pregnant women
c. muscle of athletes
d.

48. female came to your clinic has hirsutism and acne, her BMI 37, which means she is obese and has DM, what is the Pathophysiology of PCO:

a. conversion of oestrogen into androgen
b. hyperinsulinemia
c. increase level of FSH
d. hyperandrogenism

49. How many atoms of Iron are found in one molecule of Haemoglobin :

a. 2
b. 4
c. 6
d. 10

50. Pt come with recurrent abortion in 3 months, diagnosed as Antiphospholipid antibody syndrome, What treatment can help to

complete pregnancy?

a. Aspirin and Heparin

b. Cortisol and Antibody

c. Immunoglobulin

d. Antibiotics

51. Healing by first intention:

a. the surface of wound is rapidly covered by epithelium

b. excessive granulation tissue

c. wound will covered by fibroblast

d.

52. Tetanus is caused by spread of:

a. exotoxin in sympathetic system

b. exotoxin in parasympathetic system

c. endotoxin in sympathetic system

d. endotoxin in parasympathetic system

53. Phenotype is determined by:

a. sex chromosome (XX- XY) karyotyping

b. gonadal differentiation

c. steroid hormones

d.

54. Virulence in Gonococcus is due to:

a. pilli

b. cell membrane

c. its cellular location
d. cyclic enzyme

55. Which type of antibodies will associated in blood cell coagulation:

a. IgA
b. IgM
c. IgG
d. IgE

56. Pregnant lady presented with temporary blindness, What is cause?

a. effect of progesterone making oedema in optic chiasma
b.
c.
d.

57. increase volume in pregnancy due to:

a. increase thirst threshold
b. stimulation of ADH
c. inhibition of ANP
d.

58. In cancerous cell??loss of architecture:

59. Definitive sign of necrosis:

a. decrease in PH

b. ribosomal detachment
c. karyolysis
d. cell swelling

60. After treatment of myocardial infarction, the injury occurs instead of restore blood supply by:

a. free radical
b.
c.
d.

61. mature placenta composed of:

a. syncytiotrophoblast, cytotrophoblast
b. maternal blood vessels, syncytiotrophoblast, fetal blood vessels
c. syncytiotrophoblast, fetal blood vessels
d. syncytiotrophoblast, cytotrophoblast, mesenchyma

62. regarding Rectus sheath:

a. inferior and superior epigastric arteries anastomosis
b. below umbilicus 3 layers of muscles
c. below umbilicus 2 layers of muscles
d.

63. Keloid due to:

a. increase collagen deposition
b. increase proliferation of fibroblast
c. neoplasia of fibroblast
d.

64. Single lady for one year, has undergoes to un-protective sexual intercourse 6 days ago, her 1st day of the cycle was 15 days ago, now she came searching for Emergency contraception:

a. copper IUD
b. Ulpristal
c. it's too late to give contraception
d.

65. 5% of total body…? iron is found in form :

a. hemosiderin
b. transferrin
c. myoglobin
d. cytochrome

66. external genitalia development:

a. genital tubercle give rise to clitoris
b. clitoris between two labia majora
c. genital folds become labia majora
d. glans derived from genital swelling

67. Complement based agglutination reaction is known as:

a. haem agglutination
b. complement fixation
c. conglutination
d. Schultz dale phenomenon

68. Theca cell produce primerly:

a. progesterone
b. androsterone
c. estrogen
d. DHEAS

69. Mechanism of action of Tamoxifen:

a. selective oestrogen receptive modulator
b. aromatase inhibitor
c. progesterone receptor antagonist
d.

70. Postmenopausal bleeding, diagnosis:

a. transvaginal U/S
b. B.D & C
c. hysteroscopy + endometrium biopsy
d. abdominal U/S

71. About the anterior abdominal wall:

a. Median umbilical ligament represented by urachus

b.
c. ligamentum of teres remnant of umbilical vein
d. pyramidalis m. presented in 20% of population

72. Poly A tail is frequently found in:

a. Histone in RNA
b. Bacterial RNA
c. Eukaryotic RNA
d. tRNA

73. Wound healing by regeneration invariable in:

a. liver cells
b. renal tubules
c. neuron
d. stem cells

74. compete with iodine uptake:

a. fluroacetate
b. thiocyanate
c. fluoride
d.

75. Anterior division of internal iliac artery:

a. lateral sacral artery
b. iliolumbar artery
c. obturator artery

d. inferior rectal artery

76. Hyponatremia cause by:

a. conn's syndrome
b. low Na intake
c. high ADH
d.

77. Regarding the Fallopian tube:

a. it contains inner longitudinal muscles that moves the fertilized ovum into the endometrium
b. isthmus run along uterine wall
c. it's diameter about 0.5 to 1.0 cm
d

78. Head engagement… ischial spine

79. When total lung capacity = 5L, tidal volume = 2.5L, IVR= 1, ERV= 1
what is residual volume?

a. 1.5 L
b. 2 L
c. 2.5 L
d. 0.5 L

80. Which of the following used to confirm invariable ovulation:

a. mid-luteal progesterone

b. LH surge
c. FSH
d. Estrogen

81. Most of iron in the body is present in:

a. RBCs
b. Liver
c. Plasma
d. Spleen

82. About spermatogenesis:

a. nucleus form the cap
b. mitochondria makes the neck
c. the centriole elongated to form axial filament
d. tail have two and nine microtubules

83. Epithelium cell tumour:

a. Papilloma
b. Cystadenoma
c. Choriocarcinoma
d. Nephroblastoma

84. Pituitary stalk block cause increase in:

a. PRL
b. ACTH
c. FSH
d. LH

85. **The technique involved in comparing the DNA component of two sample is known as:**

a. monoclonal Ab technique

b. genetic finger printing

c. recombinant DNA technology

d. PCR

86. Regarding female development:

a. vaginal plate forms the lower two third of vagina which connects to paramesonephrous duct

b.

c.

d.

87. Mature corpus luteum has low expression of:

a. aromatase

b. 17-hydroxylase

c. 17-β-HSD

d.

88. Ovarian artery:

a. Rt ovarian artery crosses anterior to IVC

b. originating from the aorta above the renal a.

c. enter ovary through ovarian ligament

d.

89. If you want to produce different combination of traits:

a. gene recombination

b.

c.

d.

90. At what stage of the following life is compatible Extra uterine:

a. glandular

b. canalicular

c. scavular

d. after birth

91. Regarding ovulation:

a. occurs 14 days after LMP

b. oestrogen increase before LH surge

c.

d.

92. Thyroperoxidase enzymes contains:

a. Heme

b. Copper

c. Zinc

d. Magnesium

93. Which of the following statement regarding TFT in pregnancy is true:

a. normal total, normal T_4

b. normal total, increase T_4

c. increase total, increase T_4

d. increase total, normal T_4

94. Which of the following is the most important factor to determine the placental blood flow:

a.

b.

c.

d.

95. Which of the following activates carcinogenic materials:

a.

b.

c.

d.

96. Pregnant in 37 weeks, came with vaginal bleeding and abdominal pain most likely due to:

a. Placental abruption + fetal heart rate 160

b. Placenta Previa

c. Vasa Previa + fetal heart rate 60

d.

97. Thyroperoxidase used H_2O_2 as oxidative agent, H_2O_2 come from:

a. FAD dependent enzyme
b. NAD dependent enzyme
c. NADPH dependent enzyme
d.

98. In the congenital syphilis:

a. Hutchinson teeth
b. ascending infection through vagina
c. chancer in tertiary syphilis
d. severe if occurs in first trimester

99. Receptive window:

a. period at which the endometrium is prepared to receive the fertilized ovum
b.
c.
d.

100. Virus attacks mycoplasma:

a. bacteriophage
b. mycoplasma phage
c. virion
d. tiny strain

101. Effect of cortisol in pregnancy:

a. increase the liver protein binding protein

b.

c.

d.

102. Pre-cancerous screening is possible in:

a. ovary

b. cervix

c. uterus

d.

103. Transformation Zone:

a. glandular to squamous metaplasia

b. glandular to squamous dysplasia

c. squamous to glandular dysplasia

d. squamous to glandular metaplasia

104. Regarding early stages of development:

a. zygote contain blastomer

b. blastocyte contain mozilla

c. implantation occur after 10 days

d. inner cell mass becomes placenta

105. Extrusion of Second polar body from egg occurs:

a. after entry of sperm and before completion of fertilization

b. after completion of fertilization
c. before the entry of sperm
d. without any relation with sperm entry

106. Choriocarcinoma metastasis, it has a predominantly spread by which route?

a. direct invasion
b. haematogenous
c. lymphatic
d. transcolomic

107. From which organ/system does the Krukenberg tumour of the ovaries originate?

a. Lung
b. Brain
c. Uterus
d. GIT

108. Innervation of majority of Vulva?

a. Ilioinguinal nerve
b. Pudendal nerve
c. Inferior rectal nerve
d. Perineal branch of S_4

109. About S.typhi:

a. bacteraemia in 1st week
b. 90% of patients are carrier
c.

d. has rose spots in s.typhi

110. Central chemoreceptor occurs by:

a. CO_2

b. O2

c. PH

d. H

111. Ciprofloxacin mechanism of action:

a. inhibition of DNA gyrase

b. inactivation of penicillin-binding protein

c. inhibition of β-lactamase

d. inhibition of reverse transcriptase

112. Cell of chronic inflammation is:

a. macrophages with giant cell

b. polymorph nuclear

c. monocyte

d. plasma cell

113. Baby boy presented with ambiguous genitalia this may be caused by deficiency of which enzyme:

a. 11-hydroxylase

b. 17 α-hydroxylase

c. 17 β-hydroxylase

d. 21-hydroxylase

114. Approximately how many oocyte are present in the ovaries at birth?

a. 1,000
b. 10,000
c. 100,000
d. 1 million

115. What process would you expect a secondary spermatocyte to undergo during spermatogenesis?

a. 1st meiotic division
b. 2nd meiotic division
c. 1st mitotic division
d. differentiation

116. Which of the following is true about exudate:

a. occurs in heart failure
b. due to chronic inflammation
c. used in cytology cultures
d. has low specific gravity

117. DPT is given for the prevention of:

a. Diphtheria, Tetanus
b. Diphtheria, Pertussis
c. Diphtheria, Tetanus, & Pertussis
d. none of the above

118. Free radical:

a. destruction of protein sh group

b. causes apoptosis

c.

d.

119. Endothelium adhesion by:

a. selectin

b. integrin

c. mucin

d. fibronectin

120. Progesterone :

a. convert estradiol to estron

b. responsible for glandular proliferation

c. causes uterine contraction

d. decrease thickness of the cervical mucosa