

What is Natural Language Processing?

Natural Language Processing (NLP) is focused on the way in which human language and computers interact.

There are two key sides to Natural Language Processing:

- Trying to get computers to understand natural language (speech recognition, building AI that can understand human interaction etc)
- Getting computers to learn how we form our language so that they can help us automate information extraction from free text

We focus on the second of these areas.

Automating free text information extraction

There are a number of ways in which we can automate the process of extracting information from free text:

- 1. Named Entity Recognition extracting named entities (such as people, places, organisations etc) from unstructured text, and categorising them.
- 2. Sentiment Analysis automatically identifying whether unstructured text is positive, negative or neutral in tone. Can also work alongside Sarcasm Analysis.
- 3. Relation Extraction identifying the relationship between entities in text, and automating the extraction of the entities and their relationships into Relational Tuples

An Example

Let's consider an example.

Let's imagine we have a hospital that has asked patients to fill out a survey about their experiences in the hospital. If the survey contains free text comments, then we may want to:

- Identify whether or not their comments are positive, negative or neutral (Sentiment Analysis)
- Identify specific "things" that they talked about positively, negatively or neutrally (Named Entity Recognition)
- Identify the relationships between adjectives and the things they describe to understand how people describe their experience of various elements of a service (Relation Extraction)

Named Entity Recognition

What do we mean by a "Named Entity"?

A Named Entity is a real world object that can be denoted with a proper name. The entity can have either physical existence (e.g. Dan Chalk, University of Exeter) or abstract existence (Discrete Event Simulation, Woodwork).

Types of Named Entity

There are lots of potential categories for Named Entities. SpaCy is a Python package we will be using in this course, and has its own set of categories (to which users can add their own):

PERSON People (including fictional)

NORP Nationalities or Religious or Political Groups FAC Facilities (Buildings, airports, bridges etc)

ORG Organisations (Companies, institutions etc)

GPE Geo-Political Entities (Countries, cities, counties)
LOC Non-GPE locations (mountain ranges, lakes etc)

PRODUCT Objects, vehicles, foods etc (not services)

EVENT Named storms, battles, wars, sports events etc

WORK_OF_ART Titles of books, songs, films etc

LAW Named documents made into laws

LANGUAGE Any named language

DATE Absolute or relative dates or periods

TIME Times smaller than a day

PERCENT Percentages, including the "%" character

MONEY Monetary values, including the unit (e.g. £2.50)

QUANTITY Measurements, such as weight or distance

ORDINAL "First", "Second" etc

CARDINAL Numerals that do not fall under another type

Exercise 1

Let's practice our understanding of named entities with an example.

Study the following text. Identify all of the named entities in the text, and categorise them according to the SpaCy categories listed on the previous slide. If you feel that none of the existing categories adequately categorises a named entity, then create and name your own category.

You have 15 minutes.

Exercise 1

Yesterday, Derek went to Waitrose and purchased a loaf of bread, and a pint of milk. It cost him a total of £1.30, which he thought was quite reasonable. When he was in France a few weeks ago he felt that bread was priced a little too high. He's often wondered if he should learn a bit about bread making, but he'd have to learn the basics of cookery first!

Noun Phrases

Now we know what Named Entities are, how do we get a computer to find them?

We need rules that we can give the computer that explain where to find Named Entities.

As Named Entities are all "things" (nouns), to find Named Entities we need to look for "Noun Phrases".

Noun Phrases

Noun Phrases are phrases that are either headed by a noun or an indefinite pronoun (more on that shortly), or perform the same grammatical function as a noun.

Put another way, a noun phrase includes a noun (e.g. cat) and the modifiers which identify it (my cat, John's cat, the cat with white stripes, the cat who ate all the tuna).

Let's look at some examples.

GRAMMAR IS FUN, REMEMBER! LET'S ALL TRY TO REMEMBER THAT! YES...

Noun Phrases

Examples of Noun Phrases : (noun phrases are underlined, head noun in bold)

The **staff** were very helpful, but the **food** was terrible.

<u>A green-eyed **Tom**</u> enviously watched <u>Dan's amazing</u> <u>lecture</u>.

At many universities, academics consume vast quantities of cake.

Exercise 2

Identify the noun phrases and head nouns in the following sentences:

- 1. Two men walked into their local bar, and thought that their situation sounded like the start of a joke.
- 2. Many students felt that Dan's tutorial was the best, but then again, people are often wrong.
- 3. Most people tend to use Windows, but increasingly people are turning to Linux, as it is a much better Operating System.
- 4. Suet can be used to make many different traditional dishes.
- 5. I think my black cat thinks I'm rather dull, as he often yawns when I'm talking about my daily routine.
- 6. The above sentences show the random stream of rubbish that enters my head at any one time.

You have 10 minutes.

Definite Noun Phrases

GRAMMAR IS FUN. KEEP REMEMBERING THAT.

A **definite noun phrase** is one where the head noun clearly refers to something specific - something previously mentioned or known, something unique, or something being identified by the speaker. The head noun is prefaced by the **"definite article"** ("the"), unless the specificity is contained in the noun instelf (such as with an ordinal number – e.g. "first"). The definite article may potentially followed by adjectives etc – we'll come back to that.

Examples: I ran over to the dog. I sat next to the very fluffy cat.

Indefinite Noun Phrases

WOW THIS IS SO MUCH FUN.

An **indefinite noun phrase** is one where the head noun refers to a singular noun where the reader / listener does not know exactly to which one we are referring. The head noun is often prefaced by the **"indefinite article"** (e.g. "a" / "an") (potentially followed by adjectives etc – we'll come back to that) but there are other complications. Let's not go down that rabbit hole....

Examples: I ran over to a dog. I sat next to a very fluffy cat.

Back to Noun Phrases

So why should you care about any of this? (Other than its obvious fun-conferring benefits)

Because Named Entities are found in...

...can anyone guess...?

Back to Noun Phrases

So why should you care about any of this? (Other than its obvious fun-conferring benefits)

Because Named Entities are found in...

...can anyone guess...?

Definite Noun Phrases.

So if we're looking for Named Entities, we need to find Definite Noun Phrases.

Not quite as simple as it may seem...

We know that named entities are found in definite noun phrases, right?

And we know that definite noun phrases will often have head nouns prefaced by "the" (unless they're things like ordinal numbers which inherently convey the specificity).

So it should be easy to identify the ones that are prefaced by the definite article automatically right? We can just look for text that starts "the" followed by a noun...?

Not quite as simple as it may seem...

WRONG!!

Not quite as simple as it may seem...

There are two core problems here:

- 1) We don't just refer to nouns by themselves, we may use adjectives, for example to describe the nouns (e.g. we might say "the cat" or "the fluffy cat" we'd need to pick up both)
- 2) We need to identify the head noun in a noun phrase, and there may be more than one contender (e.g "The vicar, Brian" "My cat, Bob")

Let's consider the first problem initially. To do that, we need to understand a bit more about grammar, about parsing, and about "regular expressions".

Parts of Speech - POS

Parts of Speech (or POS) refers to the categories that we assign to words that describe their syntactic functions.

There are 9 Parts of Speech in the English Language. They are (FUN?):

noun name of a person, place, idea or thing

pronoun used in place of a noun (eg me, he, she, it)

verb an action, or expresses being

adjective describing words for things-modifies noun or pronoun

adverb as above, but for modifying verbs

determiner limits or determines a noun (two dogs, the rabbit)

preposition governs a noun or pronoun to express a relation with

another word or element in the clause (by, to, at etc)

conjuction joins words, phrases or clauses (and, but, when etc)

interjection word used to express emotion (Hey!)

The labelling of words according to their POS category is known as "POS Tagging" in Natural Language Processing.

Exercise 3

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

THIS IS FUN! THIS IS FUN! THIS IS FUN!

Exercise 3

POS Tag the following paragraph. You have 15 minutes (+ 10 minute comfort break):

The grey horse in the field was slowly eating some grass, when she looked up and saw a bird fly onto the fence. The bird was then joined by 400 more birds. Wow! Clearly the author had been watching too much Alfred Hitchcock.

Parsing

Parsing refers to the process of breaking down a sentence into its component parts and describing the syntactic roles of each component.

For example, through parsing we could identify the noun phrases in some text, and the POS Tags.

We can use Regular Expressions to help us in the Parsing process.

Regular Expressions

A Regular Expression (or regex) is a sequence of characters that define a search pattern. They are used in many applications, including search engines, to define the rules for the pattern of text that you want to search for.

When parsing, we can use regular expressions to specify rules for identifying certain syntactic structures in sentences.

Regular Expression Syntax

When forming regular expressions, we use certain syntax. Here is some of the common syntax we use for parsing :

So, for example, we could use this to form rules to find definitive noun phrases :

```
{<NN>} # match noun on its own (e.g. cat)
{<JJ>?<NN>} # match an optional adjective followed by a noun
```

But, can anybody spot any problems with this approach?

Issues with the regex approach

Some potential problems:

1. This is a pain in the bottom. It turns out there are HUGE numbers of potential combinations of POS Tags that could form definite noun phrases. And some of the rules you write may find things that AREN'T definite noun phrases, as well as ones that are.

Issues with the regex approach

Some potential problems:

- 2. Let's imagine we're looking for named entities in notes made by paramedics at the scene of an incident. Which of these do you think is a more realistic reflection of the kind of notes you'd expect to see:
- a) It was morning, and a slight chill was in the air. I arrived to find that Mrs Smith had clearly taken an unpleasant fall, and was in need of help. Quickly, and without a moment's thought, I rushed to her and asked if she was in any pain.
- b) Arrived AM. Mrs Smith had fallen, rapid assistance given. Asked if she was in pain.

Clearly b) is more representative. Because it's rare than in these kinds of situations (or even situations where we're filling out surveys etc), that many of us would write in perfect grammar. But the regex approach necessarily assumes that we do (or at least, "consistently").

An alternative solution

So if the regex approach to finding definite noun phrases isn't ideal for our problem of finding named entities, because it is too difficult and too reliant on the text following consistent grammatical rules, what can we do?

Fortunately, there is an alternative: SpaCy – a Python library for Natural Language Processing that includes, amongst many other things, AI-based methods for Named Entity Recognition.

We'll cover the use of SpaCy for Named Entity Recognition in the next session 8B – Named Entity Recognition and Word Clouds. SpaCy uses a **Transformer-Based Architecture**.

SpaCy

SpaCy is a well regarded and widely used Python library that makes many Natural Language Processing tasks, particularly parsing-based tasks, very easy.

https://spacy.io/


To install SpaCy, just type **pip install spacy** from your command prompt or terminal.

Sentiment Analysis

Sentiment Analysis uses AI-based methods to try to automatically identify the 'sentiment' / 'tone' of a piece of text, to identify if it is positive, negative or neutral.

In a similar way to the way in which SpaCy uses AI to predict whether a word (or group of words) is a Named Entity, here we are predicting whether a piece of text is positive (+1), negative (-1) or neutral (0) (or positive (1) / negative (0) if we have just two classes)

Sentiment Analysis – The Overall Process



Applications and Challenges of Sentiment Analysis

Potential Applications:

- automatically classifying service user survey data
- analysing reviews of movies, books etc
- analysing social media posts, and flagging up negative comments to be addressed
- looking for positive or negative references to your organisation on websites etc

A potential challenge - Sarcasm

"I loved having to wait for 5 hours to see a doctor"

"I was extremely impressed – I'd never seen a restaurant with more dirt per square inch"

"Well done! You managed to ignore every request for help. Quite an achievement!"

I would think most of us would consider the above sentences to be sarcastic. But because there is positive language, a machine may well find it difficult to identify that these are not positive statements (even we humans struggle sometimes).

Reflect on how you know the above sentences are sarcastic. Why do you think they are?

Sarcasm Detection

Sarcasm Detection is a branch of NLP that tries to use Al methods to learn when text is sarcastic in tone.

The most effective way to detect if a statement is sarcastic is to compare it with known truths. For example, if we know that people don't like to wait for services, then the statement "I loved having to wait for 5 hours to see a doctor" can be seen as unlikely to be true, and therefore sarcasm.

But, as you can imagine, this means Sarcasm Detection is not a trivial task, and a better solution is likely to take samples of your data to determine the % of cases that demonstrate sarcasm. In the majority of cases, this is likely trivial.

But do check out an interesting article on this very niche area of NLP:

https://towardsdatascience.com/sarcasm-detection-with-nlp-cbff17

A Further Challenge

There is another challenge in sentiment analysis, relating to what the sentiment of text actually refers. We'll talk more about that, and show you how to undertake sentiment analysis, in session 8C – Sentiment Analysis.

Exercise 4

For the next 30 minutes, in your groups I want you to discuss ideas for potential application of NLP approaches to data in your own organisations. Have you got any thoughts for projects that could use these approaches?

10 minutes before lunch, I'll bring everyone back and ask a few groups to share their thoughts, so make sure you've got a nominated spokesperson.

I'd also strongly encourage you to check out the presentation from Mike Hill (Policing Associate from HSMA 3) who undertook a fantastic NLP project (jump to 0:42:40):

https://www.youtube.com/watch?v=GJpzNGCbWSc