
P−value plot − S1, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S2, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S3, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S4, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S5, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S6, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S7, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S8, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S9, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S10, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S11, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S12, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S13, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S14, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S15, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S16, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S17, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S18, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S19, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S20, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S21, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S22, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S23, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S24, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S25, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S26, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S27, eps = 0.1
Observed ordered p−values
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S28, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S29, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S30, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S31, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S32, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S33, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S34, eps = 0.1
Observed ordered p−values
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
0.00
0.05
0.10
0.15
0.20
Method
Proposed
Schott
Cheng−GM


P−value plot − S35, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S36, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S37, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S38, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S39, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S40, eps = 0.1
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S1, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S2, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S3, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S4, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S5, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S6, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S7, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S8, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S9, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S10, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S11, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S12, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S13, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S14, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S15, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S16, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S17, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S18, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S19, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S20, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S21, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S22, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S23, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S24, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S25, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S26, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S27, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S28, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S29, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S30, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S31, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S32, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S33, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S34, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S35, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S36, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S37, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S38, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S39, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM


P−value plot − S40, eps = 0.2
Observed ordered p−values
0.20
0.15
0.10
0.05
0.00
0.00
0.05
0.10
0.15
0.20
Expected uniform order statistics
Method
Proposed
Schott
Cheng−GM