

# FDE Project Eval

H

Humberto Soperanez

[← Re-Evaluate](#)

## Evaluation Results Summary

### Evaluation Complete!

Input: <https://github.com/hsoper/5-days-of-ai-final>

TOTAL SCORE

**95** / 95

## Breakdown by Criteria

### Tool & Interface Design

**20** / 20 pts

**Reason:** The repository perfectly adheres to all criteria. The tools in ``app/tools.py`` feature comprehensive docstrings and highly descriptive names like ``structure_socratic_scaffold``. Furthermore, it leverages Pydantic models for explicit schema validation and utilizes robust error handling that gracefully returns detailed ``recovery_instruction`` payloads back to the LLM.

### Context & Memory

**20** / 20 pts

**Reason:** The project implements highly robust system instructions with clear pedagogical constraints. It actively manages context bloat through a history

compaction tool, persists state and memories to vector stores and GCS, and correctly leverages asyncio for non-blocking background memory operations.

## Orchestration & Logic

20 / 20 pts

**Reason:** The repository demonstrates a well-architected multi-agent supervisor pattern with strategic routing between Flash and Pro models. It also includes explicit execution guardrails to redact PII/direct answers and programmable Human-in-the-Loop hooks to pause for student confirmation.

## Observability & Tracing

20 / 20 pts

**Reason:** The codebase thoroughly meets all criteria: it utilizes a structured JSON logging wrapper ('emit\_json\_log'), explicitly captures '[INTENT]' and '[OUTCOME]' states across tools, enables OpenTelemetry tracing natively in the FastAPI initialization ('otel\_to\_cloud=True'), and actively implements a PII redaction mechanism ('redact\_pii') to scrub sensitive data before logging or storing it in memory.

## Infrastructure & CI/CD

15 / 15 pts

**Reason:** The repository implements a robust automated evaluation suite using 'agents-cli' and a custom LLM-as-judge script. Infrastructure provisioning is well-documented using 'agents-cli infra' commands, and secure secret management is strictly followed by utilizing environment variables and default credentials instead of hardcoded keys.

Download Results CSV