



CERTIFICATE OF ACHIEVEMENT

Is hereby granted to Alkan

Mr. Ahmed Mashwady Ahmed

HAS SUCCESSFULLY COMPLETED

Fall Arrest & Fall Arrest Rescue Training Course (FFAT)

Certificate No. : PLAT 796479

Signature

National-ID : 30109092605252

Course Date : 06-10-2025

Expire Date : 05-10-2027

Ahmed El-Naggar
Corporate General Manager



06 OCT 2025

4-11-2025
Signature



*Presents This Certificate
To*

Ahmed Meshwady Ahmed

ID No : 30109092605252

(Mobi Egypt for Engineering projects)

Who has completed a One Day Course
in

First Aid & CPR

Certificate No . 150741

Date of Issue . 22 Apr 2024

Date of Expiry . 21 Apr 2026



Authorized Signatory

Tamr



*Presents This Certificate
To*

Ahmed Meshwady Ahmed

ID No : 30109092605252

(Mobi Egypt for Engineering projects)

Who has completed a One Day Course
in

Fire Fighting

Certificate No 150738

Date of Issue 24 Apr 2024

Date of Expiry 23 Apr 2026



Tamr

Authorized Signatory





Medical Certificate – Random drug test

	Printed by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
		National I.D .number:30109092605252	Date of birth:2001/09/9
		Applicant's Address: ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
		Telephone number: 01554032573	
		Company Name: Alkan CIT –Glopmed	
		Company Contact Person's Name: Dahlia Hamdy 01008225666	
Company Address: Citadel plaza		أحمد مشواوي أحمد همام - ٣٠١٠٩٠٩٢٦٠٥ Acc.No. 243071 P.No. 30109092605252 Reg. 16-03 (10:35) Res. 16/03/2026	

SECTION A– MEIDICAL Lab Tests

Filled by Doctor Only

Medical Lab tests Diagnostic	Comment
Tegratol (carmbazepine)Depaken	
Depakin test (Valporic Acid	
Random Blood Sugar (FBS)	
Drug of Abuse	
Amphetamine Screen	  
Barbiturates Screen	
Benzodiazepine Screen	
Cannabinoids Screen	
Opiates Screening	
Tramadol Qualitative	
Vodo	
Strokes	
Falka	
Lyrica	
Actig	
Adderall	
Amital	
Avinza	
Alpra	
Zolam	

Fit

The Lab
 2B. Street No. 200
 Tel. 02-27546400

	Printed by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
		National I.D .number:30109092605252	Date of birth:2001/09/9
		Applicant's Address:	
		ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
		Telephone number: 01554032573	
		Company Name: Alkan CIT –Glopmed	
Company Contact Person's Name: Dahlia Hamdy 01008225666			
Company Address: Citadel Plaza			

*The Medical Fitness in this document indicates that at the time of the medical examination:-
 This individual is medically ☒ **fit** to perform the relevant job role as a Rigger e.g. climbing,
 It shall not be assumed that the person concerned is fit if any conditions have been changed and
 the individual has not informed both employer or medical provider.

*This individual is medically ☐ **Temporary unfit** to perform the relevant job role as a Rigger
 Because.....

*This individual is medically ☐ **unfit** to perform the relevant job role as a Rigger
 Because.....

- Medical Practitioner's comments on revising the Applicant's suitability for working as Driver height (tower/ tall standing structure):

- This worker is found..... for working as a Rigger at the time of examination.
- Fitness& Learning skills for working at height can minimize but cannot totally prevent accident

Full Name of Examining Doctor:	Full Name of Revising Doctor : Dr Wafaa Hawas M.D
Signature:	Signature: 
Telephone no.:	Telephone no.:01223181995
Qualifications :-	Time of examination: 10:35 Date of Examination: 16.3.2026

Medical Certificate – Random drug test

 Printed by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number:30109092605252	Date of birth:2001/09/9
	Applicant's Address: ش سليم- المعتمدية مركز كراسة - الجيزة 2	
	Telephone number: 01554032573	
	Company Name: Alkan CIT –Glopmed	
	Company Contact Person's Name: Dahlia Hamdy 01008225666	
Company Address: Citadel plaza		

LABORATORY
DIVISION
TECHNICAL OFFICE

SECTION A– MEIDICAL Lab Test Filled by Doctor Only

٢٠١٠٩٠٩١٧٠ - أحمد مشواوي أحمد همام
 Acc.No. 230593
 P.No. 30109092605252
 Reg. 24-06 (12:52)
 Res. 25/06/2025

Medical Lab tests Diagnostic	Comments
Tegratol (carbamazepine)Depaken	
Depakin test (Valporic Acid	
Random Blood Sugar (FBS)	
Drug of Abuse	
Amphetamine Screen	
Barbiturates Screen	
Benzodiazepine Screen	
Cannabinoids Screen	
Opiates Screening	
Tramadol Qualitative	
Vodo	
Strokes	
Falka	
Lyrice	
Actig	
Adderall	
Amital	
Avinza	
Alpra	
Zolam	

Fit

The Lab
 2B Street No. 200
 Tel: 02-27546400

 Approved by Contractor ALKAN CIT - GLOPMED I & C DIVISION TECHNICAL OFFICE	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number:30109092605252	Date of birth:2001/09/9
	Applicant's Address:	
	ش سليم- المعتمدة مركز كرداسة - الجيزة 2	
	Telephone number: 01554032573	
Company Name: Alkan CIT –Glopmed		
Company Contact Person's Name: Dahlia Hamdy 01008225666		
Company Address: Citadel Plaza		

*The Medical Fitness in this document indicates that at the time of the medical examination:-
This individual is medically ☒ **fit** to perform the relevant job role as a **Rigger** e.g. climbing,
It shall not be assumed that the person concerned is fit if any conditions have been changed and
the individual has not informed both employer or medical provider.

*This individual is medically ☐ **Temporary unfit** to perform the relevant job role as a **Rigger**
Because.....

*This individual is medically ☐ **unfit** to perform the relevant job role as a **Rigger**
Because.....

- Medical Practitioner's comments on revising the Applicant's suitability for working as Driver height (tower/ tall standing structure):

- This worker is found..... *fit* for working as a Rigger at the time of examination.
- Fitness & Learning skills for working at height can minimize but cannot totally prevent accident

Full Name of Examining Doctor:	Full Name of Revising Doctor :
Signature:	Signature: <i>Wafaa Hawas</i> M.D
Telephone no.:	Telephone no.:01223181995
Qualifications :-	Time of examination: 12:32 Date of Examination: 24/6/2025

Medical Certificate – Random drug test

 Printed by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number:30109092605252	Date of birth:2001/09/9
	Applicant's Address: ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
	Telephone number: 01554032573	
	Company Name: Alkan CIT –Glopmed	
	Company Contact Person's Name: Dahlia Hamdy 01008225666	
Company Address: Citadel plaza		

TECHNICAL OFFICE


SECTION A– MEIDICAL Lab Tests

Filled by Doctor Only

Medical Lab tests Diagnostic	Comment
Tegratol (carmbazepine)Depaken	
Depakin test (Valporic Acid	
Random Blood Sugar (FBS)	
Drug of Abuse	
Amphetamine Screen	
Barbiturates Screen	
Benzodiazepine Screen	
Cannabinoids Screen	
Opiates Screening	
Tramadol Qualitative	
Vodo	
Strokes	
Falka	
Lyrice	
Actig	
Adderall	
Amital	
Avinza	
Alpra	
Zolam	

أحمد مشواوي أحمد همام
237887
30109092605252
30-11 (14:28)
01/12/2025

P.O. No. 237887
P.No. 30109092605252
Reg. 30-11 (14:28)
Res. 01/12/2025



The Lab
 2B. Street No. 200
 Tel.02-27546400

 Printed by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number:30109092605252	Date of birth:2001/09/9
	Applicant's Address:	
	ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
	Telephone number: 01554032573	
	Company Name: Alkan CIT –Glopmed	
Company Contact Person's Name: Dahlia Hamdy 01008225666		
Company Address: Citadel Plaza		


*The Medical Fitness in this document indicates that at the time of the medical examination:-
 This individual is medically ☒ **fit** to perform the relevant job role as a **Rigger** e.g. climbing,
 It shall not be assumed that the person concerned is fit if any conditions have been changed and
 the individual has not informed both employer or medical provider.

*This individual is medically ☐ **Temporary unfit** to perform the relevant job role as a **Rigger**
 Because.....

*This individual is medically ☐ **unfit** to perform the relevant job role as a **Rigger**
 Because.....

- Medical Practitioner's comments on revising the Applicant's suitability for working as Driver height (tower/ tall standing structure):

1. This worker is found Fit for working as a Rigger at the time of examination.
2. Fitness & Learning skills for working at height can minimize but cannot totally prevent accident

Full Name of Examining Doctor:	Full Name of Revising Doctor : <u>Dr Wafaa Hawas M.D</u>
Signature:	Signature: 
Telephone no.:	Telephone no.:01223181995
Qualifications :-	Time of examination: <u>14:28</u> Date of Examination: <u>30.11.2025</u>

Medical Certificate – Random drug test

 Requested by Contractor	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number: 30109092605252	Date of birth: 2001/09/9
	Applicant's Address: ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
	Telephone number: 01554032573	
	Company Name: Alkan CIT –Glopmmed	
	Company Contact Person's Name: Dahlia Hamdy 01008225666	
Company Address: Citadel plaza		

TECHNICAL OFFICE

SECTION A– MEIDICAL Lab Tests

Filled by Doctor Only

Medical Lab tests Diagnostic	Comment
Tegratol (carmbazepine)Depaken	
Depakin test (Valporic Acid	
Random Blood Sugar (FBS)	
Drug of Abuse	
Amphetamine Screen	
Barbiturates Screen	
Benzodiazepine Screen	
Cannabinoids Screen	
Opiates Screening	
Tramadol Qualitative	
Vodo	
Strokes	
Falka	
Lyrice	
Actig	
Adderall	
Amital	
Avinza	
Alpra	
Zolam	

223051
 30109092605252
 22-01 (11-E5)
 22/01/2015
 أحمد مشواوي أحمد همام - 01099917

Fit

The Lab
 2B. Street No, 200
 Tel . 02 - 27543400

 provided by Contractor TECHNICAL OFFICE	Applicant's name(To fourth name): أحمد مشواوي أحمد همام	
	National I.D .number:30109092605252	Date of birth:2001/09/9
	Applicant's Address:	
	ش سليم- المعتمدية مركز كرداسة - الجيزة 2	
	Telephone number: 01554032573	
	Company Name: Alkan CIT –Glopmmed	
Company Contact Person's Name: Dahlia Hamdy 01008225666		
Company Address: Citadel Plaza		

*The Medical Fitness in this document indicates that at the time of the medical examination:-

This individual is medically ☒ **fit** to perform the relevant job role as a Rigger e.g. climbing

It shall not be assumed that the person concerned is fit if any conditions have been changed and the individual has not informed both employer or medical provider

*This individual is medically ☐ **Temporary unfit** to perform the relevant job role as a Rigger
Because.....

*This individual is medically ☐ **unfit** to perform the relevant job role as a Rigger
Because.....

- Medical Practitioner's comments on revising the Applicant's suitability for working as Driver height (tower/ tall standing structure):

1. This worker is found..... *fit* for working as a Rigger at the time of examination.
2. Fitness& Learning skills for working at height can minimize but cannot totally prevent accident

Full Name of Examining Doctor:	Full Name of Revising Doctor :
	<i>DFE</i> Wafaa Hawas, M.D
Signature:	Signature: <i>[Signature]</i>
Telephone no.:	Telephone no.:01223181995
Qualifications :-	Time of examination: 11:55
	Date of Examination: 22-1-2022