Scotia

USER MANUAL
31/05/2019
V1.100

a dalton maaga

BASIC USAGE

Font packages and file formats 3
Weights 4
Intended size, language support 5
Character set 7

ADVANCED USAGE

OpenType features 8
Tracking and kerning 24
OpenType features in Microsoft Word 26

a dalton maag a

Scotia is delivered as Desktop, Web, and App font files.



The Desktop fonts are for use in print and digital design. They come as OpenType fonts in TTF format.

Web fonts are for use in web browsers. They are identified by the tag W in the file name, and they cannot be installed on desktop machines. They come in two formats: WOFF and WOFF2.

App fonts are for use in mobile apps. They are identified by the tag A in the file name, and they come in TTF format.

Scotia is a family of four weights, and two styles. The text style consists of normal width Light, Regular, Bold with accompanying italics, plus the condensed width Legal. These are better suited for longer text. The Display style consists of the Headline weight, which is more appropriate for headlines at bigger sizes.

Hello

SCOTIA LIGHT

Hello

SCOTIA LIGHT ITALIC

Hello

SCOTIA REGULAR

Hello

SCOTIA ITALIC

Hello

SCOTIA BOLD

Hello

SCOTIA BOLD ITALIC

Hello

SCOTIA HEADLINE

Hello

SCOTIA LEGAL

Scotia Light, Light Italic, Regular, Regular Italic, Bold, Bold Italic and Legal are optimized for both UI and display settings. These styles can be used in display contexts, at large body sizes but also in UI contexts where smaller body sizes is required. The character set of Scotia includes proportional and tabular numerals and cap-specific punctuation. It covers the following Latin based languages:

ALL LATIN EUROPEAN LANGUAGE COVERAGE

Albanian, Asturian, Basque, Bosnian Latin, Catalan, Croatian, Czech, Danish, Dutch, English, Estonian, Faroese, Finnish, French, Galician, German, Hungarian, Icelandic, Irish, Italian, Kalaallisut, Kashubian, Latin, Latvian, Lithuanian, Luxembourgish, Maltese, Manx, Northern Sami, Norwegian (Bokmål+Nynorsk), Polish, Portuguese, Romanian, Scottish Gaelic, Serbian Latin, Slovak, Slovenian, Spanish, Swedish, Swiss German, Turkish, Welsh, Western Frisian.

ADDITIONAL LATIN BASED LANGUAGES SUPPORTED

Afrikaans, Fijian, Filipino, Inuktitut Latin, Kinyarwanda, Luba-Lulua, Malagasy, Malay, Nauru, North Ndebele, Northern Sotho, Nyanja, Palauan, Rundi, Sango, Shona, South Ndebele, Southern Sotho, Swahili, Swati, Tokelau, Tsonga, Tswana, Turkmen, Tuvalu, Xhosa, Zulu.

Scotia Headline is a display typeface, therefore, it should be used in display contexts, at larger body sizes. The character set of Scotia Headline includes proportional and tabular numerals and cap-specific punctuation. It covers the following Latin based languages:

ALL LATIN EUROPEAN LANGUAGE COVERAGE

Albanian, Asturian, Basque, Bosnian Latin, Catalan, Croatian, Czech, Danish, Dutch, English, Estonian, Faroese, Finnish, French, Galician, German, Hungarian, Icelandic, Irish, Italian, Kalaallisut, Kashubian, Latin, Latvian, Lithuanian, Luxembourgish, Maltese, Manx, Northern Sami, Norwegian (Bokmål+Nynorsk), Polish, Portuguese, Romanian, Scottish Gaelic, Serbian Latin, Slovak, Slovenian, Spanish, Swedish, Swiss German, Turkish, Welsh, Western Frisian.

ADDITIONAL LATIN BASED LANGUAGES SUPPORTED

Afrikaans, Fijian, Filipino, Inuktitut Latin, Kinyarwanda, Luba-Lulua, Malagasy, Malay, Nauru, North Ndebele, Northern Sotho, Nyanja, Palauan, Rundi, Sango, Shona, South Ndebele, Southern Sotho, Swahili, Swati, Tokelau, Tsonga, Tswana, Turkmen, Tuvalu, Xhosa, Zulu.

The basics	ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz @¡!¿?"'*`‹›«»,„‘’“”-––—(/)[\]{|},.:;·•…_& 0123456789 ½⅓⅔¼¾⅕⅖⅗⅘⅙⅚⅐⅖⅗⅘⅙⅚⅐ ⅛⅜⅝⅞⅑⅖⅘⅚⅞⅙%‰ +±−×÷<=>^~ $¢£¤¥€₹₺ †‡§¶# ©®™ MC MD SM oaers
Proportional figures	0123456789
Subscripts & superscripts	0123456789 ^{0123456789}
Numerators & denominators	0123456789⁄0123456789
Capital punctuation	@‹›«»•-––—(/)[\]{}:;
Extended language support	ÀÁÂÃÄÅĀĂĄÆÇĆĊČĎĐÐÈÉÊËĒĖĘĚĞĠĢĦĤĮÌÍÎÏĨĨĮi IJÍĴĶĹĻĽŁĿĻLÑŃŅŇŊÒÓÔÕÖØŐŒÞŘŘŚŞŠŞßŢŢ ŤŦÙÚÛÜŨŪŮŰŲẀẂẄŴỲÝŶŸŹŻŽ àáâãäåāăąæçćčďđðèéêëēėęěğġĝħĥìíîïĩĩĩĵıijíĵķĺĻľłĿ·l ñńņňŋòóôõöøőœþŕřśşšşßţţťŧùúûüũūůűŲẁẃẅŵỳý ŷÿźżž
Contextual Alternates	f
Scotiabank Logos	**Scotiabank**® **Scotia**® **Banque Scotia**® **Scotiabank**®

Scotia has OpenType features that make the font responsive to its context. They are activated differently across different software and may not all be supported in all platforms. Subscripts and superscripts, for example are not supported in Microsoft Word.

Tabular figures	0123456789	→	0123456789
Contextual alternates	**flat fire fjord**	→	**flat fire fjord**
	ScotiaLogo	→	**Scotia®**
Fractions	1/5 245/879	→	1⁄5 245⁄879
Subscripts & superscripts	**H2O Word7**	→	**H_2O Word^7**
Ordinals	1o 2a 1er 2es	→	1º 2ª 1er 2es
Capital punctuation	**CAP-CAP**	→	**CAP-CAP**
Localized Forms	sibil·la	→	sibil·la

0123456789

DEFAULT NUMERALS

0123456789

TABULAR FIGURES

Scotia comes with two sets of numerals. By default the proportional figures are activated, as they blend in better with text. For use in tables or other settings you can activate the tabular figures.



ADOBE ILLUSTRATOR

Enable tabular figures in Adobe Illustrator through the OpenType panel as shown.

Illustrator: (Window > Type > OpenType)



ADOBE INDESIGN

Enable tabular figures in Adobe InDesign through the Character panel as shown.

InDesign: (Window > Type & Tables > Character)

fl fi fj fh fk

DEFAULT

fl fi fj fh fk

CONTEXTUAL ALTERNATES

Scotia comes with a contextual alternate for letter **f**. This shorter version of **f** is used when it is followed by a letter with an ascender, avoiding uncomfortably small gaps. This alternate allows for less kerning between these combinations, while maintaining a better balance of the counters in large sizes.

ScotiaLogo	→	Scotia®
ScotiabankLogo	→	Scotiabank®
CorporateLogo	→	Scotiabank®
BanqueScotiaLogo	→	Banque Scotia MD
FlyingSLogo	→	

Scotia also includes the different Scotiabank logos in its character set. These are available by activating the contextual alternates feature, and by typing the sequences shown above.



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Enable contextual alternates in Adobe Photoshop and Illustrator through the Character and OpenType panels as shown.

Photoshop: (Window > Character)
Illustrator: (Window > Type > OpenType)



ADOBE INDESIGN

Enable contextual alternates in Adobe InDesign through the Character panel as shown.

InDesign: (Window > Type & Tables > Character)

1/5 245/879

DEFAULT NUMERALS

1/5 245/879

FRACTIONS

Scotia comes with the capability to compose fractions on the fly. This means that the user is able to typeset multi-digit numerators and denominators and not be limited to the pre-composed fractions that are in the glyph set (one half, one quarter and three quarters).



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Enable fractions in Adobe Photoshop and Illustrator through the Character and OpenType panels as shown.

Photoshop: (Window > Character)
Illustrator: (Window > Type > OpenType)



ADOBE INDESIGN

Enable fractions in Adobe InDesign through the Character panel as shown.

InDesign: (Window > Type & Tables > Character)

Na2Cl4 Note1

DEFAULT

Na_2Cl_4 Note[1]

SUBSCRIPTS & SUPERSCRIPTS

Subscripts and superscripts are alternate, small numerals used in scientific notation etc. and are positioned, in the case of superscripts, higher than cap-height, and in the case of subscripts, lower than the baseline. Superscripts can also be used for referencing.



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Enable subscripts and superscripts in Adobe Photoshop and Illustrator through the Character panel as shown.

Photoshop: (Window > Character)
Illustrator: (Window > Type > Character)



ADOBE INDESIGN

Enable subscripts and superscripts in Adobe InDesign through the Character panel as shown. Do not use non-OpenType options as these will not give the correct output.

InDesign: (Window > Type & Tables > Character)

1o 2a 3o 1er 2es

DEFAULT

1º 2ª 3º 1er 2es

ORDINALS

Ordinal indicators are used in certain Romance languages as suffixes equivalent to 1st, 2nd in English. Depending on the grammatical gender the ordinal indicator can be either º or ª. Scotia also includes small e, r and s to compose French ordinals.



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Enable ordinals in Adobe Photoshop and Illustrator through the Character and OpenType panels as shown.

Photoshop: (Window > Character)
Illustrator: (Window > Type > OpenType)



ADOBE INDESIGN

Enable ordinals in Adobe InDesign through the Character panel as shown.

InDesign: (Window > Type & Tables > Character)

«CAP-FORM»

DEFAULT PUNCTUATION

«CAP-FORM»

CAPITAL PUNCTUATION

Scotia comes with capital-specific punctuation that realigns symbols in all-cap typesetting, vertically centring them to cap-height.



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Enable capital punctuation in Adobe Photoshop and Illustrator through the Character panel as shown.

Photoshop: (Window > Character)
Illustrator: (Window > Type > Character)



ADOBE INDESIGN

Enable capital punctuation in Adobe InDesign through the Character panel or through the toolbar as shown. Please note that changing the case through Type > Change Case will not activate this feature.

InDesign: (Window > Type & Tables > Character)

sibil·la Rijks

DEFAULT

sibil·la Rijks

LOCALIZED FORMS

Scotia has the capability of adapting to its language context. These can be activated by specifying the language of text in layout software. The Dutch IJ is only available in the Headline style, due to it's Display nature.



ADOBE ILLUSTRATOR



ADOBE PHOTOSHOP



ADOBE INDESIGN

Enable languages in Adobe Illustrator, Photoshop and InDesign through the Character panel as shown.

Illustrator: (Window > Type > Character)
Photoshop: (Window > Character)
InDesign: (Window > Type & Tables > Character)

TABLE

DEFAULT KERNING

T A B L E

TRACKING

The letter spacing of Scotia was optimised by Dalton Maag based on the average intended size of usage. The user may want to increase or decrease the letter spacing.



ADOBE PHOTOSHOP



ADOBE ILLUSTRATOR

Adjust tracking in Adobe Photoshop and Illustrator through the Character panel as shown.

Illustrator: (Window > Type > Character)
Photoshop: (Window > Character)



ADOBE INDESIGN

Adjust tracking in Adobe InDesign through the Character panel as shown.

InDesign: (Window > Type & Tables > Character)

Microsoft Word supports only some of the OpenType features that Scotia is equipped with. Kerning and contextual alternates are available for activation. The rest, however, is not accessible in Microsoft Word.



Enable kerning, standard ligatures, discretionary ligatures and contextual alternates in Microsoft Word through the advanced font options as shown.



MICROSOFT WORD 2013, PC



Mac OS:
(Menu > Format > Font)



OFFICE WORD 2011, MAC OS



Set languages to access localized forms in Microsoft Word through the language options in the Review panel as shown.



MICROSOFT WORD 2013, PC



Mac OS:
(Menu > Tools > Language)



OFFICE WORD 2011, MAC OS

Enjoy **Scotia** and let us know if you have any questions!

Dalton Maag Ltd
9th Floor, Blue Star House
234-240 Stockwell Road
London
SW9 9SP
United Kingdom

Studio: info@daltonmaag.com
Account Management: accountmanagement@daltonmaag.com
London Office: +44 20 7924 0633

www.daltonmaag.com

a dalton maag a