CHAPTER

44

CABIN SYSTEMS

CHAPTER 44
CABIN SYSTEMS

CH-SE-SU	Schem	Page	Sheet	Date
44-EFFECTIVE PAGES				
		1		Nov 14/2025
		2		BLANK
44-CONTENTS				
		1		May 28/2025
		2		May 15/2024
44-ALPHABETICAL INDEX				
		1		May 15/2024
		2		BLANK
44-21-10				
		1		May 15/2024
		1.1		May 15/2024
44-21-12				
		1.1	1	May 15/2024
			2	May 15/2024
44-21-20				
		1		May 15/2024
44-21-22				
		1	1	May 15/2024
			2	Dec 24/2024
44-30-11				
		1		May 15/2024
44-35-02				
		1		May 15/2024
44-35-05				
		1		May 15/2024
44-35-11				
		1	1	May 15/2024
			2	May 15/2024
			3	May 15/2024
		1.1	1	May 15/2024
			2	May 15/2024
			3	May 15/2024
44-35-12				
		1.1	1	May 15/2024
			2	May 28/2025
			3	May 15/2024
44-35-20				
		1		May 15/2024
		1.1	1	May 15/2024
			2	May 15/2024
44-35-22				
		1.1		May 15/2024

A = Added, R = Revised, D = Deleted, O = Overflow

ECCN 9E991 BOEING PROPRIETARY - See title page for details

CHAPTER 44
CABIN SYSTEMS

Title	CH-SE-SU	Schem	Page	Sheet	Date	Effectivity
IFE SERVER BASED SYSTEM						
IFE - SERVER BASED SYSTEM POWER & CONTROL DISTRIBUTION	44-21-10		1		May 15/2024	ALL
			1.1		May 15/2024	ALL
IFE - SERVER BASED SYSTEM HEAD-END - CMT/CP/ DATA PORT INTERFACES	44-21-12		1.1	1	May 15/2024	ALL
				2	May 15/2024	ALL
IFE - SERVER BASED SYSTEM ARINC INTERFACES	44-21-20		1		May 15/2024	ALL
IFE - SERVER BASED SYSTEM AIRCRAFT INTERFACES-PRAM/ PA/KEYLINE DISCRETES	44-21-22		1	1	May 15/2024	ALL
				2	Dec 24/2024	ALL
EXTERNAL COMMUNICATION SYSTEM						
EXTERNAL COMMUNICATION SYSTEM-WIRELESS GATELINK	44-30-11		1		May 15/2024	ALL
SATELLITE COMMUNICATION DATA						
IFEC - CONNECTIVITY CONTROL PANEL PWR & DATA PORT INTERFACES	44-35-02		1		May 15/2024	ALL
IFEC - EXTERNAL COMMUNICATION SYSTEM WIRELESS GATELINK	44-35-05		1		May 15/2024	ALL
SATELLITE COMMUNICATIONS POWER	44-35-11		1	1	May 15/2024	ALL
				2	May 15/2024	ALL
				3	May 15/2024	ALL
			1.1	1	May 15/2024	ALL
				2	May 15/2024	ALL
				3	May 15/2024	ALL
SATELLITE COMMUNICATIONS DATA	44-35-12		1.1	1	May 15/2024	ALL
				2	May 28/2025	ALL
				3	May 15/2024	ALL
CABIN WIRELESS POWER	44-35-20		1		May 15/2024	ALL
			1.1	1	May 15/2024	ALL

ECCN 9E991 BOEING PROPRIETARY - See title page for details

CHAPTER 44
CABIN SYSTEMS

Title	CH-SE-SU	Schem	Page	Sheet	Date	Effectivity
CABIN WIRELESS POWER (cont.)	44-35-20			2	May 15/2024	ALL
CABIN WIRELESS DATA	44-35-22		1.1		May 15/2024	ALL

ECCN 9E991 BOEING PROPRIETARY - See title page for details

CHAPTER 44
CABIN SYSTEMS


CH-SE-SU	Title
44-35-22	CABIN WIRELESS DATA
44-35-20	CABIN WIRELESS POWER
44-30-11	EXTERNAL COMMUNICATION SYSTEM-WIRELESS GATELINK
44-21-22	IFE - SERVER BASED SYSTEM AIRCRAFT INTERFACES-PRAM/ PA/KEYLINE DISCRETES
44-21-20	IFE - SERVER BASED SYSTEM ARINC INTERFACES
44-21-12	IFE - SERVER BASED SYSTEM HEAD-END - CMT/CP/ DATA PORT INTERFACES
44-21-10	IFE - SERVER BASED SYSTEM POWER & CONTROL DISTRIBUTION
44-35-02	IFEC - CONNECTIVITY CONTROL PANEL PWR & DATA PORT INTERFACES
44-35-05	IFEC - EXTERNAL COMMUNICATION SYSTEM WIRELESS GATELINK
44-35-12	SATELLITE COMMUNICATIONS DATA
44-35-11	SATELLITE COMMUNICATIONS POWER

44-ALPHABETICAL INDEX

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL

258



NOTES:

1. GROUND RUN NOT TO EXCEED 5 FEET IN LENGTH
2. CAP & STOW COLLAR LABEL "INOP" IN P6 AREA
4. PROVISIONS ONLY, NO GRAPHICAL USER INTERFACE ON ACP. TO ACTIVATE ACP CONTROL, PROGRAM ACP GUI

ECCN 9E991 BOEING PROPRIETARY - See title page for details


44-21-10

Page 1

May 15/2024

737-8 WIRING DIAGRAM MANUAL

-A
281



NOTES:

1. GROUND RUN NOT TO EXCEED 5 FEET IN LENGTH
2. CAP & STOW COLLAR LABEL "INOP" IN P6 AREA

Incorporates SB
44-1021

44-21-10

Page 1.1

May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details


737-8 WIRING DIAGRAM MANUAL

-B

161

NOTES:

1. CABLE P/N BMS13-72T03C04G024.
2. CAP AND STOW CONNECTOR NEAR E6-1 DISCONNECT
5. GROUND RUN NOT TO EXCEED 5 FEET IN LENGTH




44-21-12

Page 1.1
Sheet 1
May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL

-G
112



NOTES:

1 CABLE P/N BMS13-72T03C046024


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-21-12

Page 1.1
Sheet 2
May 15/2024

737-8 WIRING DIAGRAM MANUAL

-A
83



44-21-20


Page 1

May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL

-C
181



ALL

IFE - SERVER BASED SYSTEM AIRCRAFT INTERFACES-PRAM/ PA/KEYLINE DISCRETES

D280AM1215

44-21-22

Page 1
Sheet 1
May 15/2024


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-21-22

Page 1
Sheet 1
May 15/2024

737-8 WIRING DIAGRAM MANUAL

-B
127




ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-21-22

Page 1
Sheet 2
Dec 24/2024

737-8 WIRING DIAGRAM MANUAL



ALL

EXTERNAL COMMUNICATION SYSTEM-WIRELESS GATELINK

D280AM1215


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-30-11

Page 1

May 15/2024

737-8 WIRING DIAGRAM MANUAL



ALL	**IFEC - CONNECTIVITY CONTROL PANEL PWR & DATA PORT INTERFACES** D280AM1215


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-02

Page 1

May 15/2024

737-8 WIRING DIAGRAM MANUAL




NOTES:

1 BMS13-72T03C046024

ALL	IFEC - EXTERNAL COMMUNICATION SYSTEM WIRELESS GATELINK D280AM1215	44-35-05 Page 1 May 15/2024	

ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-05
Page 1
May 15/2024



NOTES:

1. GROUND WIRE NOT TO EXCEED 8 FEET IN LENGTH.
2. CAP, STOW, COLLAR, AND LABEL "INOP"


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-11

Page 1
Sheet 1
May 15/2024

737-8 WIRING DIAGRAM MANUAL

-C
13



NOTES:


1 LENGTH SHALL NOT EXCEED 3M

44-35-11

Page 1
Sheet 2
May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL




NOTES:

1. MAXIMUM WIRE LENGTH NOT TO EXCEED 2 INCHES.
2. GROUND WIRE NOT TO EXCEED 8 FEET IN LENGTH.
3. SUPPLIER BUNDLE P/N 90404304 (M3398)
4. VENDOR BUNDLE CONNECTORS LABELLED WITH BOEING "D" NUMBERS FOR INSTALLATION

ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-11

Page 1
Sheet 3
May 15/2024



NOTES:


1 GROUND WIRE NOT TO EXCEED 8 FEET IN LENGTH.

ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-11

Page 1.1
Sheet 1
May 15/2024

737-8 WIRING DIAGRAM MANUAL



NOTES:


1. LENGTH SHALL NOT EXCEED 3M

44-35-11

Page 1.1
Sheet 2
May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL



NOTES:


1. MAXIMUM WIRE LENGTH NOT TO EXCEED 2 INCHES.
2. GROUND WIRE NOT TO EXCEED 8 FEET IN LENGTH.
3. SUPPLIER BUNDLE P/N 90404304 (M3398)
4. VENDOR BUNDLE CONNECTORS LABELLED WITH BOEING "D" NUMBERS FOR INSTALLATION

Incorporates SB
44-1020

44-35-11

Page 1.1
Sheet 3
May 15/2024


ECCN 9E991 BOEING PROPRIETARY - See title page for details



NOTES:

1. BMS13-72T03C04G24
2. ISOLATE COAX CONNECTOR ON ANY PRODUCTION DISCONNECT FROM AIRCRAFT STRUCTURE
3. SUPPLIER BUNDLE P/N 90404307 (M3394)
4. SUPPLIER BUNDLE P/N 90404308 (M3395)
5. SHALL NOT EXCEED 3M
6. P/N 442-2943-001

737-8 WIRING DIAGRAM MANUAL



NOTES:


1. BMS13-72T03C04624
2. SUPPLIER BUNDLE P/N 90404304 (M3398)
3. SUPPLIER BUNDLE P/N 90404303 (M3396)
4. SUPPLIER BUNDLE P/N 90404302 (M3397)

44-35-12

Page 1.1
Sheet 2
May 28/2025

737-8 WIRING DIAGRAM MANUAL

-B
11



NOTES:


1 BMS13-72T03C04G024

44-35-12

Page 1.1
Sheet 3
May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL



NOTES:

1. GND WIRE LENGTH NOT TO EXCEED 8 FEET.
2. MAXIMUM WIRE LENGTH NOT TO EXCEED 2 INCHES
3. CAP & STOW CONNECTOR NEAR WAP1 TRAY (STA500C-500D)
4. CAP & STOW CONNECTOR NEAR WAP2 TRAY (STA500H-500I)
5. CAP & STOW CONNECTOR NEAR WAP3 TRAY (STA727E-727F)
6. CAP & STOW CONNECTOR NEAR WAP4 TRAY (STA727J-747)
7. CAP & STOW WIRING, COLLAR AND LABEL CIRCUIT BREAKER "INOP"
8. PROVISIONS ONLY. NO GRAPHICAL USER INTERFACE ON ACP. TO ACTIVATE ACP CONTROL, PROGRAM ACP GUI.


ECCN 9E991 BOEING PROPRIETARY - See title page for details

44-35-20

Page 1

May 15/2024

737-8 WIRING DIAGRAM MANUAL



NOTES:

1. GND WIRE LENGTH NOT TO EXCEED 8 FEET.
2. MAXIMUM WIRE LENGTH NOT TO EXCEED 2 INCHES
3. CAP & STOW CONNECTOR NEAR WAP1 TRAY (STA500C-500D)
4. CAP & STOW CONNECTOR NEAR WAP2 TRAY (STA500H-500I)
5. CAP & STOW CONNECTOR NEAR WAP3 TRAY (STA727E-727F)
6. CAP & STOW CONNECTOR NEAR WAP4 TRAY (STA727J-747)

44-35-20


Page 1.1
Sheet 1
May 15/2024


ECCN 9E991 BOEING PROPRIETARY - See title page for details


737-8 WIRING DIAGRAM MANUAL


-B

3









NOTES:

1. VENDOR BUNDLE P/N 442-2938-001
2. VENDOR BUNDLE P/N 442-2939-001
3. VENDOR BUNDLE P/N 442-2940-001
4. VENDOR BUNDLE P/N 442-2941-001

Incorporates SB 44-1020


44-35-20

Page 1.1
Sheet 2
May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details

737-8 WIRING DIAGRAM MANUAL

-B
36



NOTES:

1. BMS13-72T03C04624
2. CAP & STOW CONNECTOR NEAR WAP1 TRAY (STA500C-500B)
3. CAP & STOW CONNECTOR NEAR WAP2 TRAY (STA500H-500I)
4. CAP & STOW CONNECTOR NEAR WAP3 TRAY (STA727E-727F)
5. CAP & STOW CONNECTOR NEAR WAP4 TRAY (STA727J-747)

44-35-22

Page 1.1

May 15/2024

ECCN 9E991 BOEING PROPRIETARY - See title page for details