


NOTES


1. SWITCH SHOWN ACTUATED (FLAPS BETWEEN 0 AND 12 DEGREES)
2. S78 SHARES A MECHANICAL ACTUATOR WITH S10 (REFER TO 34-44-0X)

STALL WARNING SYSTEM

SHEET 1 OF 1

C6N1004-6 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES

1. ALL PINS ON MODULE 4 OF TB10 ARE GROUNDED THROUGH GRD51. NOT ALL PINS ARE SHOWN ON THIS DIAGRAM.
2. ALL PINS ON MODULE 1 OF TB10 ARE POWERED THROUGH CB127. NOT ALL PINS ARE SHOWN ON THIS DIAGRAM.
3. ALL PINS ON MODULE 2 OF TB10 ARE GROUNDED THROUGH GRD50. NOT ALL PINS ARE SHOWN ON THIS DIAGRAM.
4. R117 AND R118 ARE INSTALLED TO PROVIDE A FIXED SIGNAL TO THE DAU WHEN THE FLAP LEVER POSITION POTENTIOMETER IS NOT INSTALLED. FOR VSP8 ASSEMBLIES, AVOID SHARP BENDS AT THE RESISTOR LEADS AND SOLDER SLEEVE CONNECTIONS.
5. CRIMP CONTACT REQUIRES AN 18AWG FILLER WIRE.

FLAP POSITION INDICATION

SHEET 1 OF 1

C6N1004-51B	ISSUE NO.	1	2						

This Page Intentionally Left Blank

CHAPTER 28

FUEL

This Page Intentionally Left Blank

CHAPTER 28 – FUEL

This list shows the effective pages in the manual, with their latest revision date. An asterisk (*) indicates pages added or replaced at the latest revision. Technical changes to the content are indicated by a black vertical line next to the change or the paragraph that contains the change.

REFERENCE	PAGE	DATE	REFERENCE	PAGE	DATE
28	1	Sep. 30/14		* 7	Nov. 30/18
	2	Blank Page		* 8	Blank Page
	* 3	Nov. 30/18	28-20-10	1	Sep. 30/14
	* 4	Blank Page		2	Blank Page
	5	Sep. 30/14	28-42-00	1	Sep. 30/14
	6	Blank Page		2	Blank Page
28-00-00	1	Sep. 30/14	28-44-00	1	Sep. 30/14
	2	Blank Page		2	Blank Page
28-20-00	* 1	Nov. 30/18	28-47-00	1	Sep. 30/14
	* 2	Nov. 30/18		2	Blank Page
	* 3	Nov. 30/18	28-48-00	1	Sep. 30/14
	* 4	Nov. 30/18		2	Blank Page
	* 5	Nov. 30/18	28-49-00	1	Sep. 30/14
	* 6	Nov. 30/18		2	Blank Page


This Page Intentionally Left Blank

CHAPTER 28 – FUEL

TABLE OF CONTENTS

SUBJECT	CHAPTER SECTION SUBJECT
GENERAL	**28-00**
Wing Fuel Tank System (S.O.O. 6247)	28-00-00
DISTRIBUTION	**28-20**
Fuel Control System	28-20-00
Emergency Fuel Shutoff System	28-20-10
INDICATION	**28-40**
– QUANTITY	**28-42**
Fuel Quantity Indication Post Mod 6/2110 (Includes S.O.O. 6247)	28-42-00
– LOW LEVEL	**28-44**
Fuel Low Level Indication	28-44-00
– FILTER BYPASS	**28-47**
Fuel Filter Bypass Indication	28-47-00
– CROSSFEED VALVE	**28-48**
Fuel Crossfeed Valve Position Indication	28-48-00
– FUEL LEVER	**28-49**
Fuel Lever Indication	28-49-00

This Page Intentionally Left Blank


NOSE
FLIGHT COMPARTMENT
CABIN
RIGHT WING
STN 60
STN 111
RIGHT SIDE, AFT STN 180
WING ROOT
WING TIP
CBP-A
MAIN CIRCUIT BREAKER PANEL
CB124
WING FUEL
CONTROL R
CB125
WING FUEL
CONTROL L
28VDC
(RIGHT BUS)
28VDC
(LEFT BUS)
P21
J21
TB22
TB39
K114
SP185
GRD110
STN 130
P106
J106
J47
P47
MAU GIO (9/10)
J3
P249
WING PUMP LOW PRESS R
J4
P250
WING PUMP LOW PRESS L
R WING REFUEL SWITCH
P148
REFUEL SHUTOFF
VALVE
GRD18
POST MOD 6/2156
PRE MOD 6/2156
RF FILTER
PUMP
P146
TRANSFER
VALVE
S22
LOW
PRESSURE
SWITCH
LEFT WING
LEFT SIDE, AFT STN 180
P19
J19
LEFT DISCONNECT
BRACKET
A16 - FUEL SELECTOR
CONTROL PANEL
J10
P10
J1
P247
WING PUMP SWITCH ON R
WING PUMP SWTICH ON L
L WING REFUEL SWITCH
ENGINE
OFF
REFUEL
S20
WING
TANK
(RIGHT)
S19
WING
TANK
(LEFT)
GRD90
TB23
TB38
K115
SP159
GRD105
J48
P48
P147
P145
S23
LOW
PRESSURE
SWITCH
GRD17
NOTES
1. DASHED WIRE INSTALLED WITH STANDARD ORDER OPTION (S.O.O.) 6247 ONLY (WING FUEL TANK SYSTEM)
2 INSTALL FILLER WIRE INTO SPLICES SP159 AND SP185 AS FOLLOWS:
- SIDE WITH 1 x 16 AWG WIRE: INSTALL 1 x 16 AWG FILLER WIRE
- NO FILLER WIRE IS REQUIRED FOR SIDE WITH 1 x 14 AWG WIRE
WING FUEL TANK SYSTEM
(S.O.O. 6247)
SHEET 1 OF 1
C6N1004-7D
ISSUE NO. 1 2

This Page Intentionally Left Blank

TEMPORARY REVISION

PSM: 1-64-2W **AIRCRAFT: DHC-6** **SERIES: 400**

PUBLICATION: WIRING MANUAL **TEMP. REVISION NO.: TR28-2**

Insert in 28-20-00 before page 1
FUEL CONTROL SYSTEM

REASON FOR ISSUE:

To introduce Mod 6/2464, Fuel Pressure Switch Replacement.

ACTION:


In Chapter 28, ignore existing Section 28-20-00 and insert revised Section, as shown on Pages 3 to 10 of this Temporary Revision.

-Continued overleaf-

RECORDING INSTRUCTIONS:

Record this TEMPORARY NO. and the relevant information in the appropriate columns of the TEMPORARY INDEX provided at the front of the manual.

This Page Intentionally Left Blank



NOTES


1. SWITCH SHOWN IN "NORMAL" POSITION
2. SP324 THRU SP331 ARE POST MOD 6/2327 AND POST MOD 6/2464 ONLY
   - WIRES CONNECTED DIRECTLY TO PRESSURE SWITCHES PRE MOD 6/2327
3. CB114, CB115, CB116 AND CB117 10 AMPS POST MOD 6/2299; 15 AMPS PRE MOD 6/2299

FUEL CONTROL SYSTEM

SHEET 1 OF 4

C6N1004-8D | ISSUE NO. 1 2 3 4


This Page Intentionally Left Blank



THIS SHEET POST MOD 6/2267 AND PRE MOD 6/2299

FUEL CONTROL SYSTEM								
SHEET 2 OF 4								
C6N1004-8D	ISSUE NO.	1	2	3	4			

This Page Intentionally Left Blank




THIS SHEET PRE MOD 6/2267

FUEL CONTROL SYSTEM

SHEET 3 OF 4

C6N1004-8D ISSUE NO. 1 2 3 4

This Page Intentionally Left Blank




THIS SHEET POST MOD 6/2299

FUEL CONTROL SYSTEM									
SHEET 4 OF 4									
C6N1004-8D	ISSUE NO.	1	2	3	4				

This Page Intentionally Left Blank

NOTE: Please see the TEMPORARY REVISION that revises this page.



NOTES

1. SWITCH SHOWN IN "NORMAL" POSITION
2. SP324 THRU SP331 ARE POST MOD 6/2327 ONLY
   - WIRES CONNECTED DIRECTLY TO PRESSURE SWITCHES PRE MOD 6/2327
3. CB114, CB115, CB116 AND CB117
   10 AMPS POST MOD 6/2299; 15 AMPS PRE MOD 6/2299


FUEL CONTROL SYSTEM

SHEET 1 OF 4

C6N1004-8D ISSUE NO. 1 2 3 4

NOTE: Please see the TEMPORARY REVISION that revises this page.

This Page Intentionally Left Blank



THIS SHEET POST MOD 6/2267 AND PRE MOD 6/2299

FUEL CONTROL SYSTEM


SHEET 2 OF 4

C6N1004-8D ISSUE NO. 1 2 3 4

NOTE: Please see the TEMPORARY REVISION that revises this page.

This Page Intentionally Left Blank

NOTE: Please see the TEMPORARY REVISION that revises this page.



THIS SHEET PRE MOD 6/2267


FUEL CONTROL SYSTEM

SHEET 3 OF 4

C6N1004-8D ISSUE NO. 1 2 3 4

NOTE: Please see the TEMPORARY REVISION that revises this page.

This Page Intentionally Left Blank



THIS SHEET POST MOD 6/2299


FUEL CONTROL SYSTEM

SHEET 4 OF 4

C6N1004-8D ISSUE NO. 1 2 3 4

NOTE: Please see the TEMPORARY REVISION that revises this page.

This Page Intentionally Left Blank




EMERGENCY FUEL SHUTOFF SYSTEM

SHEET 1 OF 1

C6N1004-9 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES


1. DASHED WIRES INSTALLED WITH STANDARD ORDER OPTION (S.O.O.) 6247 ONLY (WING FUEL TANK SYSTEM)
2. CONNECTOR TO BE POTTED AND SEALED WITH PR-1460-Q COMPOUND
3. WIRE SLEEVING INSIDE FUEL TANK MUST BE SUITABLE SPECIFICATION FOR FUEL IMMERSION APPLICATIONS.
4. NICKEL PLATED WIRE (REFER TO THE GENERAL INFORMATION CHAPTER FOR APPROVED WIRE AND CABLE SPECIFICATIONS)
5. TB30 INTERNAL CONNECTIONS
6. CRIMP CONTACT REQUIRES AN 18AWG FILLER WIRE.

FUEL QUANTITY INDICATION
POST MOD 6/2110
(INCLUDES S.O.O. 6247)

SHEET 1 OF 1

C6N1004-52E & C6Z2600A ISSUE NO. 1 2

This Page Intentionally Left Blank




FUEL LOW LEVEL INDICATION

SHEET 1 OF 1

C6N1004-53 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES


1 WIRES RESERVED FOR FUTURE INSTALLATION OF FUEL FILER BYPASS SWITCHES

FUEL FILTER BYPASS INDICATION

SHEET 1 OF 1

C6N1004-94A	ISSUE NO.	1	2						

This Page Intentionally Left Blank




FUEL CROSSFEED VALVE POSITION INDICATION

SHEET 1 OF 1

C6N1004-10 ISSUE NO. 1

This Page Intentionally Left Blank



FUEL LEVER INDICATION

SHEET 1 OF 1

C6N1004-92 ISSUE NO. 1

This Page Intentionally Left Blank

CHAPTER 29

HYDRAULIC POWER

This Page Intentionally Left Blank

CHAPTER 29 – HYDRAULIC POWER

This list shows the effective pages in the manual, with their latest revision date. An asterisk (*) indicates pages added or replaced at the latest revision. Technical changes to the content are indicated by a black vertical line next to the change or the paragraph that contains the change.

REFERENCE	PAGE	DATE	REFERENCE	PAGE	DATE
29	* 1	Sep. 30/14		* 6	Blank Page
	* 2	Blank Page	29-10-00	* 1	Sep. 30/14
	* 3	Sep. 30/14		* 2	Blank Page
	* 4	Blank Page	29-30-00	* 1	Sep. 30/14
	* 5	Sep. 30/14		* 2	Blank Page


This Page Intentionally Left Blank

CHAPTER 29 – HYDRAULIC POWER

TABLE OF CONTENTS

SUBJECT	CHAPTER SECTION SUBJECT
MAIN	**29-10**
Hydraulic Oil Pump System	29-10-00
INDICATING	**29-30**
Hydraulic System and Brake Pressure Indication	29-30-00

This Page Intentionally Left Blank




HYDRAULIC OIL PUMP SYSTEM

SHEET 1 OF 1

C6N1004-11 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES

1. CRIMP CONTACT REQUIRES AN 18 AWG FILLER WIRE.


HYDRAULIC SYSTEM AND BRAKE PRESSURE INDICATION

SHEET 1 OF 1

C6N1004-54A ISSUE NO. 1 2

This Page Intentionally Left Blank

PSM 1-64-2W



DHC-6 TWIN OTTER
Series 400

WIRING DIAGRAMS MANUAL
VOLUME 2

VIKING

Copyright © 2006, 2010 by Viking Air Limited.
All rights reserved. No part of this work
may be reproduced or copied in any form
or by any means without written permission
from Viking Air Limited.

Revision 3 - Nov. 30/18

The information, technical data and designs disclosed in this document (the "Information") are either the exclusive property of Viking Air Limited or are subject to proprietary rights of others. The Information is not to be used for design or manufacture or disclosed to others without express prior written consent of Viking Air Limited. The holder of this document, by its retention and use, agrees to hold the information in confidence. These restrictions do not apply to persons having proprietary rights in the Information, to the extent of those rights.

January 31, 2006

CHAPTER 30

ICE AND RAIN PROTECTION

This Page Intentionally Left Blank

CHAPTER 30 – ICE AND RAIN PROTECTION

This list shows the effective pages in the manual, with their latest revision date. An asterisk (*) indicates pages added or replaced at the latest revision. Technical changes to the content are indicated by a black vertical line next to the change or the paragraph that contains the change.

REFERENCE	PAGE	DATE	REFERENCE	PAGE	DATE
30	1	Sep. 30/14		* 4	Blank Page
	2	Blank Page	30-30-00	1	Sep. 30/14
	* 3	Nov. 30/18		2	Blank Page
	* 4	Blank Page	30-40-00	1	Sep. 30/14
	5	Sep. 30/14		2	Blank Page
	6	Blank Page	30-45-00	1	Sep. 30/14
30-10-00	* 1	Nov. 30/18		2	Blank Page
	* 2	Nov. 30/18	30-60-00	1	Sep. 30/14
	* 3	Nov. 30/18		2	Blank Page


This Page Intentionally Left Blank

CHAPTER 30 – ICE AND RAIN PROTECTION

TABLE OF CONTENTS

SUBJECT	CHAPTER SECTION SUBJECT
AIRFOIL	**30-10**
Wing and Tail Deicing System (S.O.O. 6004, Post Mod 6/2083)	30-10-00
PITOT AND STATIC	**30-30**
Pitot Heating System	30-30-00
WINDOWS, WINDSHIELDS, AND DOORS	**30-40**
Windshield Heating System (S.O.O. 6187, Post Mod 6/2045)	30-40-00
– WIPERS	**30-45**
Windshield Wiper System	30-45-00
PROPELLERS/ROTORS	**30-60**
Propeller Deicing System (S.O.O. 6202 or S.O.O. 6237)	30-60-00

This Page Intentionally Left Blank



NOTES

1. DASHED WIRE INSTALLED WITH STANDARD ORDER OPTION (S.O.O.) 6004, POST MOD 6/2083 ONLY (WING AND TAIL DEICING SYSTEM)


2 SWITCH ACTUATED WHEN FLAPS EXTENDED TO 10 DEGREES OR GREATER

WING AND TAIL DEICING SYSTEM
(S.O.O. 6004, POST MOD 6/2083)

SHEET 1 OF 2


C6N1004-12D ISSUE NO. 1 2

This Page Intentionally Left Blank



WING AND TAIL DEICING SYSTEM (S.O.O. 6004, POST MOD 6/2083)									
SHEET 2 OF 2									
C6N1004-12D	ISSUE NO.	1	2						

This Page Intentionally Left Blank



NOTES


1. REFER TO THE GENERAL INFORMATION CHAPTER FOR TWISTED WIRE SPECIFICATIONS

PITOT HEATING SYSTEM

SHEET 1 OF 1

C6N1004-13D ISSUE NO. 1 2

This Page Intentionally Left Blank



NOTES


1. DASHED WIRE INSTALLED WITH STANDARD ORDER OPTION (S.O.O.) 6187, POST MOD 2045 ONLY (WINDSHIELD HEATING SYSTEM)

WINDSHIELD HEATING SYSTEM
(S.O.O. 6187, POST MOD 2045)

SHEET 1 OF 1

C6N1004-14 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES


1. ALL TWISTED WIRES TWISTED 8 TIMES PER FOOT

WINDSHIELD WIPER SYSTEM

SHEET 1 OF 1

C6N1004-15 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES

1. DASHED WIRE INSTALLED WITH STANDARD ORDER OPTIONS (S.O.O.) 6202 OR 6237 ONLY (PROPELLER DEICING SYSTEM)

2 HIGH TEMPERATURE RATED WIRE AND CABLE REQUIRED IN ALL AREAS FORWARD THE ENGINE FIREWALL (REFER TO THE GENERAL INFORMATION CHAPTER FOR APPROVED WIRE AND CABLE SPECIFICATIONS)

3 INSTALL FILLER WIRE INTO SPLICES SP37, SP38, SP155, SP156 AS FOLLOWS:
- SIDE WITH 1 x 16 AWG WIRE: INSTALL 1 x 16 AWG FILLER WIRE
- NO FILLER WIRE IS REQUIRED FOR SIDE WITH 2 x 16 AWG WIRES

PROPELLER DEICING SYSTEM
(S.O.O. 6202 OR S.O.O. 6237)

SHEET 1 OF 1

C6N1004-16E ISSUE NO. 1 2

This Page Intentionally Left Blank

CHAPTER 31

INDICATING /RECORDING SYSTEMS

This Page Intentionally Left Blank

CHAPTER 31 – INDICATING/RECORDING SYSTEMS

This list shows the effective pages in the manual, with their latest revision date. An asterisk (*) indicates pages added or replaced at the latest revision. Technical changes to the content are indicated by a black vertical line next to the change or the paragraph that contains the change.

REFERENCE	PAGE	DATE
31	1	Sep. 30/14
	2	Blank Page
	* 3	Nov. 30/18
	* 4	Nov. 30/18
	* 5	Nov. 30/18
	* 6	Nov. 30/18
31-11-10	1	Sep. 30/14
	2	Blank Page
31-11-20	1	Sep. 30/14
	2	Blank Page
31-11-30	1	Sep. 30/14
	2	Blank Page
31-11-40	1	Sep. 30/14
	2	Blank Page
31-13-00	1	Sep. 30/14
	2	Blank Page
31-14-00	1	Sep. 30/14
	2	Blank Page
31-21-00	1	Sep. 30/14
	2	Blank Page
31-31-00	* 1	Nov. 30/18
	* 2	Nov. 30/18
	* 3	Nov. 30/18
	* 4	Nov. 30/18
	* 5	Nov. 30/18
	* 6	Nov. 30/18
	* 7	Nov. 30/18
	* 8	Blank Page
31-32-00	* 1	Nov. 30/18
	* 2	Nov. 30/18
	* 3	Nov. 30/18
	* 4	Blank Page
31-43-10	1	Dec. 7/16
	2	Blank Page
31-43-20	* 1	Nov. 30/18
	* 2	Blank Page
31-43-30	* 1	Nov. 30/18
	* 2	Blank Page
31-43-40	1	Dec. 7/16
	2	Blank Page
31-43-50	1	Dec. 7/16
	2	Blank Page
31-43-60	1	Sep. 30/14
	2	Blank Page
31-44-10	1	Sep. 30/14
	2	Blank Page
31-44-20	1	Sep. 30/14
	2	Blank Page
31-44-30	1	Sep. 30/14
	2	Blank Page
31-44-40	1	Dec. 7/16
	2	Blank Page
31-44-50	* 1	Nov. 30/18
	* 2	Blank Page
31-44-60	1	Sep. 30/14
	2	Blank Page
31-44-70	1	Sep. 30/14
	2	Blank Page
31-44-80	1	Dec. 7/16
	2	Blank Page
31-51-00	1	Sep. 30/14
	2	Blank Page

REFERENCE	PAGE	DATE
31-60-00	* 1	Nov. 30/18
	* 2	Blank Page


CHAPTER 31 – INDICATING/RECORDING SYSTEMS

TABLE OF CONTENTS

SUBJECT	CHAPTER SECTION SUBJECT
INSTRUMENTS AND CONTROL PANELS	**31-10**
– DISPLAY UNITS (DU)	**31-11**
Pilot Primary Flight Display (DU 1)	31-11-10
Upper Multifunction Display (DU 2)	31-11-20
Lower Multifunction Display (DU 3)	31-11-30
Copilot Primary Flight Display (DU 4)	31-11-40
– REVERSION CONTROL	**31-13**
Reversion Control Panel	31-13-00
– APEX CONTROL	**31-14**
APEX Control Panels	31-14-00
INDEPENDENT INSTRUMENTS	**31-20**
– CLOCK	**31-21**
Instrument Panel Clock	31-21-00
RECORDERS	**31-30**
– FLIGHT RECORDERS	**31-31**
Flight Data Recorder (FDR)	31-31-00
– COCKPIT RECORDERS	**31-32**
Cockpit Voice Recorder (CVR)	31-32-00
CENTRAL COMPUTERS	**31-40**
– MODULAR AVIONICS UNIT (MAU)	**31-43**
Modular Avionics Unit – Network Interface Controller (NIC)	31-43-10
Modular Avionics Unit – Advanced Graphics Module (AGM)	31-43-20
Modular Avionics Unit – Dual Custom Input/Output (CSIO)	31-43-30
Modular Avionics Unit – Actuator Input/Output Processor (AIOP)	31-43-40
Modular Avionics Unit – Dual Generic Input/Output (GIO)	31-43-50
Modular Avionics Unit – Power Supplies	31-43-60


TABLE OF CONTENTS

SUBJECT	CHAPTER SECTION SUBJECT
– DATA ACQUISITION UNIT (DAU)	**31-44**
Data Acquisition Unit I – Power	31-44-10
Data Acquisition Unit I – Configuration	31-44-20
Data Acquisition Unit I – ARINC 429 Bus	31-44-30
Data Acquisition Unit I – Aircraft System Inputs	31-44-40
Data Acquisition Unit II – Power	31-44-50
Data Acquisition Unit II – Configuration	31-44-60
Data Acquisition Unit II – ARINC 429 Bus	31-44-70
Data Acquisition Unit II – Aircraft System Inputs	31-44-80
– MASTER WARNING SYSTEM	**31-51**
Master Warning and Caution Indication and Control	31-51-00
CENTRAL DISPLAY SYSTEMS	**31-60**
Rib Video (S.O.O. 6212)	31-60-00




PILOT PRIMARY FLIGHT DISPLAY (DU 1)									
SHEET 1 OF 1									
C6N1004-55B	ISSUE NO.	1	2						

This Page Intentionally Left Blank



UPPER MULTIFUNCTION DISPLAY (DU 2)									
SHEET 1 OF 1									
C6N1004-56B	ISSUE NO.	1	2						

This Page Intentionally Left Blank




FLIGHT DISPLAY REFERENCE

NOTES

1. QUAD FIBRE CHANNEL CABLE (REFER TO THE GENERAL INFORMATION CHAPTER FOR APPROVED WIRE AND CABLE SPECIFICATIONS)

LOWER MULTIFUNCTION DISPLAY (DU 3)									
SHEET 1 OF 1									
C6N1004-57B	ISSUE NO.	1	2						

This Page Intentionally Left Blank




COPILOT PRIMARY FLIGHT DISPLAY (DU 4)

SHEET 1 OF 1

C6N1004-58B	ISSUE NO.	1	2						

This Page Intentionally Left Blank




REVERSION CONTROL PANEL

SHEET 1 OF 1

C6N1004-59 ISSUE NO. 1

This Page Intentionally Left Blank



NOTES


1. LAN BUS
   - REFER TO THE GENERAL INFORMATION CHAPTER FOR APPROVED WIRE AND CABLE SPECIFICATIONS
   - REFER TO 20-10-30 FOR BUS REQUIREMENTS

APEX CONTROL PANELS

SHEET 1 OF 1


C6N1004-60 ISSUE NO. 1

This Page Intentionally Left Blank



INSTRUMENT PANEL CLOCK		
SHEET 1 OF 1		
C6N1004-17	ISSUE NO.	1

This Page Intentionally Left Blank



NOTES

1. CONFIGURATION ON SHT4 ONLY FOLLOWED WHEN S.O.O. 6299 (REMOVAL OF FDR) IS INCORPORATED

2. WIRES ONLY INSTALLED WHEN S.O.O. 6288 (ECTM/FOQA DATA CAPTURE) IS INCORPORATED

3. WIRES ONLY INSTALLED WHEN **S.O.O. 6351** (FDR QAR - PROVISIONS) OR **S.O.O. 6356** (QAR INSTALLATION WITH AR256 FDR) ARE INCORPORATED
   - CB29 QAR IS PULLED AND COLLARED (**S.O.O. 6351 ONLY**)
   - WIRE QAR3A24 IS CAP & STOWED AT P374 (**S.O.O. 6351 ONLY**)

4. WHEN BOTH S.O.O. 6288 AND S.O.O. 6356 ARE INSTALLED STUB SPLICES ARE REQUIRED AS SHOWN BELOW
   - STUB CONNECTION MUST BE CONSTRUCTED IN ACCORDANCE WITH THE TYPE 1 STUB CONSTRUCTION PROCEDURE DESCRIBED IN CHAPTER 20-10-60.

5. S.O.O. 6388 (APEX SUPER-LITE) CAP AND STOW.

6. S.O.O. 6388 REMOVE COMPONENT. CAP AND STOW CONNECTORS.

7. BASELINE (S.O.O. 6209/6210) OR S.O.O. 6388 + S.O.O. 6385 (FDR) INSTALL AS SHOWN.


THIS SHEET POST MOD 6/2332 ONLY

FLIGHT DATA RECORDER (FDR)

SHEET 1 OF 4

C6N1004-61	ISSUE NO.	1	2	3	4	5			

This Page Intentionally Left Blank




THIS SHEET
POST MOD 6/2303
PRE MOD 6/2332

FLIGHT DATA RECORDER (FDR)

SHEET 2 OF 4

C6N1004-61 ISSUE NO. 1 2 3 4 5

This Page Intentionally Left Blank




THIS SHEET PRE MOD 6/2303 ONLY

FLIGHT DATA RECORDER (FDR)

SHEET 3 OF 4

C6N1004-61 ISSUE NO. 1 2 3 4 5

This Page Intentionally Left Blank



THIS SHEET
SOO 6299 (REMOVAL OF FDR), PRE MOD 6/2303

FLIGHT DATA RECORDER (FDR)									
SHEET 4 OF 4									
C6N1004-61	ISSUE NO.	1	2	3	4	5			

This Page Intentionally Left Blank