
Required Placards – General Data


1. General

All internal and external placards and stencils are shown in Figure 1 and Figure 2 respectively. Details of these placards and stencils are shown in Table 1 — Details of External Placards and Stencils and Table 2 — Details of Internal Placards . Always refer to the requirements of the country of registration. Those typically required by government regulations are defined as follows:


- Baggage
- Fuel and oil
- Emergency
- Safety
- Airspeed
- Operating limitations
- Aircraft registration




External Placards and Stencils
Figure 1 (Sheet 1 of 6)




External Placards and Stencils
Figure 1 (Sheet 2 of 6)



External Placards and Stencils
Figure 1 (Sheet 3 of 6)




External Placards and Stencils
Figure 1 (Sheet 4 of 6)




External Placards and Stencils
Figure 1 (Sheet 5 of 6)

EXTERNAL BREAK-IN MARKINGS
(MOD S.O.O. 6150)





FUSELAGE LEFT SIDE





FUSELAGE RIGHT SIDE

NOTE: LOCATE CORNER MARKINGS AT STATIONS AND WATER LINES AS INDICATED. (CABIN FLOOR IS AT W/L - 15.0 IN.)

External Placards and Stencils
Figure 1 (Sheet 6 of 6)

Table 1 Details of External Placards and Stencils

FIGURE	NUMBER	MARKING		
		TYPE	LETTER SIZE (INS)	COLOUR/DESCRIPTION
1	1	Label	0.25	))
	2	Label	0.25	)
	3	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	4	Lettering/ Stencil	12.00	Black (Green A/C)
	4A	Lettering/ Stencil	6.00	To suit (see sales order for Country of sale)
	5	Label	0.38	Black letters on light surface Yellow letters on dark surface
	6	Label	0.50	) Red letters
	7	Label	0.25	)
	7A	Label	0.25	(S.O.O. 6371)
	8	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	9	Label	0.25	)
	10	Label	0.25	) Black letters on light surface) Yellow letters on dark surfaces
	10A	Label	0.25	) Black letters on light surface) Yellow letters on dark surfaces
	11	Label	0.25	Red Letters
	12	Stencil	0.38	) Black letters on light surface) Yellow letters on dark surface
	13	Stencil	0.38	) Black letters on light surface) Yellow letters on dark surface
	14	Label	0.38	))
	15	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	15A	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	16	Label	0.19	))
	16A	Label	0.19	(S.O.O. 6371)
	16B	Label	0.19	(S.O.O. 6431)
	17	Stencil	0.38	))

Table 1 Details of External Placards and Stencils (continued)

FIGURE	NUMBER	MARKING		
		TYPE	LETTER SIZE (INS)	COLOUR/DESCRIPTION
	18	Label	0.25	))
	19	Label	0.38	))
	20	Stencil	0.25	))
	21	Stencil	0.38	) Black letters on light surface) Yellow letters on dark surface
	22	Label	0.38	))
	23	Stencil	0.38	))
	24	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	24A	Label	0.25	) Black letters on light surface) Yellow letters on dark surface
	25	Label	0.38	)
	26	Lettering/ Stencil	12.00	Black (Green A/C)
	26A	Lettering/ Stencil	6.00	To suit (see sales order for Country of sale)
	27	Label	0.50	) Red letters
	28	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	29	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	30	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	31	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	32	Label	0.38	) Red letters
	33	Label	0.38	) Red letters
	34	Label	0.38	Black letters on light surface Yellow letters on dark surface
	35	Label	0.38	Black letters on light surface Yellow letters on dark surface
	36	Stencil	20.00	Black letters unless otherwise specified (see sales order for Country of sale)
	37	Stencil	0.50	))


Table 1 Details of External Placards and Stencils (continued)

FIGURE	NUMBER	MARKING		
		TYPE	LETTER SIZE (INS)	COLOUR/DESCRIPTION
	38	Stencil	0.50	) Red letters)
	39	Label	0.38	) Red letters
	40	Label	0.50	)
	41	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	42	Label	1.00	) Black letters on light surface) Yellow letters on dark surface
	43	Stencil	0.38	)
	44	Label	0.50	)
	45	Label	0.25	)
	46	Label	0.38	Black letters on light surface
	47	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	48	Label	0.50	)
	49	Label	0.50	) Black letters on light surface) Yellow letters on dark surface
	50	Label	0.38	) Black letters on light surface) Yellow letters on dark surface
	51	Label	1.00	)
	52	Plate		Dimensions 2.48 x 4.00 (Ref C6G1504–27) (S.O.O. 6279)
	53	Plate		Dimensions 2.48 x 4.00 (Ref C6G1513–27) (S.O.O. 6285)
	54	Placard	0.15	) Black letters on light surface) Yellow letters on dark surface
	55	Placard	0.15	) Black letters on light surface) Yellow letters on dark surface
	56	Plate	0.30	Stainless Steel Engraved (S.O.O. 6348)
	57	Plate	0.30	Stainless Steel Engraved (S.O.O. 6429)
	58	Label	0.50	(S.O.O. 6371)
	59	Plate	0.30	Stainless Steel Engraved (S.O.O. 6434)
	DETAIL A	Stencil		Red arrows

Table 1 Details of External Placards and Stencils (continued)


FIGURE	NUMBER	MARKING		
		TYPE	LETTER SIZE (INS)	COLOUR/DESCRIPTION
	DETAIL B, C, D, AND E	Stencil (lettering)	1.00	) Red if background is not) contrasting, outline with) white or other contrasting colour
		Stencil (Corner markings)	4.00 x 4.00 x 1.00	))

Note Silk-screening may be used in lieu of stencils.




Internal Placards
Figure 2 (Sheet 1 of 14)

Print Date: 2025-09-12




Internal Placards
Figure 2 (Sheet 2 of 14)

Print Date: 2025-09-12




MOD 6/2059
PRE MOD 6/2434



POST MOD 6/2434


DETAIL D

Internal Placards
Figure 2 (Sheet 3 of 14)



15 THIS AIRPLANE IS EQUIPPED FOR OPERATION IN ICING CONDITIONS

NOTE: WITH S.O.O. 6004, 6187 AND 6202 OR 6237 & MOD 6/2228 INSTALLED




65 MAX 9 PAX SEATS MAY BE INSTALLED


NOTE: WITH S.O.O. 6299 AND MOD 6/2436 INSTALLED

DETAIL D

Internal Placards
Figure 2 (Sheet 4 of 14)




MOD S.O.O. 6001 WITH MOD 6/2182
PRE MOD 6/2434




MOD S.O.O. 6001 WITH MOD 6/2182
POST MOD 6/2434

DETAIL D

Internal Placards
Figure 2 (Sheet 5 of 14)




MOD S.O.O. 6269 AND S.O.O. 6001 WITH MOD 6/2182
(IAC AR REQUIREMENTS)
PRE MOD 6/2434




MOD S.O.O. 6269 AND S.O.O. 6001 WITH MOD 6/2182
(IAC AR REQUIREMENTS)
POST MOD 6/2434

DETAIL D

Internal Placards
Figure 2 (Sheet 6 of 14)



MOD S.O.O. 6269
(IAC AR REQUIREMENTS)
PRE MOD 6/2434



MOD S.O.O. 6269
(IAC AR REQUIREMENTS)
PRE MOD 6/2434

DETAIL D

Internal Placards
Figure 2 (Sheet 7 of 14)




MOD S.O.O. 6328
(JCAB REQUIREMENTS)
PRE MOD 6/2434




MOD S.O.O. 6328
(JCAB REQUIREMENTS)
POST MOD 6/2434

DETAIL D

Internal Placards
Figure 2 (Sheet 8 of 14)




MOD S.O.O. 6328 WITH S.O.O. 6004, 6187 AND 6202 OR 6237
(JCAB REQUIREMENTS)
PRE MOD 6/2434




MOD S.O.O. 6328 WITH S.O.O. 6004, 6187 AND 6202 OR 6237
(JCAB REQUIREMENTS)
POST MOD 6/2434

DETAIL D

Internal Placards
Figure 2 (Sheet 9 of 14)




MOD S.O.O. 6411
(FATA REQUIREMENTS)



MOD S.O.O. 6411 AND S.O.O. 6001 WITH MOD 6/2182
(FATA REQUIREMENTS)


DETAIL D

Internal Placards
Figure 2 (Sheet 10 of 14)




Internal Placards
Figure 2 (Sheet 11 of 14)

Print Date: 2025-09-12





Internal Placards
Figure 2 (Sheet 12 of 14)


Print Date: 2025-09-12




Internal Placards
Figure 2 (Sheet 13 of 14)









Internal Placards
Figure 2 (Sheet 14 of 14)

Table 2 Details of Internal Placards

FIGURE	NUMBER	TYPE	PART NUMBER
2	1	Label	C6–2020–35 (Pre Mod 6/2198)
		Label	C6–2020–49 (Post Mod 6/2198)
	2	Label	C6–2020–37 (Pre Mod 6/2198)
		Label	C6–2020–51 (Post Mod 6/2198)
	3	Label	C6–2020–53 (Large) (Post Mod 6/2198)
	4	Label	C6FF2201–35 (Pre Mod 6/2198)
		Label	C6FF2201–37 (Post Mod 6/2198)
	5	Label	C6–2020–29 (Pre Mod 6/2198)
		Label	C6–2020–43 (Post Mod 6/2198)
	6	Sign	CANAC–12A (Pre Mod 6/2308)
		Sign	C6SC1161–1 (Post Mod 6/2308)
	7	Placard	C6FF2965–27 (Pre Mod 6/2434)
		Placard	C6FF2965–31 (Post Mod 6/2434)
		Placard	C6FF2965–29 (Mod S.O.O. 6001 with Mod 6/2182) (Pre Mod 6/2434)
		Placard	C6FF2965–33 (Mod S.O.O. 6001 with Mod 6/2182) (Post Mod 6/2434)
		Placard	C6G1491–29 (Mod S.O.O. 6269 and S.O.O. 6001 with Mod 6/2182) (Pre Mod 6/2434)
		Placard	C6G1491–33 (Mod S.O.O. 6269 and S.O.O. 6001 with Mod 6/2182) (Post Mod 6/2434)
		Placard	C6G1491–27 (Mod S.O.O. 6269) (Pre Mod 6/2434)
		Placard	C6G1491–31 (Mod S.O.O. 6269) (Post Mod 6/2434)
		Placard	C6G1552–27 (Mod S.O.O. 6328) (Pre Mod 6/2434)
		Placard	C6G1552–31 (Mod S.O.O. 6328) (Post Mod 6/2434)
		Placard	C6FF1552–29 (Mod S.O.O. 6328 with S.O.O. 6004, 6187 and 6202 or 6237) (Pre Mod 6/2434)
		Placard	C6FF1552–33 (Mod S.O.O. 6328 with S.O.O. 6004, 6187 and 6202 or 6237) (Post Mod 6/2434)
		Placard	C6G1604–27 (Mod S.O.O. 6411)
		Placard	C6G1604–29 (Mod S.O.O. 6411 and S.O.O. 6001 with Mod 6/2182)

Table 2 Details of Internal Placards (continued)

FIGURE	NUMBER	TYPE	PART NUMBER
	8	Placard	C6–2021–49
	9	Label	C6JF1432–27 (Pre Mod 6/2198)
		Label	C6JF1432–31 (Post Mod 6/2198)
	10	Label	C6–2023–67
	11	Label	C6FF2961–29 (Mod 6/2092) (Pre Mod 6/2300)
	11A	Label	C6FF2976–27 (Post Mod 6/2300)
	12	Label	C6–2020–33 (Pre Mod 6/2198)
		Label	C6–2020–47 (Post Mod 6/2198)
	13	Label	C6–2020–31 (Pre Mod 6/2198)
		Label	C6–2020–45 (Post Mod 6/2198)
	14	Label	C6–1044–1 (For hardwall)
	15	Label	C6S1051–27 (S.O.O. 6004, 6187 and 6202 or 6237) (Mod 6/2228)
	16	Label	C6–2023–67
	17	Label	C6JF1432–29 (Pre Mod 6/2198)
		Label	C6JF1432–33 (Post Mod 6/2198)
	18	Label	VSP11–1 (Pre Mod 6/2345)
		Label	VSP11–3 (Post Mod 6/2345)
	19	Plate	CSP274–1
	20	Silkscreen	C6FF1697–37 (Front)
		Silkscreen	C6FF1697–39 (Side)
	21	Label	C6–1044–1 (For hardwall)
	22	Label	C6FF2201–35 (Pre Mod 6/2198)
		Label	C6FF2201–37 (Post Mod 6/2198)
	23	Label	C6–2020–53 (Large) (Post Mod 6/2198)
	24	Placard	C6–2021–57
	25	Label	C6–2020–37
	26	Label	C6–1004–31 (Small)
	27	Label	C6–2022–29
	28	Sign	CANAC–12A (Pre Mod 6/2308)
		Sign	C6SC1161–1 (Post Mod 6/2308)
	29	Placard	C6–2021–51
	30	Label	C6–2021–45
	31	Placard	C6JF1431–28

Table 2 Details of Internal Placards (continued)

FIGURE	NUMBER	TYPE	PART NUMBER
	32	Label	C6HF1055–31 (S.O.O. 6001 with Mod 6/2182)
	33	Label	C6–2021–36
	34	Placard	C6–2021–55
	35	Label	C6–2021–31
	36	Placard	C6JF1433–27
	37	Placard	C6–2021–27
	38	Label	C6S1030–27
	39	Label	C6S1029–27 (S.O.O. 6004, 6202 & 6187)
	40	Placard	C6–2021–43
	41	Label	C6–2021–39
	42	Placard	C6–2021–33
	43	Placard	C6–2021–37
	44	Label	C6–2021–35
	45	Placard	C6JF1431–27
	46	Placard	C6–2021–53
	47	Placard	C6–2021–29 (S.O.O. 6187, Mod 6/2045)
	48	Placard	C6–2021–47 (Left Hand)
		Placard	C6–2021–48 (Right Hand)
	49	Placard	C6G1512–29 (Mod S.O.O. 6287)
	50	Placard	C6G1512–31 (Mod S.O.O. 6276)
	51	Label	C6G1512–33 (Mod S.O.O. 6276 or Mod S.O.O. 6287)
	52	Placard	C6G1515–37 (S.O.O. 6272, 6281 or 6282)
	53	Placard	C6G1515–39 (S.O.O. 6283)
	54	Placard	C6G1515–41 (S.O.O. 6272, 6281 or 6282)
	55	Placard	C6G1515–43 (S.O.O. 6283)
	56	Placard	C6G1528–27 (S.O.O. 6296)
	57	Placard	C6G1528–29 (S.O.O. 6296)
	58	Placard	C6G1528–31 (S.O.O. 6296)
	59	Sign	C6SC1161–3 (S.O.O. 6327)
	60	Placard	C6G1546–27 (S.O.O. 6309)
	61	Sign	C6SC1161–11 (S.O.O. 6353 with Mod 6/2397)
	62	Placard	C6G1558–29 (S.O.O. 6352 with Mod 6/2397)

Table 2 Details of Internal Placards (continued)

FIGURE	NUMBER	TYPE	PART NUMBER
	63	Sign	C6SC1161–7 (S.O.O. 6360)
	64	Placard	C6G1563–27 (S.O.O. 6361)
	65	Placard	C6G1612–27 (S.O.O. 6299 with Mod 6/2436)

This Page Intentionally Left Blank