Engine Model(s): PT6A

SPECIAL TOOLS/FIXTURES AND EQUIPMENT

1. General

This section gives data about the special tools and the fixtures and equipment required to maintain the engine.

2. Special Tools

Special tools, required to maintain the engine are listed in Table 1.

Refer SIL GEN-022 for the list of tool suppliers, then send a purchase order for the special tools, listed in Table 1.

When you order special tools, include the prefix 'PWC' as a component of the tool part number, e.g. PWC32073, Sling.

Table 1 Special Tools

Part No.	Name	CH/SE/SU	Maintenance Level		
			Line	Heavy	HSI
PWC30046-52	Puller (Pre-SB1386)	72-60-00	X	X	
PWC30046-54	Puller (Post-SB1386)	72-60-00	X	X	
PWC30046-57	Puller (Alternative to PWC30052)	72-10-00	X	X	
		72-60-00	X	X	
PWC30051-01	Base	72-60-00		X	
PWC30051-02	Drift	72-60-00		X	
PWC30052	Puller (Alternative to PWC30046-57)	72-60-00	X	X	
PWC30054	Drift (Pre-SB1386)	72-60-00		X	
PWC30075	Drift	72-10-00	X	X	
		72-60-00	X	X	
PWC30077	Puller	72-00-00	X	X	
PWC30114-08	Wrench	77-20-01	X	X	
PWC30114-09	Wrench (Pre-SB1232)	61-20-00	X	X	
PWC30114-16	Wrench (Post-SB1232)	61-20-00	X	X	

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Part No.	Name	CH/SE/SU	Maintenance Level		
			Line	Heavy	HSI
PWC30128-04	Puller	72-00-00	X	X	
		72-60-00	X	X	
PWC30269	Ring	72-00-00	X	X	
PWC30271-100	Spreader - Replaced by PWC31771	72-30-04	X	X	
PWC30274	Base	72-60-00		X	
PWC30328	Puller, Filter Housing (Obsolete-Replaced by PWC50726)	79-20-02	X	X	
PWC30331	Wrench	72-50-02		X	
PWC30332	Wrench	72-50-04		X	
PWC30335	Spreader	72-50-02	X	X	
		72-50-04		X	
PWC30336	Protector	72-50-02		X	
PWC30373	Puller/Pusher	72-60-00		X	
PWC30403	Puller	72-50-02	X	X	
		72-50-04		X	
PWC30405	Fixture	73-10-05	X	X	
PWC30415	Compressor	72-60-00	X	X	
PWC30416	Puller	73-10-05	X	X	
PWC30425	Crimping Pliers	77-20-01		X	
PWC30458	Squeezer	72-50-02	X	X	
		72-50-04		X	
PWC30478	Spacer	72-50-01	X	X	
PWC30499-50	Gage	72-60-00	X	X	
PWC30506	Rig	73-10-05	X	X	
PWC30518	Puller	79-20-04	X	X	

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Part No.	Name	CH/SE/SU	Maintenance Level		
			Line	Heavy	HSI
PWC30530	Plug	73-10-05	X	X	
PWC30556	Puller	79-20-02	X	X	
PWC30675	Drift (Post-SB1386)	72-60-00	X	X	
PWC30712	Adapter	72-00-00	X	X	
PWC31771	Spreader	72-30-04	X	X	
PWC30854	Drift	72-60-00		X	
PWC30863	Puller (Obsolete - Replaced by PWC32822)	72-50-01		X	
PWC32072	Puller - Replaced by PWC57233	72-10-00		X	
PWC32080	Pad, Engine Mount	72-00-00		X	
PWC32179	Base Assembly - Replaces PWC30322	72-00-00		X	
PWC32209	Adapter	72-50-01		X	
PWC32212	Alignment Pins	72-50-03	X	X	
PWC32271	Wash Tube	71-00-00	X	X	
PWC32275	Split Plate	72-60-00	X	X	
PWC32366	Pusher, Tubes	73-10-05	X	X	
PWC32380	Radius Gage	72-50-01		X	
PWC32396	Jackscrew - 3 required, Accessory Gearbox	72-60-00		X	X
PWC32396-400	Jackscrew - 3 required, Gas Generator Case From Diffuser Case	72-60-00		X	X
PWC32420	Sling - Replaced by PWC51861	72-00-00	X	X	
PWC32483	Cutter	72-30-00		X	
PWC32484	Gage	72-30-00		X	
PWC32528	Wheel, Grinding	72-50-01		X	
PWC32677-100	Washcart, Compressor	71-00-00	X		
PWC32811	Fixture	73-10-05	X	X	

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Part No.	Name	CH/SE/SU	Maintenance Level		
			Line	Heavy	HSI
PWC32822	Puller (Obsolete - Replaced by PWC71559)	72-50-01		X	
PWC34300	Engine Stand - Replaced by PWC51140	72-00-00	X	X	
PWC34910-101	Borescope Assembly	72-00-00	X		
PWC34910-200	Guide Tube	72-00-00	X		
PWC34913	Holding Fixture	72-00-00	X		
PWC34941	Wrench	72-00-00	X	X	
PWC37088-001	Drift	72-60-00	X	X	
PWC37088-002	Drift	72-60-00	X	X	
PWC37088-003	Drift	72-60-00	X	X	
PWC37548	Drift	76-10-00	X	X	
PWC37917	Dresser	72-50-01		X	
PWC37918	Grinder	72-50-01		X	
PWC42034	Jackscrew, Gas Generator Case From Diffuser Case - Replaced by PWC32396-400	72-60-00		X	X
PWC50057	Drill	72-50-02		X	
PWC50060	Injector	72-50-02		X	
PWC50373	Bracket, Lifting	72-00-00		X	
PWC50502	Compressor	72-60-00		X	
PWC50726	Knocker, Oil Filter Housing (Alternative to PWC30328)	79-20-02	X	X	
PWC50726-100	Puller	79-20-02	X	X	
PWC50986	Puller, Check Valve	79-20-04	X	X	
PWC51140	Replaced by PWC70907	72-00-00	X	X	
PWC51861	Sling - Engine	72-00-00	X	X	
PWC51861-600	Sling, Engine	72-00-00	X	X	
PWC54246	Puller/Pusher, Tubes (Alternative to	73-10-05	X	X	

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Part No.	Name	CH/SE/SU	Maintenance Level		
			Line	Heavy	HSI
	PWC32366)				
PWC57233	Puller	72-10-00		X	
PWC70334	Ring, Mounting (Replaces PWC32081)	72-00-00		X	
PWC70792	Adapter	72-00-00		X	
PWC70838	Puller, Oil Seal Carrier	72-60-00	X	X	
PWC70869	Drift, Lip Seal	72-60-00	X	X	
PWC70907	Stand Assembly, Engine (Obsolete - Replaced by PWC71835)	72-00-00	X	X	
PWC71296	Sling (PS - with Propeller) (Replaces PWC70652)	72-00-00	X	X	
PWC71559	Puller (Alternate to PWC32822)	72-50-01		X	
PWC71835	Build Stand, Engine Assembly (Alternate to PWC70907)	72-00-00	X	X	
PWC77193	Sling (PS - without prop)	72-00-00	X	X	
PWC90025	Crimper, Safety Cable	73-10-04	X	X	X
PWC90086	Spray Chamber	73-10-05	X	X	

3. Special Equipment

Special equipment listed in Table 2 is considered as any equipment, material , fixture which is not PWC derived and is not considered a consumable material.

Table 2 Special Equipment

Name	Part No.	Supplier
Turbine Temperature Indicating System Test Set (Ref. 73-10-07, 77-20-00 and 77-20-01)	TT1000A or TT1200A	Barfield Instrument Corp. 4101 NW 29th St. P.O. Box 527705 Miami, FL 33152-7705 USA Tel.: (305) 871-3900

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Name	Part No.	Supplier
Pressure Tester (Ref. 73-10-05)	2311FA	Barfield Instrument Corp.
A.C./D.C. Arc Welding Machine; 150 amp minimum capacity with close control in 15 to 75 amp. range. (High frequency control for ease of arc starting is desirable) (Ref. 70-00-00).	P and H Model DA-300-HF-GW or equivalent	Local Purchase
Air Pressure Regulator: 100 psi input, 0 to 100 psi output. (Ref. 75-30-00)		Local Purchase
Shutoff Valve (Air Line) (Ref. 71-00-00, 75-30-00)		Local Purchase
Pressure Gage; 0 to 75 psi, accuracy ±5 percent (Ref. 71-00-00, 75-30-00)		Local Purchase
Argon Regulator (Ref. 70-00-00)	Airco 8407 or equivalent	Local Purchase
Flowmeter Block Assemblies, 2 required (Ref. 70-00-00)	Airco 830-1327 or equivalent	Local Purchase
Shielded Arc Torch; with provision for supply of inert gas (argon) and cooling water. (Ref. 70-00-00)	Linde Model HW-10 or Airco H35B or equivalent	Local Purchase
Shielded Arc Torch; with provision for supply of inert gas (argon) and cooling water. (Ref. 70-00-00)	Linde Model HW-9 or Airco H20A or equivalent	Local Purchase
Ground Cable; 25 feet approx.	Size 0	Local Purchase
Arc Cable, metallic; 25 feet approx.	Size 0	Local Purchase
Argon Hose; 25 feet approx.		Local Purchase

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Name	Part No.	Supplier
Two Stainless Steel Tanks; 6 gallon capacity and capable of withstanding 50 psi (Ref. 71-00-00).		Local Purchase
Two Stainless Steel Tanks; 5 gallon capacity and capable of withstanding 50 psi (Ref. 71-00-00).		Local Purchase
Tubing, Stainless Steel $^{5}/_{16}$ inch ID, length as required (Ref. 71-00-00).		Local Purchase
Restrictor; 0.062 inch. (Ref. 71-00-00)		Local Purchase
Nitrogen or Clean Air Pressure Supply regulated to 50 psig		Local Purchase
Pressure Gage Adapter threaded to suit pressure gage (item No. 6) and bleed valve cover (0.250-28 UNJF-3B)		Local Manufacture/Purchase
Test Rig Adapters, threaded to accept tubing for pressure regulator (item No. 4) shut-off valve (item No. 5) and bleed valve cover (0.250-28-UNJF-3B)		Local Manufacture/Purchase
Fuel Nozzle Flushing Fixture (Ref. 73-10-05)		Local Manufacture
Stainless Steel Container or Tray, Perforated (to suit Electrosonic Cleaner) (Ref. 73-10-05)		Local Manufacture
Ultrasonic Cleaner, Esterline Angus (Ref. 73-10-05)	Model T-12, or similar (See NOTE) (Ref. 73-10-05)	Esterline Corp. P.O. Box 2400 Indianapolis, IN 26224, USA
		or
		Instro Test Ltd.

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement

Name	**Part No.**	**Supplier** 1024 Notre Dame Lachine, Quebec, Canada
Electrosonic, Cleaner (Ref. 79-20-02, OIL FILTER, HOUSING AND CHECK VALVE - MAINTENANCE PRACTICES and 73-10-07, PNEUMATIC LINE (P3) - MAINTENANCE PRACTICES)	Model KS 5518 or Sonac S-2	Kell-Strom Tool Co. 214 Church Street Wethersfield, CT 06109 USA Tel.: (860) 529-6851 or Tel.: (860) 721-0658 (AOG service) Fax: (860) 257-9694
	NOTE: : In the event of non-availability of ultrasonic cleaning equipment, operators should ship fuel nozzles requiring cleaning and testing to an approved overhaul facility, or to a maintenance base having suitable equipment.	
Shut-off Valve (Fluid Line) (Ref. 72-00-00)		Local Purchase
Locking Tool (Keensert) (Ref. 72-30-01)	TD1032L	Tridair Industries 3000 West Lomita Blvd. Torrance, CA 90505, USA
		or
		Interfast Inc. 21 Constellation Court Rexdale, Ontario Canada M9W 1K4
Oil Filter Element Rinsing and Debris Apparatus Kit (Ref. 79-20-02)	AVL-OFRA	Aviation Laboratories 5401 Mitchelldale #B6 Houston, TX 77092 USA Tel.: 713-864-6677 Tel.: 800-256-6876 Fax: 713-864-6990

Printed on 10/NOV/26 P&WC Proprietary – subject to restrictions in Technical Data Agreement