## Survival Data Analysis & Lab. Solution #1


- 1. In a survival analysis, the outcome variable is dichotomous. (True / False) False: the outcome is continuous; time until an event occurs.
- 2. In a survival analysis, the event is usually described by a (0,1) variable. (True / False) True
- 3. If the study ends before an individual has gotten the event, then his or her survival time is censored. (True / False) True
- 4. If, for a given individual, the event occurs **before** the person is lost to follow-up or withdraw from the study, then this person's survival time is censored. (True / False) False: the person fails, i.e., is not censored.
- 5. S(t) = P(T > t) is called the hazard function. (True / False) False: S(t) is the survivor function.
- 6. The hazard function is a probability. (True / False) False: the hazard is a rate, not a probability.
- 7. Theoretically, the graph of a survivor function is a smooth curve that decreases from S(t) = 1 at t = 0 to S(t) = 0 at  $t = \infty$ . (True / False) True
- 8. The survivor function at time t gives the instantaneous potential per unit time for a failure to occur, given survival up to time t. (True / False) False: the hazard function gives instantaneous potential.
- 9. The formula for a hazard function involves a conditional probability as one of its components. (True / False) True
- 10. The hazard function theoretically has no upper bound. (True / False) True
- 11. Mathematical models for survival analysis are frequently written in terms of a hazard function. (True / False) True
- 12. One goal of a survival analysis is to compare survivor and/or hazard functions. (True / False)
- 13. Ordered failure times are censored data. (True / False) False: ordered failure times are data for persons who are failure.
- 14. Censored data are used in the analysis of survival data up to the time interval of censorship. (True / False) True
- 15. A typical goal of a survival analysis involving several explanatory variables is to obtain an adjusted measure of effect. (True / False) True
- 16. Given the following survival time data (in weeks) for n = 15 subjects,

where + denotes censored data. Complete the following table:

$t_{(j)}$	$m_{j}$	$q_{j}$	$R(t_{(j)})$
0	0	0	15 persons survive $\geq 0$ weeks
1	2	3	15 persons survive $\geq 1$ weeks
2	3	2	10 persons survive $\geq 2$ weeks
3	2	3	5 persons survive $\geq 3$ weeks


Also, compute the average survival time  $(\bar{T})$  and the average hazard rate  $(\bar{h})$  using the raw data (ignoring + signs for  $\bar{T}$ ).  $\bar{T}=33/15=2.2$ ;  $\bar{h}=7/33=0.2121$ 

17. Suppose that the estimated survivor curve for the above table is given by the following graph:



What is the median survival time for this cohort? Median=3 weeks

• Questions 18–20 consider the comparison of the following two survivor curves:



- 18. Which group has a better survival prognosis **before** time  $t^*$ ? Group A
- 19. Which group has a better survival prognosis **after** time  $t^*$ ? Group B
- 20. Which group has a longer median survival time? Group A