

[109-1][RF][06] Robofriends -- Deploy to GitHub Pages

Preparation:

=> create a new Github repository, "**username-1091-id-robofriends**"

=> In git bash, type **git clone git-repo-url** to download the repository

=> copy robofriends files over to the directory of this repository

Ref:

<https://create-react-app.dev/docs/deployment/#github-pages>

Step 1; Add homepage to package.json

```
// package.json

{
  "name": "Robofriends",
  "homepage": "https://htchung.github.io/1091-id-robofriends",
  "version": "0.1.0",
  "private": true,
  .....
}
```

Step 2: install **gh-pages** and add **deploy** to **scripts** in package.json

```
$ npm install --save gh-pages
```

```
// package.json

{
  "name": "Robofriends",
  "homepage": "https://htchung.github.io/robofriends",
  "version": "0.1.0",
  "private": true,
  "dependencies": {
    "@testing-library/jest-dom": "^4.2.4",
    "@testing-library/react": "^9.4.0",
```

```

"@testing-library/user-event": "^7.2.1",
"gh-pages": "^3.1.0",
"react": "^16.12.0",
"react-dom": "^16.12.0",
"react-scripts": "3.3.0",
"tachyons": "^4.11.1"
},
"scripts": {
  "start": "react-scripts start",
  "build": "react-scripts build",
  "test": "react-scripts test",
  "eject": "react-scripts eject",
  "predeploy": "npm run build",
  "deploy": "gh-pages -d build"
},
"eslintConfig": {
  "extends": "react-app"
},
"browserslist": {
  "production": [
    ">0.2%",
    "not dead",
    "not op_mini all"
  ],
  "development": [
    "last 1 chrome version",
    "last 1 firefox version",
    "last 1 safari version"
  ]
}
}

```

=> Step 3: Deploy the site by running npm run deploy

```

$ npm run deploy

> robofriends@0.1.0 predeploy C:\Users\htc\Documents\tku\109-1\2N-wp1\demo\1091-id-robofriends
> npm run build

> robofriends@0.1.0 build C:\Users\htc\Documents\tku\109-1\2N-wp1\demo\1091-id-robofriends
> react-scripts build

Creating an optimized production build...
Compiled with warnings.

./src/containers/App.js
  Line 30:37:  Expected '===' and instead saw '=='  eqeqeq

Search for the keywords to learn more about each warning.
To ignore, add // eslint-disable-next-line to the line before.

File sizes after gzip:

 39.88 KB  build\static\js\2.e7e24cc0.chunk.js
 12.81 KB  build\static\css\2.3c03f26f.chunk.css
 1.09 KB   build\static\js\main.c78c7023.chunk.js
 788 B     build\static\js\runtime-main.7f4955e0.js
 451 B     build\static\css\main.07d3f631.chunk.css

The project was built assuming it is hosted at /1091-id-robofriends/.
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.

```

Find out more about deployment here:

bit.ly/CRA-deploy

```
> robofriends@0.1.0 deploy C:\Users\htc\Documents\tku\109-1\2N-wp1\demo\1091-id-  
robofriends  
> gh-pages -d build
```

Published

\$

=> Step 4: For a project page, ensure your project's settings use **gh-pages**

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at <https://htchung.github.io/1091-id-robofriends/>

Source

Your GitHub Pages site is currently being built from the `main` branch. [Learn more.](#)

Branch: gh-pages ▼

/ (root) ▼

Save

=> testing okay



