
w04_64.md 3/10/2023


git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-08"

W04-P1: add 3 images of my meals to menu array




b947cac lan1018 Thu Mar 9 19:51:14 2023 +0800 W04-P1: add 3 images of my meals to menu array

W04-P2: show all data in array menu into html (section-center)



w04_64.md 3/10/2023



39c0478 lan1018 Fri Mar 10 02:52:44 2023 +0800 W04-P2: show all data in array menu into html (section-center)

W04-logs

```
frank@DESKTOP-D1TOQNR MINGW64 /c/1112-1N-js-demo-208410264 (main)

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-08"

9f745ac lan1018 Fri Mar 10 05:02:54 2023 +0800 W04-logs

39c0478 lan1018 Fri Mar 10 02:52:44 2023 +0800 W04-P2: show all data in array menu into html (section-center)

b947cac lan1018 Thu Mar 9 19:51:14 2023 +0800 W04-P1: add 3 images of my meals to menu array

c7a45bf lan1018 Thu Mar 9 18:23:23 2023 +0800 0309_W04

b0220d5 frankielan168 Thu Mar 9 16:07:39 2023 +0800 update2 add W03_PDF
```

9f745ac lan1018 Fri Mar 10 05:02:54 2023 +0800 W04-logs

W04-P3: show all filter buttons into html (section-center)

including (all, breakfast, lunch, dinner, shakes)

w04-p3-1.png

w04 64.md 3/10/2023

```
₩ w04_64.md M
                                                                        JS app_64.js M X
∨ 1112-1N-JS-DEMO-208410264
                             demo > JS app_64.js > [❷] categories
 {} extensions.json
                                     const sectionCenter = document.querySelector('.section-center');
 ∨ demo
                                     const btnContainer = document.querySelector('.btn-container');
   > w01
                                     const displayMenuItems = (menu) => {
                                          let displayMenu = menu.map((item) => { ...
   > w03
   ₩ w04 64.md
                                          displayMenu = displayMenu.join('');
// console.log('displayMenu after join', displayMenu);

    w04-p1.png

   © w04-p2-1.png
                                          sectionCenter.innerHTML = displayMenu;
   © w04-p2-2.png
                                    const categories = ['all', 'breakfast', 'lunch', 'dinner', 'dessert', 'shakes'];
// const categories = ['all', ...new Set(menu.map((item) => item.category))];
  > W02-tictactoe
                                      const displayMenuButtons = () => {

∨ W03-review

                                       let menuButtons = categories.map(category => {
    return `<button type="button" class="filter-btn" data-id=${category}>${category}</button>`;
  JS app.js
   o index.html
                                       console.log('displayButtons before join', menuButtons);
  main.PNG
                                       menuButtons = menuButtons.join('');
console.log('displayButtons after join/n', menuButtons);
  me.png
  person-1.jpeg
                                        btnContainer.innerHTML = menuButtons;
  > W04-menu_starter_64
  JS app_64.js
                               98
                                     window.addEventListener('DOMContentLoaded', () => {
  index.html
                                        displayMenuItems(menu);
  🖆 logo.svg
                                          displayMenuButtons();
                              101
 main.png
  # styles_64.css

✓ images

  🖾 item-1.jpeg


    item-2.jpeq

  item-3.jpeg


    item-4.ipeq
```

bdc0a7a lan1018 Fri Mar 10 05:13:24 2023 +0800 W04-P3 and W04-P (沒打好W04-P4)

W04-P4: get buttons from menu array, add 'all' at the beginning (section-center)



w04 64.md 3/10/2023



bdc0a7a lan1018 Fri Mar 10 05:13:24 2023 +0800 W04-P3 and W04-P (沒打好W04-P4)