Advanced Animations & Gestures in Flutter

Topic 08 — Cross-Platform Development

Student: Huỳnh Thiện Lộc (106230052)
Instructor: TS. Nguyễn Duy Nhật Viễn

Flutter Motion | Gesture Arena | 60/120 FPS VSync

Agenda


Part 1: Core Mechanics

1. Animation & UX Roles
2. Core Terminology & Concepts
3. Technical Requirements
4. Flutter Motion Architecture
5. Implicit vs Explicit Matrix
6. Explicit Lifecycle & Memory Safety
7. Gesture Arena & Disambiguation
8. UX Latency Thresholds

Part 2: Implementation & Evidence

9. Architecture & Motion Tokens
10. Implicit Motion: State Interpolation
11. Explicit Gestures: Spring Physics
12. Automated Test Suite
13. Decision Matrix
14. References

1. Animation & UX Roles



2. Core Terminology & Concepts

Implicit Animations

Declarative (Tự nội suy): Nhà phát triển chỉ khai báo giá trị đích (Target Value); framework tự động quản lý controller và tính toán biến thiên từng khung hình.

Explicit Animations

Imperative (Chủ động điều khiển): Sử dụng `AnimationController` để chủ động điều khiển phát, lặp, đảo chiều và gắn kết theo tọa độ kéo thả ngón tay.

Gesture Arena

Đấu trường phân giải xung đột: Cơ chế trọng tài phân giải tranh chấp khi nhiều bộ nhận diện cử chỉ (Tap, Pan, LongPress) cùng bắt một điểm chạm trên màn hình.

Non-blocking UX

Chuyển động không khóa luồng: Hiệu ứng chuyển động chạy độc lập, không đóng băng hoặc trì hoãn luồng tiếp nhận sự kiện cảm ứng của người dùng.

3. Technical Requirements


Theoretical Foundations

- **Implicit Animations:** Declarative target interpolation.
- **Explicit Animations:** Imperative `AnimationController`.
- **Gesture Arena:** Touch conflict disambiguation.
- **Non-blocking UX:** Unconstrained touch pipeline.

Practical Deliverables

- **Implicit Card:** Shape, color, and size transitions.
- **Draggable Spring Card:** 2D pan + spring physics.
- **Morphing Button:** Non-blocking async feedback.
- **Automated Verification:** 5/5 test pass, 0 leaks.


3. Flutter Motion Architecture



4. Implicit vs Explicit Matrix


Dimension	Implicit Animations	Explicit Animations
Programming Model	Declarative	Imperative
Controller Management	Managed internally by Framework	Manual `AnimationController`
Memory Leak Risk	**0% (Zero Leak)**	**High** (If unreleased in `dispose()`)
Repeat / Reverse	Not supported	Full control (`repeat()`, `reverse()`)
Gesture Binding	Incompatible	Direct pan coordinate sync

5. Explicit Lifecycle & Memory Safety



Memory Leak Hazard: Omitting `dispose()` keeps `TickerProvider` retained in the Engine Scheduler via a **Strong Reference**, preventing GC unmount.

6. Gesture Arena & Disambiguation



- **2D Pan Tracking:** Real-time translation with dynamic tilt angle calculations.
- **SpringSimulation:** Natural damped harmonic recoil driven by release velocity.

7. UX Latency Thresholds


Latency	Classification	Practical Application
< 100 ms	Instant	Touch ripple, physical pressed states
150 – 350 ms	Natural (Gold Standard)	Navigation, element expansion, modal transitions
> 500 ms	Sluggish	Perceived as system lag; causes user friction

- **Non-Blocking UX:** Keep animations interruptible; never freeze user gestures.

8. Architecture & Motion Tokens


Demo App Structure (`week_04/app`):

- **MotionTokens (8dp Grid):**
  `space8` , `space16` , `space24` .
- **Three Independent Subsystems:**
  1. `ImplicitMotionCard` : Declarative interpolation.
  2. `DragSpringCard` : Gesture Arena + Spring physics.
  3. `MorphingActionButton` : Non-blocking async feedback.
- **VSync Synchronization:**
  Locked to 60Hz / 120Hz display refresh.




9. Implicit Motion: State Interpolation

Rest State (At Rest)




Expanded State (Interpolated)




9. Implicit Motion: Mechanics

- **AnimatedContainer:** Interpolates property deltas across duration and curve.
- **Automatic State Sync:** Recomputes layout without external controllers.
- **Zero Resource Leaks:** Framework guarantees lifecycle teardown.




10. Explicit Gestures: Spring Physics

Rest State (Offset 0, 0)




Dynamic Tilt State (Under Drag)



10. Explicit Gestures: Mechanics


- **GestureDetector (`onPanUpdate`):** Synchronizes card translation and rotational tilt with pointer coordinates.
- **SpringSimulation (`onPanEnd`):** Runs physical recoil back to `(0, 0)` preserving release inertia.
- **Resource Teardown:** Explicit disposal in `State.dispose()`.




11. Automated Test Suite

Verification Scenarios (5 Test Specs):

- **Widget Rendering:** Validates Material 3 layout structure.
- **Interpolation:** Verifies smooth frame value progression.
- **Gesture Recoil:** Asserts 2D pan tracking and spring return.
- **Non-blocking Async:** Verifies UI pipeline during background tasks.
- **Resource Teardown:** Asserts 100% ticker disposal on unmount.



12. Decision Matrix



13. References

- **Flutter Animations Overview:** docs.flutter.dev/ui/animations/overview
- **Implicit Animations Guide:** docs.flutter.dev/ui/animations/implicit-animations
- **Gestures & Disambiguation Arena:** docs.flutter.dev/ui/interactivity/gestures
- **AnimationController Class:** api.flutter.dev/flutter/animation/AnimationController-class.html
- **GestureArenaManager Class:** api.flutter.dev/flutter/gestures/GestureArenaManager-class.html
- **Material Design 3 Motion:** m3.material.io/styles/motion/overview/how-it-works