We are recovering from significant hosting issues. Much of the site is functional, but currently email delivery is not. Please bear with us as we validate site functionality.



MITx: 6.00.1x Introduction to Computer Science and Programming U..

<u>Help</u>



Week 6: Algorithmic Complexity > 11. Computational Complexity > Exercise 2

▶ Welcome to

the edX
Platform

- EntranceSurvey
- DownloadPython andGet Motivated!
- Week 1: Python Basics
- Week 2: Simple Programs
- Week 3: Structured Types
- Week 4: GoodProgrammingPractices
- ▶ <u>Midterm Exam</u>
- Week 5: ObjectOrientedProgramming

Exercise 2

☐ Bookmark this page

Exercise 2

6 points possible (graded)

ESTIMATED TIME TO COMPLETE: 12 minutes

For the following programs, fill in the best-case and the worst-case number of steps it will take to run each program.

For these questions, you'll be asked to write a mathematical expression. Use +, -, / signs to indicate addition, subtraction, and division. Explicitly indicate multiplication with a * (ie say "6*n" rather than "6n"). Indicate exponentiation with a caret (^) (ie "n^4" for n^4). Indicate base-2 logarithms with the word log2 followed by parenthesis (ie "log2(n)").

1. Program 1:

```
def program1(x):
    total = 0
    for i in range(1000):
        total += i

while x > 0:
        x -= 1
        total += x
```

What is the number of steps it will take to run Program 1 in the best case? Express your answer in terms of n, the size of the input \mathbf{x} .

Week 6: Algorithmic Complexity

11. Computational Complexity

Finger Exercises

_

12. Searching and Sorting Algorithms

Finger Exercises

Problem Set 6

Problem Set due Mar 9, 2017 15:30 PST

- Week 7: Plotting
- Exit Survey
- Sandbox

What is the number of steps it will take to run Program 1 in the worst case? Express your answer in terms of n, the size of the input x.

2. Program 2:

```
def program2(x):
    total = 0
    for i in range(1000):
        total = i

while x > 0:
        x = x//2
        total += x

return total
```

What is the number of steps it will take to run Program 2 in the best case? Express your answer in terms of n, the size of the input \mathbf{x} .

What is the number of steps it will take to run Program 2 in the worst case? Express your answer in terms of n, the size of the input x.

3. Program 3:

```
def program3(L):
            totalSum = 0
            highestFound = None
            for x in L:
                 totalSum += x
            for x in L:
                 if highestFound == None:
                     highestFound = x
                 elif x > highestFound:
                     highestFound = x
            return (totalSum, highestFound)
      What is the number of steps it will take to run Program 3 in the
      best case? Express your answer in terms of n, the number of
      elements in the list L.
      What is the number of steps it will take to run Program 3 in the
      worst case? Express your answer in terms of n, the number of
      elements in the list L.
Reminder: You do not lose points for trying a problem multiple times, nor
do you lose points if you hit "Show Answer". If this problem has you
stumped after you've tried it a few times, feel free to reveal the solution.
Click the "Reset" button to clear your answers.
  Submit
Exercise 2
                                                      Show Discussic 🖋
```

Topic: Lecture 11 / Exercise 2	

© All Rights Reserved



© 2012-2017 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

















