



Bookmarks

- ▶ [Welcome to the edX Platform](#)
- ▶ [Entrance Survey](#)
- ▶ [Download Python and Get Motivated!](#)
- ▶ [Week 1: Python Basics](#)

▼ [Week 2: Simple Programs](#)

[3. Simple Algorithms \(TIME: 41:06\)](#)

[Finger Exercises](#)

[4. Functions \(TIME: 1:08:06\)](#)

[Finger Exercises](#)

[Complete Programming Experience: polysum](#)

[Problem Set 2](#)

[Problem Set due Feb 2, 2017 15:30 PST](#)

- ▶ [Week 3: Structured](#)

Week 2: Simple Programs > 4. Functions (TIME: 1:08:06) > Exercise: gcd iter

Exercise: gcd iter

Bookmark this page

Exercise: gcd iter

5.0 points possible (graded)

ESTIMATED TIME TO COMPLETE: 5 minutes

The greatest common divisor of two positive integers is the largest integer that divides each of them without remainder. For example,

- $\text{gcd}(2, 12) = 2$
- $\text{gcd}(6, 12) = 6$
- $\text{gcd}(9, 12) = 3$
- $\text{gcd}(17, 12) = 1$

Write an iterative function, `gcdIter(a, b)`, that implements this idea. One easy way to do this is to begin with a test value equal to the smaller of the two input arguments, and iteratively reduce this test value by 1 until you either reach a case where the test divides both `a` and `b` without remainder, or you reach 1.

```

1 def gcdIter(a, b):
2     '''
3     a, b: positive integers
4
5     returns: a positive integer, the greatest common divisor
6     '''
7     # Your code here
8 
```

Press ESC then TAB or click outside of the code editor to exit



Types

- ▶ Week 4: Good Programming Practices
- ▶ Midterm Exam
- ▶ Sandbox

Unanswered

[Submit](#)**Exercise: gcd iter****Topic:** Lecture 4 / Exercise: gcd iter[Show Discussion](#)

© All Rights Reserved



© 2012-2017 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX[®]