

Dashboard my_pipline Настройка

Configure

Общие настройки
у Управление исходным кодом
☼ Triggers
Environment Environment
🖺 Шаги сборки
Послесборочные операции
Оощие настроики
Save Применить
Описание
test pipe
Plain text Предпросмотр
GitHub project
Throttle builds
Удалять устаревшие сборки
Это - параметризованная сборка
Разрешить параллельный запуск задачи
Расширенные У

≀e∣	positories (
-	
	Repository URL
	https://github.com/htment/HOMEWORK_CICD.git
	Credentials (
	- none -
	+ Add
	Расширенные У
/	Add Repository
ra –	nches to build
-	Branch Specifier (blank for 'any')
-	
_	Branch Specifier (blank for 'any')
	Branch Specifier (blank for 'any') */master
lp	Branch Specifier (blank for 'any') */master Add Branch

Connect and manage your code repository to automatically pull the latest code for

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

	Trigger builds remotely (e.g., from scripts)		
	GitHub hook trigger for GITScm polling		
	Запускать периодически		
	Запустить по окончанию сборки других проектов		
	Опрашивать SCM об изменениях		
Environment			
Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.			
	Delete workspace before build starts		
	Use secret text(s) or file(s)		
	Add timestamps to the Console Output		
	Inspect build log for published build scans		
	Terminate a build if it's stuck		
	With Ant		

Шаги сборки

Automate your build process with ordered tasks like code compilation, testing, and deployment.



Послесборочные операции

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Добавить шаг после сборки 🗸

REST API

Jenkins 2.492.3