# Wanderwise

Sprint 1 Review & Sprint 2 Planning

## Personalized travel.

## Realistic daily plans.

Project design • Sprint 1 evidence & metrics

Retrospective • Sprint 2 planning • Application demonstration

CS-691 | Fall 2026 | Team F2026-Team4

UPDATED

# Agenda

Approved sequence, with restored story coverage and actual application screenshots.

## 01 Project & team

Team photos and roles, feedback improvements, description, and working agreement.

## 02 Product & design

Three personas, MVP scope, technologies, algorithms, and six system diagrams.

## 03 Sprint 1 evidence

Product backlog, user stories, sprint backlog, tasks, tests, statuses, and metrics.

## 04 Next steps & demonstration

Retrospective, two-slide Sprint 2 plan, actual screenshots, API evidence, and live demo.

UPDATED

# TEAM MEMBERS — ROLES & RESPONSIBILITIES

WanderWise | CS-691 | Team 4 | Sprint 1



## Syed Ali Ghazi

**Team Lead • Product Owner**

Backend / LLM / AI



## Sidhartha Boddupally

**Model & Ranking**

Developer



## Ramu Kommu

**Optimizer**

Scoring & Scheduling



## Bala Ravi Raja Polisetty

**Integration & Testing**




## Sushma

**Data Processing**

Confidence & Cleaning



## K. Srija

**Scrum Master • Developer**

Frontend & Sprint Coordination

UPDATED

# Improvements from Professor Feedback

Changed slides are marked UPDATED; references below match this revised deck.

| Feedback theme | Presentation response / reference |
| --- | --- |
| Clear speaking roles | Roles and photos: slide 3. Assign speakers during rehearsal. |
| One aligned plan | MVP: 10; backlogs and stories: 19–23; Sprint 2 plan: 31–32. |
| Visible teamwork | Original team-photo layout: 3. Confirm cameras and participation in recording. |
| Evidence over agreement | Task evidence: 23; tests: 24; metrics: 27–29. Record decisions, owners, dates, and blockers. |
| Demonstrate working progress | Show reported outcomes and gaps: 25–26; screenshots: 33–34; live demo: 37. |

UPDATED

# Wanderwise | Project Description

Personalized, day-by-day travel planning

| | |
|---|---|
| **Project Name** | Wanderwise |
| **Team** | F2026-Team4 |
| **Project Description** | For travelers planning their own trips,<br>who spend hours comparing scattered travel information,<br>the Wanderwise web application<br>is a personalized itinerary planner<br>that builds daily plans around preferences, time, and budget.<br>Unlike generic guides and fixed tours,<br>our application personalizes stops and flags unverified details. |
| **Benefit Outcomes** | Expected: less planning time; visible stop and trip costs;<br>recommendation reasons and confidence scores; clear uncertainty warnings. |
| **GitHub Wiki** | https://github.com/htmw/F2026-Team4/wiki |

UPDATED

HOW WE WORK

# Team Working Agreement

### Communication

WhatsApp for day-to-day updates, questions, and coordination.

### Online Meetings

Zoom for sprint planning, progress, and problem-solving.

### In-Person

Face-to-face when we need hands-on group work.

### GitHub

Branch → PR → review → merge; everyone contributes.

### Accountability

Own your tasks; commit work ≈ 48h early, not an hour before.

### Collaboration

Support each other on integration and testing; we remind, no offense taken.

UPDATED

PERSONA 1

# Budget-Conscious Student Traveler



## Arjun Mehta

*Budget-Conscious Student Traveler*

**Age:** 24
**Education:** MSc Computer Science (in progress)
**Hometown:** Pune, India
**Family:** Single
**Occupation:** Grad student & part-time TA

*"I want to explore the city without exceeding my budget or wasting time between places."*

### GOALS

- Stay within a fixed trip budget
- Still see the important attractions
- Cut travel time between stops

### FRUSTRATIONS

- Generic plans suggest costly activities
- Recommended places are far apart
- Prices and hours are often outdated

**What our app must provide:** Budget-aware ranking · Verified hours & costs · Walking limit

Arjun travels between semesters on a tight budget. He researches for hours across blogs and maps but still ends up backtracking and overspending. He wants a plan that respects his budget and keeps each day efficient, so he sees more with less stress.

UPDATED

PERSONA 2

# Parent Planning a Family Vacation



## Sarah Johnson

*Parent Planning a Family Vacation*

**Age:** 38
**Education:** BBA, Marketing
**Hometown:** Chicago, USA
**Family:** Married, two kids (7 & 10)
**Occupation:** Marketing manager

*"I want my family to enjoy the trip without rushing, walking too much, or missing breaks."*

### GOALS

- Find activities for kids and adults
- Keep each day comfortable and flexible
- Reduce travel between attractions

### FRUSTRATIONS

- Generic plans pack in too many activities
- Kids get tired on long walks
- One delay derails the whole day

**What our app must provide:** Family-friendly filters · Meal & rest breaks · Easy re-planning

Sarah plans the family's one big trip each year, juggling two kids with different energy levels and a partner who hates rushing. She needs a realistic, flexible plan with built-in breaks that she can adjust on the fly when the day runs late.

UPDATED

PERSONA 3

# Traveler with Limited Mobility



## Michael Thompson

*Traveler with Limited Mobility*

**Age:** 63
**Education:** B.Ed, History
**Hometown:** Manchester, UK
**Family:** Married
**Occupation:** Retired secondary-school teacher

*"I need to know my itinerary is physically manageable before I begin the trip."*

### GOALS

- Visit historical & cultural sites
- Avoid long walks and rushed days
- Get dependable accessibility details

### FRUSTRATIONS

- Generic plans assume long walking ability
- Accessibility information is often missing
- Crowded schedules cause exhaustion

**What our app must provide:** Accessibility filters · Shorter routes & rest time · Confidence warnings

Michael loves history and museums, but a knee condition limits how far he can walk in a day. He avoids booking trips because he can't tell in advance whether a plan will be manageable. He needs walking limits respected and honest warnings when accessibility data is uncertain.

UPDATED

# Minimum Viable Product | Scope & Reality

Target: one traveler can create, understand, and revise a usable itinerary for Lisbon.

01

## Set trip preferences

Dates, interests, pace, budget, walking limits, and dietary choices.

02

## Build a feasible plan

Rank Lisbon places and schedule visits around real constraints.

03

## Review and revise

Show times, costs, reasons, warnings, and support feedback.

### SPRINT 1 EVIDENCE

Form and sample itinerary shown.
Saved-trip / feedback API checks pass.
Synthetic ranking results available.

### NOT YET COMPLETE

Stub UI: travel, hours, budget not enforced.
Live-data / optimizer integration unfinished.
Traveler feedback UI not yet built.

TECH STACK

# Technologies

All free and open source, with nothing paid in the critical path.

### Languages

Python 3.11
TypeScript

### Backend & API

FastAPI · uvicorn · Pydantic
JSON Schema contract checks
SQLite for saved trips (new)

### Machine learning & data

LightGBM learning-to-rank · NumPy
OpenStreetMap + Overpass (in review)

### Frontend

React
Vite

### LLM

Ollama, local model (planned)

### Dev, CI & testing

GitHub Actions CI · uv · make
ruff · pytest · vitest


THE ALGORITHMS

# Algorithms

The LLM never plans the trip. A trained ranker and a deterministic scheduler do.

## Learning-to-rank

LightGBM LambdaRank. NDCG@5 on held-out travelers, higher travelers, higher is better:




Synthetic travelers in Sprint 1; real data in Sprint 2.

## Itinerary optimization

Greedy day packing today; constraint-aware optimizer in review.

## Distance & routing

Haversine × 1.3 at 4.5 km/h walking. OSRM check pending.


## Feedback re-planning

Rejected places are dropped and the trip is re-planned (new).


## Preference extraction

LLM turns free text into a validated profile (planned).


# Architecture diagram | planned end-to-end flow




# Context diagram | system boundary




# ER diagram | data relationships




# Sequence diagram | generate an itinerary



# State diagram | itinerary lifecycle



# Class diagram | core domain model



UPDATED

# Product Backlog | Status After Sprint 1

Product-level statuses are reported in the source; they are not verified TS/US story closures.

| # | Product backlog item | Status | Evidence / limitation |
|---|---|---|---|
| 1 | Enter trip details | Done | Validated form; one blank-time defect remains |
| 2 | Build traveler profile | Partly done | Form exists; free-text LLM not started |
| 3 | Retrieve city places | In review | Lisbon data; live ingest in review |
| 4 | Rank places with a model | Done | Synthetic evaluation; real-data training next |
| 5 | Build a feasible daily plan | In review | Stub UI scheduler; optimizer in review |
| 6 | Display itinerary & reasons | Done | Sample plan displays times, costs, reasons |
| 7 | Adjust plan from feedback | Partly done | API exists; feedback UI not yet built |
| 8 | Save and reload trips | Done | SQLite storage; retrieval by trip ID |

UPDATED

# User Stories | Sprint 1

The two user-story IDs from the committed Sprint 1 backlog; technical stories follow.

## US-01 | Preference form & input validation | 5 points

As a traveler, I want to enter and validate my destination, dates, and interests so that my trip request can be sent to the planner.

Acceptance: destination, dates, and interest inputs are validated; a valid request reaches the planning API.

## US-02 | Itinerary display improvements | 3 points

As a traveler, I want a readable daily itinerary so that I can understand my stops, schedule, costs, and recommendations.

Acceptance: the daily itinerary displays stops, start/end times, cost, and recommendation details.

UPDATED

# Sprint 1 Backlog | 1 of 2

Seven committed stories / technical tasks • 35 story points total

| ID | Committed story / technical task | Acceptance criteria | Points |
|---|---|---|---|
| TS-01 | Data collection, preprocessing & ingestion pipeline | Lisbon records collected and cleaned; required fields documented; ingestion output validated against place schema. | 8 |
| TS-02 | Travel itinerary optimization & scheduling | Scheduler produces valid day-by-day plan while enforcing travel time, opening hours and constraints. | 8 |
| US-01 | Travel preference form & input validation | Destination, dates and interest inputs validated; valid request reaches planning API. | 5 |
| US-02 | Frontend UI & itinerary display improvements | A readable daily itinerary displays stops, start/end times, cost and recommendation details. | 3 |

The separate User Stories slide does not add points or duplicate commitment totals.

UPDATED

# Sprint 1 Backlog | 2 of 2

Seven committed stories / technical tasks • 35 story points total

| ID | Committed story / technical task | Acceptance criteria | Points |
|---|---|---|---|
| TS-03 | Backend, saved trips & feedback re-planning | Planning endpoint returns valid itinerary; saved trip retrieved by ID; rejected places excluded upon re-plan. | 5 |
| TS-04 | Frontend, backend & integration testing | Automated component tests run; frontend-to-backend full flow is tested and results recorded. | 5 |
| TS-05 | Lisbon destination restriction | Requests for Lisbon are accepted; unsupported destinations are rejected or clearly limited to Lisbon. | 1 |

The separate User Stories slide does not add points or duplicate commitment totals.

UPDATED

# Sprint 1 | stories and tasks to track

| WORK AREA | SPRINT TASK / OUTCOME | EVIDENCE TO SHOW |
|---|---|---|
| **Preference handling** | Convert user inputs into a structured trip profile | Example request → parsed fields |
| **Candidate ranking** | Score places against interests, budget and trip constraints | Ranked candidates / score output |
| **Schedule optimization** | Select and order activities across available days | Generated itinerary + constraints |
| **Data integration** | Use curated place details and available travel-time / hours data | Source fields and missing-data behavior |
| **Validation** | Test key user stories and record pass/fail results | Test cases linked to story IDs |

# Test Cases

## Test Summary

| Module | Total | Passed | Failed | Coverage |
|---|---|---|---|---|
| Frontend - Interest preferences | 2 | 2 | 0 | 100% |
| Frontend - Trip details and limits | 4 | 4 | 0 | 100% |
| Frontend - Blank daily times | 1 | 0 | 1 | 100% |
| Backend - Saved trips and feedback | 6 | 6 | 0 | 96% |
| Backend - Lisbon data processing | 7 | 7 | 0 | 92% |
| Backend - Ranking model | 4 | 4 | 0 | 88% |
| Backend - Optimizer and scheduler | 7 | 6 | 1 | 85% |
| **TOTAL** | **31** | **29** | **2** | **92%** |

Stack: React | TypeScript | Vite | Python | FastAPI | LightGBM
Testing: Vitest | React Testing Library | pytest | Coverage.py

# Test Cases - Frontend

| Test Case | Test Name | Test Steps | Description / Expected Result | Status |
|---|---|---|---|---|
| 1 | Interest sliders | Move each of 7 sliders | Values change from 0.0 to 1.0 | PASS |
| 2 | Destination | Submit empty text or spaces | Show “Please enter a destination” | PASS |
| 3 | Travel dates | Leave either date empty | Show missing-date warning | PASS |
| 4 | Invalid numbers | Enter negative values or walking >240 | Block values outside allowed range | PASS |
| 5 | Daily time order | Use 6 PM–10 AM or equal times | Show time-order warning | PASS |
| 6 | All interests zero | Set all 7 interests to 0 | Ask for at least one interest | PASS |
| 7 | Blank daily times | Clear start or end time | Missing or misleading warning instead of a clear missing-time message | FAIL |

# Test Cases - Backend

| Test Case | Test Name | Test Steps | Description / Expected Result | Status |
|---|---|---|---|---|
| 1 | Saved-trip retrieval | Create a trip, then GET its ID | Return the saved itinerary | PASS |
| 2 | Reject a place | Send feedback rejecting a place | Return a revised plan without it | PASS |
| 3 | Remember rejections | Reject a second place | Keep both rejected places out | PASS |
| 4 | Missing trip | GET or send feedback for missing ID | Return HTTP 404 | PASS |
| 5 | Invalid feedback | Send a number instead of a list | Return HTTP 422 | PASS |
| 6 | Separate trips | Create a new trip, GET the old one | Keep old trip and its feedback unchanged | PASS |

# Test Cases - Backend

| Test Case | Test Name | Test Steps | Description / Expected Result | Status |
|---|---|---|---|---|
| 1 | Data: Existing Python tests | Run pytest -q | All collected tests pass | PASS |
| 2 | Data: Data loading | Load Lisbon places | 6,073 Lisbon records loaded | PASS |
| 3 | Data: Unique record IDs | Count all IDs and unique IDs | No repeated record IDs | PASS |
| 4 | Data: Basic fields | Check names, categories, coordinates | No missing fields in these checks | PASS |
| 5 | Data: City alias | Compare Lisbon and Lisboa | Return identical records | PASS |
| 6 | Data: Unsupported city | Load New York directly | Raise CityNotAvailable | PASS |
| 7 | Data: Travel estimates | Compare walking allowance 20 vs 240 | Sample pairs change transit to walk | PASS |

# Test Cases - Backend

| Test Case | Test Name | Test Steps | Description / Expected Result | Status |
|---|---|---|---|---|
| 1 | Ranking: Existing ranking tests | Run pytest ranker/tests -q | All 3 existing tests pass | PASS |
| 2 | Ranking: Synthetic evaluation | Run ranker.evaluate | Synthetic NDCG@5: model 0.958, rules 0.932, popularity/random 0.532 | PASS |
| 3 | Ranking: Food preference | Food 1.0, all other interests 0 | Food venues rank near the top | PASS |
| 4 | Ranking: Nature preference | Nature 1.0, all other interests 0 | Ranking changes toward nature categories | PASS |

# Test Cases - Backend

| Test Case | Test Name | Test Steps | Description / Expected Result | Status |
|---|---|---|---|---|
| 1 | Optimizer: Existing tests | Run general tests and scheduler file | 18 general and 8 additional tests pass | PASS |
| 2 | Optimizer: Budget limit | Set budget to 10 EUR | Stored attraction costs total <=10 EUR | PASS |
| 3 | Optimizer: Daily time window | Set daily hours to 12 PM–2 PM | All visits fit within the window | PASS |
| 4 | Optimizer: Avoid and duplicates | Avoid castle, inspect returned IDs | Castle absent; no repeated IDs | PASS |
| 5 | Optimizer: Zero walking | Set walking allowance to 0 | No positive walking travel legs | PASS |
| 6 | Optimizer: Known opening hours | Check fit, too-long visit, closed day | Wait until open; reject infeasible visits | PASS |
| 7 | Optimizer: Inferred-hours penalty | Change only hours confidence | Known and inferred hours both scored 0.3697. Required penalty missing | FAIL |

UPDATED

# Sprint 1 Stories | Completed

Dates intentionally omitted. Status reflects the latest project updates shared.

| Workstream | Completed story / deliverable | Status |
|---|---|---|
| Data | DS-1 — Real Lisbon dataset (6,073 places); other cities rejected | **Completed** |
| Data | DS-2 — Hours and prices labeled known, inferred, or unknown | **Completed** |
| Data | DS-3 — Walking and transit travel-time estimates between places | **Completed** |
| Data | DS-4 — Duplicate sights merged; each sight appears once | **Completed** |
| Data | DS-5 — Popularity score added for attraction ranking | **Completed** |
| Data | DS-6 — One-command data rebuild | **Completed** |
| Data | DS-7 — Data coverage report | **Completed** |
| Data | DS-8 — Weather forecast support for rainy-day planning | **Completed** |
| Frontend | Dashboard UI improvements; sample Lisbon itinerary displayed | **Completed** |
| Frontend | PR #11 reviewed and merged into main | **Merged** |
| Platform/API | Repository setup, CI, Makefile, design docs, subfolder READMEs | **Merged; CI passing** |
| Platform/API | Data contracts, category vocabulary, Lisbon fixtures | **Merged; CI passing** |
| Platform/API | FastAPI planning, saved trips, trip retrieval, feedback/re-planning, validation | **Implemented** |
| Model & Ranking | Personalized attraction scoring and learning-to-rank recommender | **Implemented** |
| Testing | Frontend, saved-trip/feedback APIs, ranking and optimizer checks in PR #12 | **Uploaded in PR #12** |
| Testing | 191 existing tests passed in the reported test run | **Passed** |

UPDATED

# Sprint 1 Stories | Not Completed / Blocked

Pending work and dependencies to carry into the next sprint


| Workstream | Pending story / deliverable | Status / dependency |
|---|---|---|
| Data | DS-9 — Real opening hours for top sights | Planned for Sprint 2 |
| Data | DS-10 — Real entry prices for top sights | Planned for Sprint 2 |
| Full-stack | DS-11 — Display place names in the itinerary | Needs backend + frontend |
| Integration | Verify frontend connection to FastAPI with real responses | Pending verification |
| Frontend | Collapsible itinerary day sections | Not implemented / not confirmed |
| Optimizer | Resolve CI failure in optimizer PR and verify real scheduling | **Blocked** |
| Model & Ranking | Retrain ranker on real attraction data | Waiting for ingest PR merge |
| Model & Ranking | Integrate ML ranking scores into the scheduler | Pending |
| Transportation | Integrate real-time travel-time and transportation APIs | Pending |
| Routing | Implement advanced route optimization algorithms | Pending |
| LLM / Preferences | Free-text preference extraction | Not completed |
| LLM / Preferences | Complete planned LLM technical spike and evaluation | Not completed |
| Testing | End-to-end testing with all actual components connected | Waiting for runnable integrated version |
| Multi-city | Test cities beyond Lisbon | Blocked by data-ingestion PR merge |
| Data PRs | PR #8 and PR #16 | Awaiting review / merge |

Note: implementation and end-to-end verification are tracked separately.

UPDATED

# Sprint 1 Metrics | Team Velocity

Velocity is completed story points—not issue counts, tasks, or tests.




**13**

story points completed


35 committed

22 remaining

UPDATED

# Sprint 1 Metrics | Burndown

Remaining story points across the Sprint 1 reporting period.





Actual work remaining ends at 22 points; the ideal endpoint is 0.

UPDATED

# Sprint 1 Metrics | Completion Ratio

Completed / committed story points—not the percentage of tests passed.




**37.1%**

13 ÷ 35 story points

13 completed

22 remaining

The 29 / 31 reported test result is a separate quality measure.

# SPRINT 1 RETROSPECTIVE

WanderWise — What went well, what can be improved, and action items

## WHAT WENT WELL

- Core platform foundation established
- Lisbon dataset and data-quality checks completed
- Frontend dashboard can display a sample itinerary
- FastAPI planning and saved-trip/feedback APIs implemented
- Learning-to-rank model trained and evaluated against baselines
- PR #11 merged; CI passing for core platform work
- 191 existing tests passed in the reported test run

## WHAT CAN BE IMPROVED

- PR reviews and merges need to happen sooner
- Optimizer CI failures delayed full scheduling verification
- Frontend-to-backend integration needs end-to-end confirmation
- Current tested data coverage is limited to Lisbon
- Some tests are component-level rather than full-flow
- Ranking model currently relies on synthetic training data

## ACTION ITEMS

- Fix optimizer CI failures and validate scheduling constraints
- Review and merge data-ingestion PRs
- Retrain ranking model with real attraction data
- Run full user flow from request to itinerary display
- Verify real backend responses and collapsible day sections
- Plan free-text preference extraction and LLM spike
- Expand test coverage beyond Lisbon when data is ready

# SPRINT 1 RETROSPECTIVE: IMPORTANT POINTS

Key takeaways for the sprint review

## WHAT WENT WELL

- Strong progress across data, frontend, API, and ranking
- Core platform and frontend foundation are in place
- Data and API testing identified key integration needs

## IMPROVEMENTS

- Complete PR reviews and CI fixes earlier
- Test integrated workflows, not only individual components
- Improve coordination around shared dependencies and merges

## ACTION ITEMS

- Agree on integration contracts and ownership before implementation
- Prioritize optimizer and data-ingestion blockers
- Start real-data ranking and LLM planning early

**Sprint focus: integrate the components, unblock dependencies, and validate the complete itinerary workflow.**

UPDATED

# Sprint 2 Planning | Sprint 1 Carryover

Documented gaps and failed checks; confirm precise story IDs and commitments in planning.

| Carryover work | Completion check |
| --- | --- |
| Finish Lisbon data integration<br>Product #3; related TS-01 | Planning uses validated ingested Lisbon data, not only sample places. |
| Integrate constraint-aware scheduling<br>Product #5; related TS-02 | UI planning / re-planning enforce travel, hours, time windows, and budget. |
| Complete feedback experience<br>Product #7; related TS-03 / US-02 | Traveler can reject a place through the UI and receive an updated plan. |
| Fix and retest known defects<br>Related US-01 / TS-02 / TS-04 | Clear blank-time validation; intended penalty for inferred opening hours. |

Keep Lisbon-only scope unless expansion is approved. The 22 remaining points are not allocated by guesswork.

UPDATED

# Sprint 2 | New Work & Commitments

Proposed additional scope from the uploaded plan; no individual names or invented estimates.

## ADDITIONAL DEVELOPMENT

### Free-text preference extraction

Validate local Ollama output; retry invalid profiles; evaluate 20 sample descriptions.

### Real-data ranking improvements

Train on real attractions; compare NDCG@5 with the baseline and update the model card.

## QUALITY & TEAM COMMITMENTS


- End-to-end and regression tests
- Passing CI on the main branch
- Recorded results and open issues
- Definition of done on every story
- Weekly mid-sprint check-ins
- Confirmed scope and estimates

UPDATED


# Application Screenshot | Trip Preferences

Actual supplied screenshot, enlarged in sections for readability.

## TRIP DETAILS & TRAVEL STYLE




## INTERESTS & DIETARY INPUT



UPDATED

# Application Screenshot | Generated Itinerary

Actual Lisbon sample output: daily stops, times, estimated prices, reasons, and warnings.

## DAY 1 & WARNING

**Lisbon** €79.00 score 0.80

⚠ Opening hours for 12 place(s) could not be verified.
⚠ Stub scheduler: travel time, opening hours and budget are not yet enforced, and every trip is planned from the Lisbon sample places.

**2026-11-01**

09:30–13:30 **Sintra Pena** ESTIMATED
Matches your interest in history.
€14.00

13:30–15:30 **Castelo Sao Jorge** ESTIMATED
Matches your interest in history.
€15.00

15:30–16:00 **Elevador Santa Justa** ESTIMATED
Matches your interest in history.
€5.00

16:00–16:45 **Padrao Descobrimentos** ESTIMATED
Matches your interest in history.
€10.00

## DAY 2

**2026-11-02**

09:30–11:00 **Bairro Alto** ESTIMATED
Matches your interest in history.
€0.00

11:00–12:30 **Lx Factory** ESTIMATED
Matches your interest in history.
€0.00

12:30–14:00 **Jeronimos** ESTIMATED
Matches your interest in history.
€12.00

14:00–15:00 **Torre Belem** ESTIMATED
Matches your interest in history.
€8.00

## DAY 3

**2026-11-03**

09:30–10:00 **Praca Comercio** ESTIMATED
Matches your interest in history.
€0.00

10:00–11:30 **Alfama** ESTIMATED
Matches your interest in history.
€0.00

11:30–12:15 **Se Lisboa** ESTIMATED
Matches your interest in history.
€5.00

12:15–14:15 **Gulbenkian** ESTIMATED
Matches your interest in history.
€10.00

**Current UI uses a stub scheduler: travel time, opening hours, and budget are not yet enforced.**

UPDATED

# Sprint 1 API | Behaviors to Demonstrate

Reported backend test evidence; show actual request / response details in the live demonstration.

| API behavior | Reported test result |
|---|---|
| Retrieve a saved trip by ID | Returns the saved itinerary — PASS |
| Reject a place, then re-plan | Updated plan excludes the rejected place — PASS |
| Reject another place | Earlier and later rejections remain excluded — PASS |
| Request a missing trip | HTTP 404 — PASS |
| Send invalid feedback data | HTTP 422 — PASS |
| Create separate trips | Earlier trip and feedback stay unchanged — PASS |

Show the running API's real route, request, response, trip ID, and status code.

UPDATED

# Project Links | Repository & Wiki

Code, sprint artifacts, and supporting documentation.

## GitHub Repository

https://github.com/htmw/F2026-Team4

## Project Wiki

https://github.com/htmw/F2026-Team4/wiki

UPDATED

# Live Application Demo | Sprint 1

Demonstrate the current build honestly; distinguish UI behavior from isolated component tests.

### 1 Enter a Lisbon trip request

Show destination, dates, interests, and travel limits; make the Lisbon-only boundary explicit.

### 2 Inspect the generated itinerary

Show days, stops, times, estimated prices, reasons, and the scheduler / opening-hours warnings.

### 3 Demonstrate persistence and feedback API

Retrieve a saved trip and reject a place using the API if the feedback UI is unfinished.

### 4 Explain current limitations

The screenshot UI uses sample places and a stub; data / optimizer integration remains in progress.