## JAHANGIRNAGAR UNIVERSITY

Institute of Information Technology (IIT)



## **CLASS TEST 1**

Summer Semester 2023 Intake Date of Examination: JULY 14, 2023

## HASAN TAHSIN RAFSAN

Professional Masters in Information Technology (PMIT) Program

1 ST Trimester Regular Batch

Section A

ID No: 232137

@ Barically Andriod studio application implementation required 7 baric boldwish 1 stricts directory. these are: a mer it is not

In dia to proper in the

BJava bolder: - contais source code of Jana. debaut classile: Mainactivity Java

- @ Resource bolder: or known as new bolder. contains all non-code resource, image, xim layar
- M Drawable Bolder: (rus/drawable): barrically conting dibberent type of images. & on icony of app.
- Layout Folder (rus/ layout): contains all XML Layout used book user interface.
- Originap bolder: (res/mipmo): contain, app/launcher icons used to show on home somen, based on dibberent device vize.
- vo) values bolder (hes/values): contains a various ML tiles the string, along, arrays.

on maintests bolder: contains maintest bile (Android Maintest xmi) en hich contain information about application information access permission. metadodata

onbigantine modules for application.

used to build consignation that apply bon app modules on specific to one app module.

Main biles: -

1 Andried layout file; activity moun mul Described main activity File: Maintetinity, jana

D'Andriod Mainfort bile: Android Maintest, my

in the second in the second

r. v. v.

me l'atività

based of Linux operations system with a java programming user interface born mobile.

Those touch derices.

to Andriod is an os on operating system because it is modified veryon of the Linux operating systems would be usually build for devices like mobile. It on touchsources

open le public bon developer thorough.

Android open. Source project (AOSP). Sor anyone com customize this based on requirements.

And finally any hordware software emproment in which the preyram runy is known as platform. Since Android has it own runtime convincement (IRE) and API. 30, Android is a platform.

Figure of: Android Leautous Features.

Prs -イン: スプ 232137 Avs. De 26 Android architecture is based on S. component &.

Linux Kernal is the main component of Android 20 DVM (Dalvik Virthal Machin) 15 responsible for mobile application? il ( Application of the last of t Home Contact Shis Alaran Enail Phone (1) Application francison (1) Activity manager - Package Manager N+C Service Location gerren Timindow Manager [ Wet breathan Manager Content provider | view System un Android Rustine Patrik Vintual Machine 12790 fe Android Debug Fore Utry To Platform Libraries Media Framonome | Spentil ] Graphicy | SGL. Sqlite Burbuca Mary Freetype 551 Things bernat Comera Draver With Draver Buttooth draver prindered

Fig of Andror 1 Anchicofue

mon Activity to be [ Monin Activity prog)
comes courts in your bolder shorts This
conteins all java code to hundle activities

Layouts design & text modes exist

		Jo 2.	
	23,2137-	y-2	
	20		
,			
		-1,2,1	Dan is the
	Android C	vdename 127	
	Mo /	- Cerame	AP
	1	·alpha	
	1.1	Banana Bread	F 2
		130100 613600	
	1.5	emperatur /	3
	1.6	Donud	
	2-2.1	Edach	y
	2.2		2-7
		Froy or	8
-	2.3	2 mgerbrear	9 -10
	3-3.2		b) -to
-		Amexans	11-13
	4	gee obune	
	4.1-4.3	Sensy	nef 14-15
#		1 Been	16-19
	4.4	rit land	
	5-51	Whipop	7 - 20
	6	IM. Silver	21-22
#	7	Merrialmella	$\omega$ 23
#	9	1. Nosmat	2
1	P	Otus	
-ti			1 21

232/32 Pré 1256
10 | Quince tout
11 | Rédrovélet
12 | Snow com
13 | Porces ma