Voron Stealthburner Printhead for Bambu X1C/X1 Hotend

👤 Rincewind76

VIEW IN BROWSER

updated 23. 11. 2022 | published 23. 11. 2022

Summary

Adaptation of the Voron Stealthburner printhead to be used with the Bambu Lab Hotend from the X1C and X1

3D Printers > 3D Printers - Upgrades

Tags: hotend   printhead   voron   stealthburner   bambulabx1   bambulab

This is an adaptation of the Voron Stealthburner Printhead to be used with the hotend of Bambu Lab X1C/X1

The Bambu Lab X1C and X1 printers show an impressive performance and quality - using a special hotend.

The performance of the hotend of the Bambu Lab X1C/X1 is comparable to the Rapido hotend, but the price is only a fraction of the Rapido. So **Sam Schmidt** from the Voron/Bambu Facebook group designed an adapter for the Bambu hotend to be used in a V6 like manner in Stealthburner. MrTeliP improved the design.

The heat insert should be M3, 5mm diameter, length 3,5-4mm

The screws have to be M3x14, see pictures.

This version is based on the one from MrTeliP, adding some minor improvements (like heat inserts). Here you can find the original:

Voron Stealthburner for Bambu Lab X1C/X1 Hotend by MrTeliP

This remix is based on

Voron Stealthburner for Bambu Lab X1C/X1 Hotend
by MrTeliP

Model files

sb-bambu-hotend-insert.stl

sb-bambu-hotend-back.stl

sb-bambu-hotend-front.stl

License ©

Attribution—Noncommercial—Share Alike

✖ | Sharing without ATTRIBUTION
✔ | Remix Culture allowed
✖ | Commercial Use
✖ | Free Cultural Works
✖ | Meets Open Definition