

Configuration

Contents

1. [Installing Free and Nonfree Repositories](#)
 1. [Graphical Setup via Firefox web browser](#)
 2. [Command Line Setup using rpm](#)
 3. [AppStream metadata](#)
 4. [Important notes](#)

Installing Free and Nonfree Repositories

We have two separate software repositories:

- **free** for Open Source Software (as defined by the Fedora Licensing Guidelines) which the Fedora project cannot ship due to other reasons
- **nonfree** for redistributable software that is not Open Source Software (as defined by the Fedora Licensing Guidelines); this includes software with publicly available source-code that has "no commercial use"-like restrictions

Installation can be done either using a web browser, or via the command line.

Please also check the dedicated [Multimedia](#) page for well known additional post-install steps.

See a more dedicated page for [OSTree](#) Systems (such as Silverblue, Kinoite and CoreOS)

Also worth to mention is the [CommonBugs](#) sections.

Graphical Setup via Firefox web browser

1. First enable access to the **free** repository. For users of gpk (gnome package kit) or kpackagekit in Fedora that is easy and basically only one step: just click on one of the following files, depending on what distribution you use and then follow the default options that Firefox and Package Kit offer by clicking *Enter* a few times (¹):

- [RPM Fusion free for Fedora 39](#)
- [RPM Fusion free for Fedora 40](#)
- [RPM Fusion free for Fedora 41](#)
- [RPM Fusion free for Fedora 42](#)
- [RPM Fusion free for Fedora Rawhide](#)
- [RPM Fusion free for RHEL 9 or compatible like CentOS](#)
- [RPM Fusion free for RHEL 8 or compatible like CentOS](#)
- [RPM Fusion free for RHEL 7 or compatible like CentOS](#)

2. Once that succeeds, you can enable access to the **nonfree** repositories by clicking on one of the following files, depending on what distribution you use and then follow the default options that Firefox and Package Kit offer by clicking *Enter* a few times⁽¹⁾:

- [RPM Fusion nonfree for Fedora 39](#)
- [RPM Fusion nonfree for Fedora 40](#)
- [RPM Fusion nonfree for Fedora 41](#)
- [RPM Fusion nonfree for Fedora 42](#)
- [RPM Fusion nonfree for Fedora Rawhide](#)
- [RPM Fusion nonfree for RHEL 9 or compatible like CentOS](#)
- [RPM Fusion nonfree for RHEL 8 or compatible like CentOS](#)
- [RPM Fusion nonfree for RHEL 7 or compatible like CentOS](#)

⁽¹⁾ Once you clicked on above link Firefox will ask you how to *Open the file*. Here you can simply use the default and open the file with the default application *Package Installer*. Then Firefox will call Package Kit, which asks *Do you want to install this file ?*. Click *OK* to begin install; Package Kit then will complain about a *Missing security signature*; once you tell Package Kit to install the package nevertheless it will move on and install it. That's all.

Command Line Setup using rpm

To enable access to both the **free** and the **nonfree** repository use the following command:

- Fedora with dnf:

```
sudo dnf install https://mirrors.rpmfusion.org/free/fedora/rpmfusion-free-release-$(rpm -E %fedora).noarch.rpm https://mirrors.rpmfusion.org/nonfree/fedora/rpmfusion-nonfree-release-$(rpm -E %fedora).noarch.rpm
```

- On Fedora, we default to use the openh264 library, so you need the repository to be explicitly enabled.

On Fedora 41 and later:

```
sudo dnf config-manager setopt fedora-cisco-openh264.enabled=1
```

On Fedora up to 40, the command is as follow:

```
sudo dnf config-manager --enable fedora-cisco-openh264
```

- Silverblue with rpm-ostree:

```
sudo rpm-ostree install https://mirrors.rpmfusion.org/free/fedora/rpmfusion-free-release-$(rpm -E %fedora).noarch.rpm https://mirrors.rpmfusion.org/nonfree/fedora/rpmfusion-nonfree-release-$(rpm -E %fedora).noarch.rpm
```

You will have to reboot for the rpmfusion repositories to appear)

- RHEL or compatible like CentOS

```
sudo dnf install --nogpgcheck https://dl.fedoraproject.org/pub/epel/epel-release-latest-$(rpm -E %rhel).noarch.rpm
sudo dnf install --nogpgcheck https://mirrors.rpmfusion.org/free/el/rpmfusion-free-release-$(rpm -E %rhel).noarch.rpm https://mirrors.rpmfusion.org/nonfree/el/rpmfusion-nonfree-release-$(rpm -E %rhel).noarch.rpm
```

- CentOS Stream 8 requires an additional step

```
sudo dnf config-manager --enable powertools
```

- CentOS 8 (older version) used a case sensitive name for the **PowerTools** repository

```
sudo dnf config-manager --enable PowerTools
```

- RHEL 8 requires an additional step

```
sudo subscription-manager repos --enable "codeready-builder-for-rhel-8-$(uname -m) -rpms"
```

AppStream metadata

RPM Fusion repositories also provide [Appstream metadata](#) to enable users to install packages using Gnome Software/KDE Discover. Please note that these are a subset of all packages since the metadata are only generated for GUI packages.

For the current Fedora releases: the suggested method is to install appstream-data using DNF.

- The following command will install the required group of packages:

```
sudo dnf update @core
```

```
* Since DNF5 (Fedora 41 and later), the Fedora groups cannot be extended by RPM Fusion, so you need to mention the package explicitly:
sudo dnf install rpmfusion-*appstream-data
```

Important notes

- You need to enable [EPEL](#) on RHEL or compatible distributions like CentOS *before* you enable RPM Fusion for EL. See the fedoraproject wiki for instruction [how to enable EPEL](#).

Configuration (last edited 2025-04-18 09:11:31 by [NicolasChauvet](#))