MANAGING AND PROCESSING LARGE DATASETS

Christian Kaestner






LEARNING GOALS

- Organize different data management solutions and their tradeoffs
- Explain the tradeoffs between batch processing and stream processing and the lambda architecture
- Recommend and justify a design and corresponding technologies for a given system



CASE STUDY







Speaker notes

Discuss possible architecture and when to predict (and update)



DATA MANAGEMENT AND PROCESSING IN ML-ENABLED SYSTEMS



DATA MANAGEMENT AND PROCESSING IN ML-ENABLED SYSTEMS

- Store, clean, and update training data
- Learning process reads training data, writes model
- Prediction task (inference) on demand or precomputed
- Individual requests (low/high volume) or large datasets?
- Often both learning and inference data heavy, high volume tasks



DATA STORAGE BASICS

- Relational vs document storage
- 1:n and n:m relations
- Storage and retrieval, indexes
- Query languages and optimization



RELATIONAL DATA MODELS

user_id	Name	Name		Email	
1	Christ	Christian		kaestner@cs.	
2	Eunsu	Eunsuk		kang@cmu.	1
2	Tom		• • •		2
	dpt_id	Name		Address	
_	1	ISR		•••	
_	2	CSI)	•••	

select d.name from user u, dpt d where u.dpt=d.dpt_id



DOCUMENT DATA MODELS

```
db.getCollection('users').find({"name": "Christian"})
```



TRADEOFFS





DATA ENCODING

- Semi-structured, schema-free (JSON, XML)
- Schema-based encoding (CSV, binary)
- Compact encodings



DISTRIBUTED DATA STORAGE



REPLICATION VS PARTITIONING






PARTITIONING

Divide data:


- Horizontal partitioning: Different rows in different tables; e.g., movies by decade, hashing often used
- Vertical partitioning: Different columns in different tables; e.g., movie title vs. all actors

Tradeoffs?





REPLICATION STRATEGIES: LEADERS AND FOLLOWERS





REPLICATION STRATEGIES: LEADERS AND FOLLOWERS

- Write to leader
 - propagated synchronously or async.
- Read from any follower
- Elect new leader on leader outage; catchup on follower outage
- Built in model of many databases (MySQL, MongoDB, ...)

Benefits and Drawbacks?




MULTI-LEADER REPLICATION

- Scale write access, add redundancy
- Requires coordination among leaders
 - Resolution of write conflicts
- Offline leaders (e.g. apps), collaborative editing



LEADERLESS REPLICATION

- Client writes to all replica
- Read from multiple replica (quorum required)
 - Repair on reads, background repair process
- Versioning of entries (clock problem)
- e.g. Amazon Dynamo, Cassandra, Voldemort





TRANSACTIONS

- Multiple operations conducted as one, all or nothing
- Avoids problems such as
 - dirty reads
 - dirty writes
- Various strategies, including locking and optimistic+rollback
- Overhead in distributed setting



DATA PROCESSING (OVERVIEW)

- Services (online)
 - Responding to client requests as they come in
 - Evaluate: Response time
- Batch processing (offline)
 - Computations run on large amounts of data
 - Takes minutes to days
 - Typically scheduled periodically
 - Evaluate: Throughput
- Stream processing (near real time)
 - Processes input events, not responding to requests
 - Shortly after events are issued



BATCH PROCESSING



LARGE JOBS

- Analyzing TB of data, typically distributed storage
- Filtering, sorting, aggregating
- Producing reports, models, ...

```
cat /var/log/nginx/access.log |
   awk '{print $7}' |
   sort |
   uniq -c |
   sort -r -n |
   head -n 5
```



DISTRIBUTED BATCH PROCESSING

- Process data locally at storage
- Aggregate results as needed
- Separate pluming from job logic

MapReduce as common framework




Image Source: Ville Tuulos (CC BY-SA 3.0)



MAPREDUCE -- FUNCTIONAL PROGRAMMING STYLE

- Similar to shell commands: Immutable inputs, new outputs, avoid side effects
- Jobs can be repeated (e.g., on crashes)
- Easy rollback
- Multiple jobs in parallel (e.g., experimentation)



MACHINE LEARNING AND MAPREDUCE





Speaker notes

Useful for big learning jobs, but also for feature extraction



DATAFLOW ENGINES (SPARK, TEZ, FLINK, ...)

- Single job, rather than subjobs
- More flexible than just map and reduce
- Multiple stages with explicit dataflow between them
- Often in-memory data
- Pluming and distribution logic separated



STREAM PROCESSING

• Event-based systems, message passing style, publish subscribe




MESSAGING SYSTEMS

- Multiple producers send messages to topic
- Multiple consumers can read messages
- Decoupling of producers and consumers
- Message buffering if producers faster than consumers
- Typically some persistency to recover from failures
- Messages removed after consumption or after timeout
- With or without central broker
- Various error handling strategies (acknowledgements, redelivery, ...)



COMMON DESIGNS

Like shell programs: Read from stream, produce output in other stream. Loose coupling





STREAM QUERIES

- Processing one event at a time independently
- vs incremental analysis over all messages up to that point
- vs floating window analysis across recent messages
- Works well with probabilistic analyses



CONSUMERS

- Multiple consumers share topic for scaling and load balancing
- Multiple consumers read same message for different work
- Partitioning possible



DESIGN QUESTIONS

- Message loss important? (at-least-once processing)
- Can messages be processed repeatedly (at-most-once processing)
- Is the message order important?
- Are messages still needed after they are consumed?



STREAM PROCESSING AND AI-ENABLED SYSTEMS?





Speaker notes

Process data as it arrives, prepare data for learning tasks, use models to annotate data, analytics



EVENT SOURCING

- Append only databases
- Record edit events, never mutate data
- Compute current state from all past events, can reconstruct old state
- For efficiency, take state snapshots
- Similar to traditional database logs

```
createUser(id=5, name="Christian", dpt="SCS")
updateUser(id=5, dpt="ISR")
deleteUser(id=5)
```



BENEFITS OF IMMUTABILITY (EVENT SOURCING)

- All history is stored, recoverable
- Versioning easy by storing id of latest record
- Can compute multiple views
- Compare git

On a shopping website, a customer may add an item to their cart and then remove it again. Although the second event cancels out the first event from the point of view of order fulfillment, it may be useful to know for analytics purposes that the customer was considering a particular item but then decided against it. Perhaps they will choose to buy it in the future, or perhaps they found a substitute. This information is recorded in an event log, but would be lost in a database that deletes items when they are removed from the cart.

Source: Greg Young. CQRS and Event Sourcing. Code on the Beach 2014 via Martin Kleppmann. Designing Data-Intensive Applications. OReilly. 2017.



DRAWBACKS OF IMMUTABLE DATA






Speaker notes

- Storage overhead, extra complexity of deriving state
- Frequent changes may create massive data overhead
- Some sensitive data may need to be deleted (e.g., privacy, security)



THE LAMBDA ARCHITECTURE






LAMBDA ARCHITECTURE: 3 LAYER STORAGE ARCHITECTURE

- Batch layer: best accuracy, all data, recompute periodically
- Speed layer: stream processing, incremental updates, possibly approximated
- Serving layer: provide results of batch and speed layers to clients
- Assumes append-only data
- Supports tasks with widely varying latency
- Balance latency, throughput and fault tolerance



LAMBDA ARCHITECTURE AND MACHINE LEARNING




- Learn accurate model in batch job
- Learn incremental model in stream processor



DATA LAKE

- Trend to store all events in raw form (no consistent schema)
- May be useful later
- Data storage is comparably cheap





REASONING ABOUT DATAFLOWS

Many data sources, many outputs, many copies


Which data is derived from what other data and how?

Is it reproducible? Are old versions archived?

How do you get the right data to the right place in the right format?

Plan and document data flows







SUMMARY

- Data storage strategies and their tradeoffs
- Partitioning and replication for scalability
- Design considerations: mutable vs immutable data
- Common design patterns (e.g., batch processing, stream processing, lambda architecture)

Recommended reading: Martin Kleppmann. Designing Data-Intensive Applications. OReilly. 2017.





