

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

CoSpace

Use Case Definitions

Table of Contents

| | |
|---|-----------|
| Overview | 2 |
| Overview of the Actors | 2 |
| Use Case Diagram | 3 |
| Tabular Descriptions | 4 |
| Use Case: Register | 5 |
| Use Case: Login | 6 |
| Use Case: Search | 7 |
| Use Case: Browse Club/Sub-club Feed | 8 |
| Use Case: Send Private Message | 9 |
| Use Case: Create Post | 10 |
| Use Case: Delete One's Own Post | 11 |
| Use Case: Request New Club/Sub-club | 12 |
| Use Case: Fill In Questionnaire | 13 |
| Use Case: Enroll Club/Sub-club | 14 |
| Use Case: Rate and Review Clubs/Sub-clubs | 15 |
| Use Case: Request to be the Moderator of a Sub-club | 16 |
| Use Case: Create Questionnaire | 17 |
| Use Case: Create Clubs/Sub-clubs | 18 |
| Use Case: View Member Information | 19 |
| Use Case: Delete Clubs/Sub-clubs | 20 |
| Use Case: Delete a Member's Post | 21 |
| Use Case: Ban/Dismiss Member | 22 |
| Use Case: Create Event | 23 |
| Use Case: Report Content | 24 |
| Activity Diagrams | 25 |
| Activity Diagram: Create Post (UC6) | 25 |
| Activity Diagram: Enroll Club/Sub-club (UC10) | 26 |
| Activity Diagram: Fill In Questionnaire (UC9) | 27 |
| Conceptual Entity Relationship Diagram | 28 |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

1. Overview


This document describes the functional requirements of the system using use case models, and is an attachment to *Software Requirements Specification*.

1.1 Overview of the Actors

| Actor | Description |
|---------------------------------|--|
| <i>Unregistered User</i> | Unregistered user is a type of user that haven't been registered to the system before, and have limited capability. |
| <i>Member</i> | Member is a type of user that have registered before, and can enroll clubs and sub-clubs via answering the questionnaire. |
| <i>Moderator</i> | Moderator is a member that moderates a sub-club. They are selected from members and they can create events, remove inappropriate posts, and ban members of the sub-clubs they moderate. |
| <i>Administrator</i> | Administrator is a member with exclusive privileges. They are not selected from members but they are also members of the system. They create clubs and sub-clubs either by themselves or by multiple requests by the members. They can also remove posts and ban moderators/members. |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

1.2 Use Case Diagram



| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

2. Tabular Descriptions

Following subsections define and articulate functional requirements of the system using use case models. The use cases are expressed as tabular descriptions. For some use cases, activity diagrams are provided in the next section to better visualize the flow of actions of the actors and the system.

The prioritization of the requirements is made using MoSCoW model¹. Below are list of terms and their meanings:

- **Must have:** Requirements with this priority are essential for the product, and must be implemented.
- **Should have:** Requirements with this priority are not essential for the product to work. However, they are nearly as important as the must haves and are therefore expected to be implemented.
- **Could have:** Requirements with this priority are a nice addition to the product, and may be implemented, if time and budget allow this.
- **Won't have:** Requirements with this priority will not be implemented in this version of the product, but may be nice to implement in future versions.

¹ MoSCoW Prioritisation, <https://www.coleyconsulting.co.uk/moscow.htm>

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Register

| | | | |
|-------------------|---------------|-------------------------|-------------------|
| Use Case Number: | 1 | | |
| Use Case Code: | UC1 | | |
| Use Case Name: | Register | | |
| Depicter: | Çağatay Yiğit | Last Modificatory: | M. Şamil Ateşoğlu |
| Description Date: | 23.03.2021 | Last Modification Date: | 28.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Unregistered User |
| Short Definition: | Registration operation |
| Pre-condition: | The actor meets the system for the first time. |
| Post-condition: | The actor becomes a member of the system. |
| Priority: | Must have |
| Frequency of Occurrence: | Only once |
| Main Path: | <ol style="list-style-type: none"> 1. The actor specifies a valid email, a valid password, a universally unique username, and a date of birth. 2. The system shall register this user as a member. 3. The system shall display a confirmation message. 4. The system shall present a questionnaire consisting of at most 20 selected questions (there isn't any specific constraint as to how these will be selected) regarding a variety of clubs and sub-clubs from all available questions, for the newly registered user to answer. 5. The actor shall fill out the questionnaire. |
| Alternative Path: | <p>A1.1. If the system finds the username, email, or the password, an error message is displayed.</p> <p>A1.2. The actor can type a new username, a valid e-mail or password; or choose to cancel the operation.</p> <p>A3.1. The actor can skip the questionnaire to do it later.</p> |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Login

| | | | |
|-------------------|---------------|-------------------------|---------------|
| Use Case Number: | 2 | | |
| Use Case Code: | UC2 | | |
| Use Case Name: | Login | | |
| Depicter: | Çağatay Yiğit | Last Modificatory: | Çağatay Yiğit |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | The actor enter the system for further functionality |
| Pre-condition: | The actor must be successfully registered in the system before. |
| Post-condition: | The actor can use the system with privileges that unregistered users do not have. |
| Priority: | Must have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> 1. The system shall display a login screen. 2. The actor shall type email & password. 3. The system shall authenticate the user. |
| Alternative Path: | <p>A1.1. If the actor forgot their password, they can click the forgot password button. The system sends an email to the specified email address.</p> <p>A3.1. System shall prompt a failure message</p> |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Search

| | | | |
|-------------------|---------------|-------------------------|-------------------|
| Use Case Number: | 3 | | |
| Use Case Code: | UC3 | | |
| Use Case Name: | Search | | |
| Depicter: | Çağatay Yiğit | Last Modificatory: | M. Şamil Ateşoğlu |
| Description Date: | 23.03.2021 | Last Modification Date: | 28.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Member, Unregistered User |
| Short Definition: | Search users / clubs / sub-clubs / posts on entire system |
| Pre-condition: | A reliable internet connection |
| Post-condition: | The actors can view the results |
| Priority: | Must have |
| Frequency of Occurrence: | Frequently |
| Main Path: | <ol style="list-style-type: none"> 1. The actors type a related keyword (user/club/sub-club/post name) they are searching for. 2. The system shall list the possible results. 3. The actors can interact with the desired result by clicking on it. |
| Alternative Path: | <p>A2.1. The system cannot find any possible results and show a message about the condition.</p> <p>A3.1. If the result is a post, and the actor is an unregistered user or a member who does not belong to the club/sub-club of which it is posted, cannot react to the post.</p> |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall provide the results within an acceptable time frame as described in the requirement SQR-P1 of SRS. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Browse Club/Sub-club Feed

| | | | |
|-------------------|---------------------------|-------------------------|-------------------|
| Use Case Number: | 4 | | |
| Use Case Code: | UC4 | | |
| Use Case Name: | Browse club/sub-club feed | | |
| Depicter: | Çağatay Yiğit | Last Modificatory: | M. Şamil Ateşoğlu |
| Description Date: | 23.03.2021 | Last Modification Date: | 28.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Member, Unregistered User |
| Short Definition: | Browsing club/sub-club feed with different options |
| Pre-condition: | A reliable internet connection |
| Post-condition: | The actors can view the feed with their desired option |
| Priority: | Must have |
| Frequency of Occurrence: | Very frequently |
| Main Path: | <ol style="list-style-type: none"> 1. The actor enters to the club/sub-club which they want to see its content. 2. The system shall list the posts with specific order the actor wants. |
| Alternative Path: | A2.1. The actor can select the option “order by post date” B2.1. The actor can select the option “order by popularity” |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall provide the results within an acceptable time frame as described in the requirement SQR-P3 of SRS. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Send Private Message

| | | | |
|-------------------|----------------------|-------------------------|---------------|
| Use Case Number: | 5 | | |
| Use Case Code: | UC5 | | |
| Use Case Name: | Send private message | | |
| Depicter: | M. Şamil Ateşoğlu | Last Modificatory: | Çağatay Yigit |
| Description Date: | 21.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | A member sends a private message to another member whom he/she shares the same club/sub-club. |
| Pre-condition: | The member should be logged in. |
| Post-condition: | The message is sent to the receiver. |
| Priority: | Must have |
| Frequency of Occurrence: | Very frequent |
| Main Path: | <ol style="list-style-type: none"> 1. The member finds the member that they want to send a private message to. 2. The member writes their message and sends it. 3. System shall notify the receiver about the message. 4. The receiver shall be able to see the message and its time of sending. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall provide a support for real-time exchange of messages as required in SQR-P2 of SRS. 2. The message shall not be larger than 65535 bytes. |
| Assumptions: | <ol style="list-style-type: none"> 1. The receiver of the message must share at least 1 club/sub-club with the sender. |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Create Post

| | | | |
|-------------------|-------------------|-------------------------|-------------------|
| Use Case Number: | 6 | | |
| Use Case Code: | UC6 | | |
| Use Case Name: | Create post | | |
| Depicter: | M. Şamil Ateşoğlu | Last Modificatory: | M. Şamil Ateşoğlu |
| Description Date: | 20.03.2021 | Last Modification Date: | 28.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Member |
| Short Definition: | Make a post on a club/sub-club |
| Pre-condition: | Members must be enrolled on the club/sub-club they intend to post |
| Post-condition: | A new post is created and added to the feed of the club/sub-club |
| Priority: | Must have |
| Frequency of Occurrence: | Very frequently |
| Main Path: | <ol style="list-style-type: none"> 1. The member opens the club/sub-club they enrolled in. 2. The member clicks a button for creating a post. 3. The member writes the body and title of the post and sends it. 4. The system shall record this post and show it on club/sub-club feed. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall make the post available for public within 250ms upon sending. 2. The post body shall not be larger than 65535 bytes. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Delete One's Own Post

| | | | |
|-------------------|-----------------------|-------------------------|-------------------|
| Use Case Number: | 7 | | |
| Use Case Code: | UC7 | | |
| Use Case Name: | Delete one's own post | | |
| Depicter: | M. Şamil Atesoglu | Last Modificatory: | M. Şamil Ateşoğlu |
| Description Date: | 21.03.2021 | Last Modification Date: | 28.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Member |
| Short Definition: | The member deletes the post that they've made before. |
| Pre-condition: | The member must be logged in. |
| Post-condition: | The post is deleted from the club's/sub-clubs' feed. |
| Priority: | Should have |
| Frequency of Occurrence: | Once in a while |
| Main Path: | <ol style="list-style-type: none"> 1. The member views their post. 2. The member clicks the delete button on the menu of the post. 3. A confirmation dialog is shown. 4. After confirmation, the post is deleted from the club's/sub-club's feed and also the member's own profile. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall delete the post within 250ms upon confirmation. |
| Assumptions: | <ol style="list-style-type: none"> 1. The member have made at least one post to begin with. |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Request New Club/Sub-club

| | | | |
|-------------------|---------------------------|-------------------------|-------------|
| Use Case Number: | 8 | | |
| Use Case Code: | UC8 | | |
| Use Case Name: | Request new club/sub-club | | |
| Depicter: | Selim Şeker | Last Modificatory: | Selim Şeker |
| Description Date: | 20.03.2021 | Last Modification Date: | 20.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Members |
| Short Definition: | Members offers new club and sub-clubs |
| Pre-condition: | For offering a new sub-club, members must already be enrolled in the club. |
| Post-condition: | A new request joins the requests bin. |
| Priority: | Must have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> 1. Member clicks request club/sub-club button. 2. Member selects club or sub-club. 3. If sub-club, member specifies the upper club. 4. Member specifies the club/sub-club name. 5. Member enter some related keywords. 6. Member submits its request. |
| Alternative Path: | A1.1. Member searches clubs or sub-clubs, if cannot found appears a button for requesting a club/sub-club for search pattern |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Fill In Questionnaire

| | | | |
|-------------------|-----------------------|-------------------------|-------------|
| Use Case Number: | 9 | | |
| Use Case Code: | UC9 | | |
| Use Case Name: | Fill in questionnaire | | |
| Depicter: | Selim Şeker | Last Modificatory: | Selim Şeker |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | Members fill in the questionnaire for enrolling the club or taking recommendations. |
| Pre-condition: | Member should send an enroll request to corresponding sub-class |
| Post-condition: | If member pass the questionnaire, s/he successfully enrolls the sub-club |
| Priority: | Must Have |
| Frequency of Occurrence: | Frequently |
| Main Path: | <ol style="list-style-type: none"> 1. Members clicks the questionnaire button from his/her notifications. 2. Members reads the terms and clicks the approve button. 3. Members gives answers to the multiple choice questions. 4. Members submits his/her answers to the system by clicking the submit button. 5. Members checks his/her score and decision of the system for about their entrance. |
| Alternative Path: | A5.1. Members checks his/her score and club recommendations of the system. |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | Questions in questionnaire are multiple choice |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Enroll Club/Sub-club

| | | | |
|-------------------|----------------------|-------------------------|-------------|
| Use Case Number: | 10 | | |
| Use Case Code: | UC10 | | |
| Use Case Name: | Enroll club/sub-club | | |
| Depicter: | Selim Şeker | Last Modificatory: | Selim Şeker |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Members |
| Short Definition: | Members enroll to a new club/sub-club |
| Pre-condition: | Members be logged in |
| Post-condition: | Members enrolls corresponding club/sub-club |
| Priority: | Must have |
| Frequency of Occurrence: | Frequently |
| Main Path: | <ol style="list-style-type: none"> 1. Member enters the club/sub-club page and clicks the enroll button. 2. Member fills in the club/sub-club's questionnaire. 3. Member passes the questionnaire,reads and approves the club/sub-club terms. 4. Member successfully enroll to the club/sub-club. |
| Alternative Path: | A3.1. Member couldn't pass the questionnaire. A3.2. System blocks the enrollment of the member. |
| Containing Use-Case(s) | Includes UC9 |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Rate and Review Clubs/Sub-clubs

| | | | |
|-------------------|---------------------------------|-------------------------|--|
| Use Case Number: | 11 | | |
| Use Case Code: | UC11 | | |
| Use Case Name: | Rate and review clubs/sub-clubs | | |
| Depicter: | M. Şamil Ateşoğlu | Last Modificatory: | |
| Description Date: | 21.03.2021 | Last Modification Date: | |

| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | Members share their “meta” views about the clubs/sub-clubs |
| Pre-condition: | <ol style="list-style-type: none"> 1. The member must be signed in. 2. The member must be enrolled in that club/sub-club. |
| Post-condition: | The member’s views about the club/sub-club is shown to other users in the club/sub-club’s meta page. |
| Priority: | Must have |
| Frequency of Occurrence: | Frequently |
| Main Path: | <ol style="list-style-type: none"> 1. The member opens the club/sub-club’s meta page. 2. The member writes down their opinions of the club/sub-club. 3. The member optionally selects their level of satisfaction with the club/sub-club. 4. The member posts their review to the meta panel. 5. The system shall show it in the “meta” feed and update the overall satisfaction rate of the club/sub-club. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall make the review available for public within 250ms upon sending. 2. The review title and body text size shall not be larger than 65535 bytes. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Request to be the Moderator of a Sub-club

| | | | |
|-------------------|---|-------------------------|--|
| Use Case Number: | 12 | | |
| Use Case Code: | UC12 | | |
| Use Case Name: | Request to be the moderator of a sub-club | | |
| Depicter: | | Last Modificatory: | |
| Description Date: | | Last Modification Date: | |

| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | Member sends a request for being the moderator of a specific sub-club. |
| Pre-condition: | Member must be enrolled that sub-club |
| Post-condition: | Member's request transmits to the admin by system. |
| Priority: | Must have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> 1. Member enters the sub-club page. 2. Member clicks the moderation button. 3. Member fills in the form. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Create Questionnaire

| | | | |
|-------------------|----------------------|-------------------------|--|
| Use Case Number: | 13 | | |
| Use Case Code: | UC13 | | |
| Use Case Name: | Create questionnaire | | |
| Depicter: | Mert Can Demir | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | |

| | |
|--------------------------|--|
| Actor(s): | Admin |
| Short Definition: | Admin should create questionnaires for the clubs and sub-clubs to give access to members. |
| Pre-condition: | |
| Post-condition: | |
| Priority: | Must Have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> Admin starts to create a club or a sub-club. Admin gets a pop-up to fill the required questionnaire questions. Admin completes to fill the required questionnaire questions. |
| Alternative Path: | |
| Containing Use-Case(s) | Includes UC14 |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Create Clubs/Sub-clubs

| | | | |
|-------------------|------------------------|-------------------------|--|
| Use Case Number: | 14 | | |
| Use Case Code: | UC14 | | |
| Use Case Name: | Create clubs/sub-clubs | | |
| Depicter: | Mert Can Demir | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | |

| | |
|--------------------------|---|
| Actor(s): | Admin |
| Short Definition: | Admin opens club or sub-club. |
| Pre-condition: | |
| Post-condition: | |
| Priority: | Must Have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> Admin logs in to the administration panel. Admin starts to create a club/sub-club Admin fills the required information about the related club/sub-club. Admin confirms the creation of the club/sub-club . |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: View Member Information

| | | | |
|-------------------|-------------------------|-------------------------|--|
| Use Case Number: | 15 | | |
| Use Case Code: | UC15 | | |
| Use Case Name: | View member information | | |
| Depicter: | Mert Can Demir | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | |

| | |
|--------------------------|--|
| Actor(s): | Admin |
| Short Definition: | Admin can view the members' information. |
| Pre-condition: | |
| Post-condition: | |
| Priority: | Must Have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> 1. Admin logs in to the administration panel. 2. The system shall provide a way for admin to search for a member.. 3. Admin searches a member with the user's username. 4. Admin see the member's following information: User name, birth date, which clubs/sub-clubs is a member of, registration date, last login date and list of IPs that member use. |
| Alternative Path: | <p>A2.1. Admin opens up a member's profile page.</p> <p>A2.2. The system shall list the member's following information: User name, birth date, which clubs/sub-clubs is a member of, registration date, last login date and list of IPs that member use, as an additional information.</p> |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> 1. The system shall respond to the search request for a member in 3 seconds. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Delete Clubs/Sub-clubs

| | | | |
|-------------------|------------------------|-------------------------|--|
| Use Case Number: | 16 | | |
| Use Case Code: | UC16 | | |
| Use Case Name: | Delete clubs/sub-clubs | | |
| Depicter: | Mert Can Demir | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | |

| | |
|--------------------------|---|
| Actor(s): | Admin |
| Short Definition: | Admin can delete clubs/sub-clubs, providing a rationale. |
| Pre-condition: | |
| Post-condition: | The club/sub-club is deleted from the system. |
| Priority: | Must Have |
| Frequency of Occurrence: | Once in a while |
| Main Path: | <ol style="list-style-type: none"> Admin logs in to the administration panel. The system shall provide a way for admin to search for a club/sub-club. Admin searches a club/sub-club with the club/sub-club's name. Admin chooses to delete the selected club/sub-club. Admin provides a rationale to delete the selected club/sub-club. Admin confirms the deletion of the club/sub-club. The system shall delete the club/sub-club which is requested to be deleted by the admin. The system shall prompt a message to notify the admin of a successful deletion. |
| Alternative Path: | A1.1. Admin opens up a club/sub-club's page. A1.2. Admin decides to delete the club/sub-club. A1.3. Use case continues at step 5. |
| Containing Use-Case(s) | |
| Special Requirements: | <ol style="list-style-type: none"> The system shall delete to the club/sub-club within 5 minutes. |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Delete a Member's Post

| | | | |
|-------------------|------------------------|-------------------------|------------|
| Use Case Number: | 17 | | |
| Use Case Code: | UC17 | | |
| Use Case Name: | Delete a member's post | | |
| Depicter: | Yusuf Keten | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Admin, Moderator |
| Short Definition: | Admin or moderator can delete a post |
| Pre-condition: | The post should contain forbidden things |
| Post-condition: | The post will not exist after the condition |
| Priority: | Must have |
| Frequency of Occurrence: | Once in a while, depending on the number of active users on the system |
| Main Path: | <ol style="list-style-type: none"> 1. Actors login the system. 2. Actors enter the report system. 3. Actors access the reported post. 4. Actors delete the post. |
| Alternative Path: | A2.1. Actors can delete any inappropriate post that includes forbidden content. |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Ban/Dismiss Member

| | | | |
|-------------------|--------------------|-------------------------|------------|
| Use Case Number: | 18 | | |
| Use Case Code: | UC18 | | |
| Use Case Name: | Ban/dismiss member | | |
| Depicter: | Yusuf Keten | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|--|
| Actor(s): | Admin, Moderator |
| Short Definition: | Some members may be blocked to access the system |
| Pre-condition: | The member writes forbidden things |
| Post-condition: | The member can't access to the system |
| Priority: | Must have |
| Frequency of Occurrence: | Once in a while, depending on the number of active users on the system |
| Main Path: | <ol style="list-style-type: none"> 1. Actors visit the profile of any member 2. Actors click the ban button. 3. Actor choose the time of ban. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Create Event

| | | | |
|-------------------|--------------|-------------------------|------------|
| Use Case Number: | 19 | | |
| Use Case Code: | UC19 | | |
| Use Case Name: | Create event | | |
| Depicter: | Yusuf Keten | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |

| | |
|--------------------------|---|
| Actor(s): | Moderator |
| Short Definition: | Moderator can create an event for members |
| Pre-condition: | |
| Post-condition: | An event will be created and will be visible for club members. |
| Priority: | Must have |
| Frequency of Occurrence: | Usually |
| Main Path: | <ol style="list-style-type: none"> 1. Actor goes to event creation page via a button in the club page. 2. Actor fill the necessary information parts in the page. 3. An announcement mail about the event goes to members of the club. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Use Case: Report Content

| | | | |
|-------------------|----------------|-------------------------|------------|
| Use Case Number: | 20 | | |
| Use Case Code: | UC20 | | |
| Use Case Name: | Report content | | |
| Depicter: | Yusuf Keten | Last Modificatory: | |
| Description Date: | 23.03.2021 | Last Modification Date: | 23.03.2021 |


| | |
|--------------------------|--|
| Actor(s): | Member |
| Short Definition: | Members can report the inappropriate posts |
| Pre-condition: | A member writes inappropriate posts |
| Post-condition: | Member reports the post, and admin or moderator see the post. |
| Priority: | Must have |
| Frequency of Occurrence: | Occasionally |
| Main Path: | <ol style="list-style-type: none"> 1. Actor selects any post which includes inappropriate content. 2. Actor clicks the report button below the message. 3. Actor fills the report form and send the report message. |
| Alternative Path: | |
| Containing Use-Case(s) | |
| Special Requirements: | |
| Assumptions: | |
| Note: | |

| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

3. Activity Diagrams


Below are the activity diagrams of specific use cases.

Activity Diagram: Create Post (UC6)




| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Activity Diagram: Enroll Club/Sub-club (UC10)



| | |
|----------------------|------------------|
| CoSpace | Version 1.1 |
| Use Case Definitions | Date: 27.03.2021 |

Activity Diagram: Fill In Questionnaire (UC9)



4. Conceptual Entity Relationship Diagram

Below is a conceptual entity relationship diagram that captures some of the business objects and their relationships. Crow's foot notation² has been used to model the relationships.

