CmpE244
Fall 2023

1/

August 21 (Monday)

Organizational Meeting.

1. The "Greenshot" is posted on the github

Note: Bring your Laptop Computer to the Class.

https://github.com/hualili/CMPE244

Course and Contact Information

Instructor:	Harry Li, Ph.D. Professor, Computer Engineering D State University
Office Location:	Engineering Building 267A
Telephone:	(408) 924-4060 (650) 400-1116
Email:	hua.li@sjsu.edu
Class Days/Time:	Mondays and Wednesdays, 4:30 pm – 5:45 pm, Aug
Office Hours:	Mondays and Wednesdays, 3:00 pm – 4:00 pm
Classroom:	Engineering Building Room 295
Prerequisites:	CMPE 180A and CMPE 180D, classified standing, c Artificial Intelligence or Computer Engineering or S majors only.

2. Emphasis on POSIX O.S. Linux Open Source O.S. & Device Drivers Programming and Development. Scalability & Vertical Solution.

Course Description

Experiments dealing with advanced embedded software programming concepts, interfacing techniques, hardware organization, and software development using embedded systems. Individual projects.

3. Course Format: In-Person.
Hands-on Class. Prototype System

Option1. NVDA Jetson NANO. GPU (128) CPU
4 GB Version JetPack

Option2. Broadcom Pie3B+, Pie4.

option3. RISC-V FPGA Dev. Board. + FreeRTOS

Has limitted Processing Power. May Not meet the Need for Our Project

Selection Decision in 1 week

Option4. NXP LPC11C24 or LPC17xx, RTOS. NXP Dev. Forum.

CmpE244
Fall2023

4. TextBook & References

Set I: Datasheet(s), CPU Datasheet, Developer Guide; Set II: NVDA Developer Forum. Set III: PPTs, Sample Code, Handouts in the Class github.

Course Materials

Instructor's teaching materials and online resources.
1. Professor's git: https://github.com/hualili/CMPE244
2. Jetson NANO Jetpack download https://developer.nvidia.com/embedded/downloads

Other Equipment / Material

1. Hardware Equipment: You may choose any one of the following options. For detailed selection information, I will cover it in the introduction session of the class. Option 1. Nvidia Jetson NANO Board with minimum 2 GB RAM; or Option 2. Pie 3B+, or Pie 4; Option 3: Nvidia Jetson Tx2 developer kit; or Option 4: LPC1769 CPU Module: https://www.mouser.com/NXP-Semiconductors/Embedded-Solutions/Engineering-Tools/Embedded-Processor-Development-Kits/Development-Boards-Kits-ARM/_/N-cxd2t?P=1z0jm4m&Keyword=LPC1769&FS=True&gclid=Cj0KCQjwqKuKBhCKARIsACf4XuHyN8WfqtQ24WGgtoMdKd6n-kI7c-YNz-r1hTcPt0ErdZN62jrMQmgaAtXZEALw_wcB or Option 5: Samsung ARM11 developer platform.
2. Linux Host Machine (Ubuntu 18.04) .

Naming Convention:

2021F-114-handout-gpi... Add files via upload
2021F-114b-pwm-nano... Add files via upload

yr. Semester ID

A & B
A & C

Note: Regarding The Selection of A Target Platform:



5. Grading Policy

Project Assignment: (Two Projects) Phased
15% (pts) for the assigned projects.
15% for the Semester Long Project

Assignments and projects:	30%
Midterm Exam:	30%
Final Exam:	40%
Total:	100%

August 23rd (Wed)
Introduction
Note: IRm268

Ref:
Datasheets.

C
bcm
Broadcom
Pi
Linux O.S.

A
lpc
NXP
LPC1769
RTOS
IP Stack
Micro Web Server


2021F-107-lpc-cpu-UM10360.pdf

D
nvda
Jetson
NANO.
JetPack O.S.
Linux (Ubuntu)
+ Additional
Packages.

B.
sam
Samsung
ARM11



Fig 1. LPC1768 simplified block diagram



Fig. 1

Note1: The CPU Block Diagram for LPC1769 is a Sample for the Rest of the target platforms, e.g. Pre3/4; Sam's ARM 11; NVDA Jetson NANO

Note2:



Fig.2



0x0000_0000 PWR-up Addr.

Addr.

$2^{32} = 2^{10} \cdot 2^{10} \cdot 2^{10} \cdot 2^{2}$

1024 : : 4

1K

1meg.

1G.

4 G Addresses.

Datasheets.

2021F-105-#0-cpu-arm11-2018S-29-CPU_S3C6410X.pdf

Locate the page with the top level Description of the CPU Architecture

Example: "B", Sam's CPU ARM11



Fig.3.

Differentiation { Graphics
Video Codec → Vector Graphics / Pixels Graphics

Example: Connection to (Embedded) Software Architecture



HAL: Hardware Abstraction Layer

Note: Data Size for 1080P Image or 720P