



Keyboard Hotkey

A compilation of essential keyboard shortcuts to enhance productivity.

Hua-Ming Huang


Last modified: October 3, 2026

Table of Contents

VS Code	1
Apple Notes	3
Apple Calendar	3
Apple Reminders	4
ChatGPT Desktop Application	4
File Manager	5
Gmail	6
macOS	6
Notion	7
Terminal	7
Web Browser	8
YouTube	9

VS Code

Hotkey	Note
<code>Cmd</code> + <code>[Left-Click]</code> = <code>F12</code>	Go to function definition
<code>Cmd</code> + <code>/</code>	Comment out current line/selected lines
<code>Cmd</code> + <code>D</code>	Select word or next occurrence
<code>Cmd</code> + <code>Enter</code>	Insert line below
<code>Cmd</code> + <code>F</code>	Open the Find and Replace dialog
<code>Ctrl</code> + <code>`</code> = <code>Cmd</code> + <code>J</code>	Show/Hide Terminal (& Switch the cursor between Terminal and code)
<code>Ctrl</code> + <code>Shift</code> + <code>`</code>	Create a new Terminal window
<code>Cmd</code> + <code>K O</code>	Fold/Collapse open items
<code>Cmd</code> + <code>K J</code>	Unfold/Expand closed items

Hotkey	Note
 +  	View all available keyboard shortcuts
 +  	Toggle Zen mode (View > Appearance > Zen Mode/Centered Layout)
 +  	Close all editors
 + 	Select current line
 + 	Toggle primary sidebar
 +  + 	Toggle secondary sidebar
 + 	Go to file
 +  + 	Insert line above
 +  + 	Multi-cursor editing - it selects all matches in the current file to the currently highlighted text. Press “ESC” to disable it. ¹
 +  + 	Open command palette
 +  + 	Open Search panel
 +  + 	Open the Explorer file tree and reveal the file you’re currently viewing.
 +  + 	Open Extensions marketplace
 +  + 	Open Problems panel (for linting errors, warnings, and diagnostics)
 + 	Switch between tabs
	Rename every occurrence of the same reference
 + 	Put cursor on multiple lines simultaneously
 + 	Move line up/down (reordering). Holding it with Shift will copy/duplicate the line as well. In Terminal: move to previous/next tab.
 +  + 	Duplicate the current line above/below
 + 	Column/Box Selection: Select blocks of text by holding it while you drag your mouse.
 +  + 	Remove unused imports, declarations, etc.

¹Bonus: Install the “Multiple Cursor Case Preserve” extension for Visual Studio Code. It ensures that when you’re editing text with multiple cursors, the case formatting—such as camelCase, UPPERCASE, or lowercase—is preserved. This is particularly useful when you need to rename variables or terms consistently without disrupting their original casing.

Hotkey	Note
<code>Cmd</code> + <code>Shift</code> + <code>0</code>	Jump to a specific symbol (a function/class/variable/etc.) in the file
<code>Cmd</code> + <code>\</code>	Split Editor Down (Vertical Split)
<code>Cmd</code> + <code>K</code> + <code>\</code>	Split Editor Down (Horizontal Split)
<code>Ctrl</code> + <code>[1-9]</code>	Switch to a specific editor/tab by number
<code>Cmd</code> + <code>K Shift</code> + <code>Enter</code>	Pin/unpin editor/tab
<code>Cmd</code> + <code>Shift</code> + <code>\</code>	Shift focus from the panel to the tabs/panes in Terminal

Apple Notes

Hotkey	Note
<code>Cmd</code> + <code>Shift</code> + <code>,</code>	Zoom out
<code>Cmd</code> + <code>Shift</code> + <code>.</code>	Zoom in
<code>Ctrl</code> + <code>Cmd</code> + <code>I</code>	Show or hide highlights in a shared note
<code>Ctrl</code> + <code>Cmd</code> + <code>K</code>	Show or hide the activity list in a shared note
<code>Cmd</code> + <code>Shift</code> + <code>7</code>	Apply bulleted list format
<code>Cmd</code> + <code>Shift</code> + <code>9</code>	Apply numbered list format
<code>Cmd</code> + <code>Shift</code> + <code>L</code>	Apply checklist format
<code>Cmd</code> + <code>Shift</code> + <code>H</code>	Apply heading format
<code>Cmd</code> + <code>Shift</code> + <code>J</code>	Apply subheading format

Apple Calendar

Hotkey	Note
<code>Cmd</code> + <code>←</code>	Go to the previous day, week, month, or year
<code>Cmd</code> + <code>→</code>	Go to the next day, week, month, or year
<code>Cmd</code> + <code>T</code>	Go to today's date
<code>Cmd</code> + <code>Shift</code> + <code>T</code>	Go to a specific date
<code>Cmd</code> + <code>1</code>	Switch to Day view

Hotkey	Note
Cmd + 2	Switch to Week view
Cmd + 3	Switch to Month view
Cmd + 4	Switch to Year view
Cmd + N	Add a new event
Cmd + E	Edit the selected event

Apple Reminders

Hotkey	Note
Cmd +]	Indent Reminder
Cmd + [	Outdent Reminder
Cmd + T	Set reminder as due today
Opt + Cmd + T	Set reminder as due tomorrow
Cmd + K	Set reminder as due next weekend (Saturday)
Opt + Cmd + K	Set reminder as due next week (Monday)
Shift + Cmd + E	Hide all subtasks
Cmd + E	Show all subtasks
Shift + Cmd + C	Mark reminder as completed or incomplete
Shift + Cmd + F	Flag or unflag reminder
Cmd + [List-Number]	Go to pinned list. To find the number assigned to each list, choose View > Go To.
Cmd + Enter	While editing: Save/exit editing the reminder; While not editing: Mark reminder as complete ² ³

ChatGPT Desktop Application

²When editing a reminder (e.g., you've clicked into it to change the text), Cmd + Enter will end editing —it finalizes your changes and exits the editing mode (kind of feels like “selecting” or saving the text).

³When not editing (e.g., you're just navigating or viewing reminders), Cmd + Enter will select all text and enter the editing mode.

Hotkey	Note
Ctrl + Cmd + S	Toggle sidebar
Cmd + N	Open new chat
Cmd + Shift + N	Open new temporary chat

File Manager

Hotkey	Note
Cmd + [	Move back to the previous Finder location
Cmd +]	Move forward to the next Finder location
Cmd + 1	Show the active window in icon mode
Cmd + 2	Show the active window in list mode
Cmd + 3	Show the active window in column mode
Cmd + 4	Show the active window in gallery mode
Cmd + Delete/Backspace	Move the selected item to Trash
Opt + Cmd + Delete/Backspace	Permanently delete the selected item (bypasses the Trash)
Cmd + D	Duplicate selected item(s)
Cmd + Enter	Rename the selected item
Cmd + O	Open (or launch) the selected item, just like double-clicking it
Cmd + I	Open the Info window for the selected item
Cmd + Shift + .	Reveal hidden files such as ._. (dot underscore) files that are normally invisible
Cmd + Shift + G	Takes you to a folder that you specify
Cmd + Shift + I	Go to “iCloud Drive” in Finder
Cmd + Shift + A	Go to “Applications” in Finder
Cmd + Shift + O	Go to “Documents” in Finder
Cmd + Opt + L	Go to “Downloads” in Finder
Cmd + Shift + N	Create a new folder
Ctrl + Opt + Cmd + 1	Sort by name
Ctrl + Opt + Cmd + 2	Sort by kind

Hotkey	Note
Ctrl + Opt + Cmd + 6	Sort by size

Gmail

Hotkey	Note
--------	------

macOS

Hotkey	Note
Cmd + [Left-Click]	On any dock app opens it in Finder. This also works in Spotlight: If you hold Cmd while pressing Enter, it will show the app (or file) in Finder!
Cmd + Ctrl + Q	Lock screen
Cmd + Ctrl + D	Lets you look up a dictionary definition for the word you hover over with the cursor (no need to select it)
Cmd + Ctrl + Shift + 3	Snip the full screen and copy the screenshot to clipboard
Cmd + Ctrl + Shift + 4	Snip the selected area and copy the screenshot to clipboard
Cmd + M	Minimize window
Cmd + Opt + Esc	Force quit applications
Cmd + Q	Quit application
Cmd + Shift + 3	Capture the full screen
Cmd + Shift + 4	Capture a portion of the screen (selected area), just like Snipping Tool in Windows
Cmd + Shift + 5	Open Screenshot Toolbar
Ctrl + Cmd + Space	Use emojis/symbols. Press it alongside the text to get the corresponding emoji/symbols. Alternative: install Rocket
Opt + Cmd + Space	Open a Finder window with the search bar active

Hotkey	Note
<code>Cmd</code> + <code>Shift</code> + <code>/</code>	Show the menu bar search, which reveals the menu bar with the added benefit of putting the cursor in the search field, so that you can quickly type the command you want and hit Enter
<code>Cmd</code> + <code>Space</code>	Open Spotlight search bar
<code>Cmd</code> + <code>Tab</code>	Switch between different open applications
<code>Ctrl</code> + <code>Cmd</code> + <code>F</code>	Enter/Exit full screen mode
<code>Opt</code> + <code>Shift</code> + <code>K</code>	
<code>Fn</code> + <code>C</code>	Open Control Center

Notion

Hotkey	Note
<code>Cmd</code> + <code>[</code>	Go back a page
<code>Cmd</code> + <code>]</code>	Go forward a page
<code>Cmd</code> + <code>\</code>	Show/Hide sidebar

Terminal

Hotkey	Note
<code>Ctrl</code> + <code>A</code>	Jump to the start of the line
<code>Ctrl</code> + <code>E</code>	Jump to the end of the line
<code>Ctrl</code> + <code>U</code>	Delete everything you' ve written in Terminal and start over, in case you entered any typos in between
<code>Ctrl</code> + <code>W</code>	Delete a word backwards from the current cursor position
<code>Ctrl</code> + <code>Y</code>	Paste text from the kill buffer
<code>Opt</code> + <code>F</code>	Jump forward by a word
<code>Opt</code> + <code>B</code>	Jump backward by a word

Hotkey	Note
<code>Opt</code> + <code>D</code>	Delete a word forwards from the current cursor position

Web Browser

Hotkey	Note
<code>Cmd</code> + <code>[Left-Arrow]</code> = <code>Cmd</code> + <code>[</code>	Go back a page
<code>Cmd</code> + <code>[Right-Arrow]</code> = <code>Cmd</code> + <code>]</code>	Go forward a page
<code>Cmd</code> + <code>[Left-Click]</code>	Open link in a new tab
<code>Cmd</code> + <code>D</code>	Save the current tab as a favorite (i.e., bookmark the current tab)
<code>Cmd</code> + <code>L</code>	Select address bar (to edit URL)
<code>Cmd</code> + <code>N</code>	Open a new window
<code>Cmd</code> + <code>R</code>	Normal reload/refresh a web page
<code>Cmd</code> + <code>Shift</code> + <code>B</code>	Show/Hide the Favorites bar
<code>Cmd</code> + <code>Shift</code> + <code>F</code>	Show/Hide toolbar in full screen mode
<code>Cmd</code> + <code>Shift</code> + <code>N</code>	Open a new InPrivate (無痕模式/私密瀏覽) window
<code>Cmd</code> + <code>Shift</code> + <code>R</code>	Hard reload/refresh a web page
<code>Cmd</code> + <code>Shift</code> + <code>T</code>	Reopen the last closed tab
<code>Cmd</code> + <code>Shift</code> + <code>Y</code>	Show/Hide Collections
<code>Cmd</code> + <code>Opt</code> + <code>L</code>	Show/Hide Downloads
<code>Cmd</code> + <code>Y</code>	Open History
<code>Cmd</code> + <code>T</code>	Open a new tab
<code>Cmd</code> + <code>W</code>	Close the current window
<code>Cmd</code> + <code>Shift</code> + <code>W</code>	Close the current window, along with all its tabs
<code>Space</code> = <code>PgDn</code>	捲動網頁
<code>Ctrl</code> + <code>Tab</code>	Moves to the next tab (rightward) ⁴
<code>Ctrl</code> + <code>Shift</code> + <code>Tab</code>	Moves to the previous tab (leftward) ⁵

⁴Note that `Ctrl` + `Tab` might follow **recently used order** depending on browser settings, while `Opt` + `Cmd` + `[Right-Arrow]` always moves tabs in **linear/sequential order**.

⁵Note that `Ctrl` + `Shift` + `Tab` might follow **recently used order** depending on browser settings, while `Opt` + `Cmd` + `[Left-Arrow]` always moves tabs in **linear/sequential order**.

Hotkey	Note
Opt + Cmd + [Right-Arrow]	Moves to the next tab (rightward) ⁶
Opt + Cmd + [Left-Arrow]	Moves to the previous tab (leftward) ⁷

YouTube

Hotkey	Note
/	Go to search box
←/→	Backward/Forward a video by 5 seconds
↑/↓	Increase/Decrease volume by 5%
Ctrl + ←/→	Go to the previous/next chapter
F	Toggle full screen mode
K = Spacebar	Toggle Play/Pause
M	Toggle Mute/Unmute
Shift + ,	Decrease playback speed
Shift + .	Increase playback speed
T	Toggle theater mode

⁶Note that Opt + Cmd + [Right-Arrow] always moves tabs in **linear/sequential order**, while Ctrl + Tab might follow **recently used order** depending on browser settings.

⁷Note that Opt + Cmd + [Left-Arrow] always moves tabs in **linear/sequential order**, while Ctrl + Shift + Tab might follow **recently used order** depending on browser settings.