

```

/*funciones */

/*persona que solicita el servicio que costo 12*/

select * from Detalle_Servicio
select *from solicitud
select * from persona
select * from

select p.nit
  from persona p, Detalle_Servicio ds, solicitud sol
 where ds.precio = 13.00
 and sol.codSer= ds.codSer
 and sol.nit=p.nit;

create function peer
(@val decimal(4,2))
returns int
as
begin
  declare @pers int

      select @pers=p.nit
sol      from persona p, Detalle_Servicio ds, solicitud
      where ds.precio = @val
      and sol.codSer= ds.codSer
      and sol.nit=p.nit

  return @pers
end

-----
select dbo.peer(11.00);

```

db1

SQLQuery2.sql - lo...59499C\huana (55)* X SQLQuery1.sql - lo...59499C\huana (5

```

and sol.nit=p.nit
return @pers
end

select dbo.peer(11.00);

create function f_prom
(@val1 float,
@val2 float)
returns float
as
BEGIN
DECLARE
@resultado float

```

100 %

Results

1112

Procedimiento

```

select * from Detalle_Servicio

create proc descuentoAAA
(@np float,
@ncS varchar(50))
as
update Detalle_Servicio set precio=precio+@np
where codSer=@ncS

exec descuento 1,'serv2'

```

100 %

Results

codSer	nro	precio	codAmb
serv2	2	11.00	am2
serv6	6	99.00	am6
serv4	4	99.00	am4
serv7	7	60.00	am7
serv3	3	50.00	am3
serv1	1	10.00	am1
serv5	5	10.00	am5

(7 rows affected)

```

create proc descuentoAAA
(@np float,

```

```

@ncS varchar(50))
as
update Detalle_Servicio set precio=precio-@np
where codSer=@ncS

```

```
exec descuentoAAA 1, 'serv2'
```

The screenshot shows a SQL Server Enterprise Manager window with two tabs: 'SQLQuery2.sql - Io...59499C\huana (55))*' and 'SQLQuery1.sql - Io...59499C\huana (51))*'. The active tab displays the following SQL code:

```

select * from Detalle_Servicio

-- create proc descuentoAAA
-- (@np float,
-- @ncS varchar(50))
-- as
-- update Detalle_Servicio set precio=precio-@np
-- where codSer=@ncS
-- exec descuentoAAA 1, 'serv2'
-- create proc AumentoAAA
-- (@np float,
-- @ncS varchar(50))
-- as
-- update Detalle_Servicio set precio=precio+@np
-- where codSer=@ncS

```

Below the code, the 'Results' tab is active, showing a table with the following data:

codSer	nro	precio	codAmb
serv2	2	10.00	am2
serv6	6	99.00	am6

--- aumentado

```

create proc AumentoAAA
(@np float,
@ncS varchar(50))
as
update Detalle_Servicio set precio=precio+@np
where codSer=@ncS

```

```
exec AumentoAAA 1, 'serv2'
```

```

exec descuentoAAA 1, 'serv2'
create proc AumentoAAA
(
@np float,
@ncS varchar(50))
as
update Detalle_Servicio set precio=precio+@np
where codSer=@ncS
exec AumentoAAA 1, 'serv2'

--vistas

```

100 %

Results

codSer	nro	precio	codAmb
serv2	2	12.00	am2

--- vistas

```

create view mmm
as
select p.nit
from persona p
where p.direccion='c. siempre viva'

```

```

create view mmm
as
select p.nit
from persona p
where p.direccion='c. siempre viva'

select * from mmm

```

100 %

Results

nit
1111
2115