# WATER BUDDY

MVP Project Plan | Drink. Track. Repeat. | Beginner Hackathon | Version 1.0

Status: Planning only - no application code written. Timeframe: one day or less. Themes: Modern Life + Nature Life.

## 1. Project purpose

Problem: College students studying at computers may forget to take water breaks and lose track of the glasses they have consumed.

Solution: A simple, single-page website with a reminder countdown and one combined action: clicking "I Drank Water" records one glass and restarts the timer. The website is a habit-awareness prototype, not a medical device.

Primary users: College students. Secondary potential users: gamers and office workers.

## 2. Confirmed MVP requirements

| ID | Requirement | Expected behavior |
|---|---|---|
| R01 | Normal mode | Fixed 30-minute countdown. |
| R02 | Judge demo mode | 10-second countdown, otherwise identical behavior. |
| R03 | Start session | Start button begins the selected countdown. |
| R04 | On-screen reminder | At 00:00, stop timer and show "Time for a water break!" No sound or push notification. |
| R05 | Water tracking | Display number of user-reported glasses; start at zero. |
| R06 | Combined action | "I Drank Water" increases count by one, clears reminder, and restarts selected countdown. |
| R07 | Early drinking | The combined action also works before timer expiry. |
| R08 | Ignore reminder | Reminder remains visible; no glass recorded automatically. |
| R09 | Reload behavior | Reload resets count to zero, timer to stopped 30:00, and mode to normal. |
| R10 | Visual design | Nature-inspired blue and green; clear typography; one webpage. |

## 3. Proposed rules to approve before coding

These rules resolve small implementation ambiguities; they are proposals, not yet team-approved:

1. Choose Normal or Demo Mode before pressing Start. Lock the selected mode during the session until reload.

2. The "I Drank Water" button becomes available after Start; Start is the only initial primary action.

3. Keep the reminder non-blocking. Users may ignore it without making a false water entry.

4. Count each accepted click as one user-reported glass. Do not assign a fixed volume or daily drinking target.

## 4. Few-shot behavior examples

| Test | Given / When | Expected result |
|---|---|---|
| T01 | New page opens | 30:00, 0 glasses, normal mode, stopped. |
| T02 | Normal mode; click Start | Countdown begins at 30:00. |
| T03 | Demo mode; click Start | Countdown begins at 00:10. |
| T04 | Countdown reaches zero | Display reminder; count unchanged; timer stays at 00:00. |
| T05 | Click "I Drank Water" | Count +1; reminder clears; countdown restarts. |
| T06 | Drink early during countdown | Count +1; countdown restarts. |
| T07 | Refresh while session active | Return to initial state; no data persists. |
| T08 | Switch tabs, then return | Countdown reflects elapsed time; never negative. |

## 5. Nano-scope exclusions

No login, cloud database, local storage, AI chatbot, medical recommendations, daily intake goals, sound, browser push notifications, snooze, dismiss, detailed analytics, animations, or multiple pages. No claim of background reminders when the webpage is closed.

## 6. Step A - Beginner development roadmap

| Sequence | Task | Checkpoint |
|---|---|---|
| A1 | Agree on proposed rules and sketch one-screen layout | All team members can describe the same user journey. |
| A2 | Create a single HTML/CSS/JavaScript webpage | Page opens locally; timer and count are readable. |
| A3 | Implement normal and demo countdowns | Only one timer runs; 00:00 displays correctly. |
| A4 | Implement combined drink-and-restart action | One click updates counter and restarts countdown. |
| A5 | Implement reminder and reset-on-reload behavior | On-screen alert works; refresh returns to initial state. |
| A6 | Test on laptop and mobile-size browser | No clipped controls; core tests pass. |

Suggested tools: Browser, text editor such as VS Code, and an AI coding assistant. Keep code in one file for easy sharing. Team roles: One person tests and records bugs, one manages interface and demo, and one handles implementation or AI prompts; combine roles for smaller teams.

## 7. Step B - AI prompting plan (no code yet)

Few-shot approach: Give the coding assistant T01-T08 as concrete input/output examples. Require a single self-contained webpage and ask it to explain the generated code in beginner-friendly terms.

Nano-scope guardrail: Implement the countdown and counter first. Add no new features unless all essential acceptance tests pass. Ask the AI to change only the failing behavior when debugging.

## 8. Step C - Judge presentation plan

0-20 seconds: Explain the problem and target user. 20-40 seconds: Select Demo Mode and start the 10-second countdown. 40-65 seconds: Show the on-screen reminder and click "I Drank Water" to increase the count and restart the timer. 65-90 seconds: Explain the one-click benefit, nature-inspired visual design, and honest limitations.

## 9. Acceptance checklist

[ ] Normal 30-minute mode works
[ ] Demo 10-second mode works
[ ] Countdown never goes below zero
[ ] Reminder appears at expiration
[ ] No automatic water entry
[ ] Combined button increments exactly once per accepted click
[ ] Combined button restarts timer, including when used early
[ ] Only one active countdown exists
[ ] Refresh resets count, timer, and mode
[ ] Time remains accurate after switching tabs
[ ] Text and controls are readable on laptop and mobile
[ ] 90-second judge demo succeeds
[ ] Team can state limitations without overclaiming

## 10. Risks, limitations, and fallback

| Risk | Response |
|---|---|
| Browser inactive or asleep | Use elapsed-time/deadline logic and refresh countdown when the tab becomes active. |
| Page closed or refreshed | Session ends or resets; do not promise persistent reminders. |
| Repeated clicks | Each accepted click represents a user-reported glass; add undo only after MVP. |
| Users do not drink at reminder | Non-blocking message can remain without requiring a false record. |
| Time runs out | Prioritize working countdown, reminder, and combined button over visual polish. |
| Hydration differences | Avoid medical recommendations and universal water-volume targets. |

## 11. Completion criteria and approval

Ready to demonstrate when: All core functional tests pass, the 10-second demo works live, the interface is readable, and the team can explain the problem and limitations in under 90 seconds.

Open team approval: Confirm the four proposed rules in Section 3 before coding. This PDF is the initial project baseline; revise only if those decisions change.