# Capstone project AOTA Test Report

## 1. Unit Test

A unit test is a scripted code-level test, written in Python to verify a small "unit" of functionality.

With this project, we use Python Unit Testing Framework to test the basic functionalities of some two utility classes, **sparkConnector** and **ut\_spark**. Here are two python scripts:

1) test\_parkconnector.py:to test the only main method of class sparkConnector

Testing method	Method to be tested	Function
test_get_spark	.get_spark()	Verify that 'get_spark()' method can create a spark session

2) test\_utspark.py:to test methoes of class ut\_spark

Testing method	Method to be tested	Function
test_get_sparksessi on	get_sparksession	Verify that 'get_sparksession' will return a spark session
test_df_read_from_c sv	df_read_from_csv	Verify that method 'df_read_from_csv' can read a csv file file and create and populate spark dataframe with the data reads
test_write_read_par quet	df_read_from_parquet df_write_to_file	Verify that 'df_write_to_file' method can correctly write data to a parquet file and 'df_read_from_parquet' can correctly read data from that parquest file

Here are the test results:

2. Test on ETL process (also called 'cleanse/transform' process) 'ETL process' is one of the two transformation processes in the system. It will be performed on four data sets: flight, plane, carrier and airport: The logic is as follows:

Dataset	Operations
Flight	.Exclude 'canceled'/'diverted' flights .Add one id column and drop a few columns
Plane	.Filter out the blank records
Airport	Add one column
Carrier	.Nothing needs to be done

ETL on airport and carrier don't do much things. So we will test ETL process on 'plane'. Test on flight ETL will be included the next section.

Test data set: include 6 records. 3 of them are blank

	tailnum	type	manufacturer	issue_date	model	status	aircraft_type	engine_type	year
0	N050AA	None	None	None	None	None	None	None	None
1	N083AA	None	None	None	None	None	None	None	None
2	N084AA	None	None	None	None	None	None	None	None
3	N10156	Corporation	EMBRAER	02/13/2004	EMB-145XR	Valid	Fixed Wing Multi-Engine	Turbo-Fan	2004
4	N102UW	Corporation	AIRBUS INDUSTRIE	05/26/1999	A320-214	Valid	Fixed Wing Multi-Engine	Turbo-Fan	1998
5	N10323	Corporation	BOEING	07/01/1997	737-3TO	Valid	Fixed Wing Multi-Engine	Turbo-Jet	1986

**Expected**: after ETL process, there are only 3 records in processed layer

### Result:

Processed data in 'processed layer':

	tailnum	type	manufacturer	issue_date	model	status	aircraft_type	engine_type	year
0	N10156	Corporation	EMBRAER	02/13/2004	EMB-145XR	Valid	Fixed Wing Multi-Engine	Turbo-Fan	2004
1	N102UW	Corporation	AIRBUS INDUSTRIE	05/26/1999	A320-214	Valid	Fixed Wing Multi-Engine	Turbo-Fan	1998
2	N10323	Corporation	BOEING	07/01/1997	737-3TO	Valid	Fixed Wing Multi-Engine	Turbo-Jet	1986


Conclusion: the test results meet expectations.

I attached 'test\_etl\_plane.ipynb' which has more detailed information.

## 3. Integration testing for 'flight' data movement

As data movement from 'raw layer' to 'integrated layer' contains almost all the transformation logic, and 'flight' dataset is the major dataset, we design a test case to test the processing of

'flight' from raw layter to integration layer.



I attached a jupyter notebook file ('test\_endToEnd-raw-to-integrated.ipynb') which has more detailed information. Here is the introduction of the testing process:

#### Test dataset:

We populate 10 testing records into the 'flight' table at 'raw layer' ("C:/demo/capstone/raw/2000\_test.csv"), as below

	Year	Month	DayofMonth	DayOfWeek	DepTime	CRSDepTime	ArrTime	CRSArrTime	UniqueCarrier	FlightNum	 Taxiln	TaxiOut	Cancelled	Cancellation
0	2000	1	28	5	1647	1647	1906	1859	HP	154	 15	11	0	
1	2000	1	29	6	1648	1647	1939	1859	HP	154	 5	47	0	
2	2000	1	30	7	NA	1647	NA	1859	HP	154	 0	0	1	
3	2000	1	31	1	1645	1647	1852	1859	HP	154	 7	14	0	
4	2000	1	1	6	842	846	1057	1101	HP	609	 3	8	0	
5	2000	1	2	7	849	846	1148	1101	HP	609	 8	24	0	
6	2000	1	3	1	844	846	1121	1101	HP	609	 6	27	0	
7	2000	1	1	6	1702	1657	1912	1908	HP	611	 5	13	0	
8	2000	1	2	7	1658	1657	1901	1908	HP	611	 3	7	0	
9	2000	1	3	1	1656	1657	1922	1908	HP	611	 5	20	0	

## **Expected result:**

1. Cleansing and Transformation (ETL process)

This step will read data from 'raw layer', do the cleansing and transformation, and saved the processed results to 'processed layer'. For 'flights', the main cleansing process is to filter out the canceled records.

**Expected**: 1 record to be filtered out.

Dimensional Modeling Transformation (Integration process)
 This step will read data from 'processed layer', conduct dimension modeling, and finally create two dimension tables dim\_date, dim\_origin\_dest, and one fact table, fact flight, and save them to the 'integrated layer'.

#### **Expected:**

- 1) As the test dataset contains data of 6 different dates (excluding canceled record), **dim\_date** should have **6** records.
- 2) As the test dataset contains one combination of 'origin' and 'dest', dim\_origin\_dest table should have 1 record
- 3) As the test dataset contains 9 uncancelled flights, 'fact\_flight' table should have 9 records.

Result:

(1) Data at 'Processed layer' (after cleansing/transformation).

There are **9** records. One canceled flight record was filtered out.

0 1 1 1 2 1 3 1 4 1 5 1 6 1	28 29 31	29 6 31 1		1647 1647	1906 1939	1859 1859	HP	154	N808AW	233	7	0	ATL	Р
2 1 3 1 4 1 5 1 6 1		31 1			1939	1859								
3 1 4 1 5 1 6 1	31		1645			1000	HP	154	N653AW	239	40	1	ATL	Р
4 1 5 1 6 1	1			1647	1852	1859	HP	154	N806AW	226	-7	-2	ATL	Р
5 1 6 1		1 6	842	846	1057	1101	HP	609	N158AW	244	-4	-4	ATL	Р
6 1	2	2 7	849	846	1148	1101	HP	609	N656AW	267	47	3	ATL	Р
	3	3 1	844	846	1121	1101	HP	609	N803AW	244	20	-2	ATL	Р
_	1	1 6	1702	1657	1912	1908	HP	611	N652AW	232	4	5	ATL	Р
7 1	2	2 7	1658	1657	1901	1908	HP	611	N807AW	233	-7	1	ATL	Р
8 1		3 1	1656	1657	1922	1908	HP	611	N807AW	241	14	-1	ATL	Р

## (2) Data at 'Integrated layer'

Table	Detail
dim_ date	File_path: C:/demo/testaota/integrated/dim_date' Row count: 6

	+		-+	+	+	+		+							
	da	te_i	.d Ye	ear Mon	th DayofM	lonth Da	y0fWeek	:[							
	+		-+	+	+	+		+							
			28   26		1	28	5	:							
			9 20		1	29	6	:							
			1   20 1   20		1	31   1	1 6	:							
			2 2		1	2	7								
			3 2		1	3	1	:							
	+				+			+							
	,		<u> </u>	. "			,	,							
dim_				demo/te	estaota/int	tegrated	/dim_or	igin_de	est						
origin	Row	coun	it: T												
_dest	orig_	_dest_i	d orig	gin dest d	istance	orig_ai	rport orig_o	city orig_s	tate orig_	country d	lest_airport	dest_city dest_	state des	st_co	untry
	0 P	HX_AT	L A	TL PHX	1587 V	illiam B Harts/ Atlant		nta	GA		Sky Harbor International		AZ		USA
	0 P	HX_AT	L A	TL PHX	1587 <sup>V</sup>	/illiam B Harts Atlant		nta	GA		Sky Harboi International		AZ		USA
	0 P	HX_AT	L A	TL PHX	1587 <sup>V</sup>			inta	GA				AZ		USA
					150/	Atlant	a Inti Atia		GA				AZ		USA
	File_p	ath:	C:/d		1587 Westaota/int	Atlant	a Inti Atia		GA				AZ		USA
		ath:	C:/d		150/	Atlant	a Inti Atia		GA				AZ		USA
fact_f light	File_p Row o	ath:	C:/o it: 9	demo/te	estaota/int	Atlant tegrated	/fact_fli	ght			International	Prideriix		lay	USA
	File_p Row o	ath:	C:/( it: 9	demo/te	estaota/int	Atlant tegrated	/fact_fli	ght		USA	International	Prideriix	ne ArrDe		
	File_p Row (	oath:	C:/0 it: 9 eq_id	demo/te	estaota/int	Atlant	/fact_fli	ght plane_id	DepTime	scheduled_deptime	ArrTime	scheduled_arrtir	ne ArrDe	47	yea
	File_p Row o	oath:	C:/dit: 9 eq_id 4 5	demo/te	estaota/int orig_dest_id PHX_ATL PHX_ATL	Atlant tegrated	/fact_flig	ght  plane_id  N656AW	DepTime 849	scheduled_deptime	ArrTime	scheduled_arrtin	ne ArrDe	47 20	yea 2000
_	File_p Row (	path:	C:/0 nt: 9 eq_id 4 5	demo/te	estaota/int  orig_dest_id  PHX_ATL  PHX_ATL  PHX_ATL	Atlant tegrated flightNum 609	/fact_fli	ght  plane_id  N656AW  N803AW	DepTime 849 844	scheduled_deptime  846 846	ArrTime	scheduled_arrtir	ne ArrDe 11 11	47 20 14	yea 200 200
	File_p Row o	path:	C:/o t: 9 eq_id 4 5	demo/te  date_id  20000102 20000103 20000103 20000128	estaota/int  orig_dest_id  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL	Atlant tegrated flightNum 609 609 611 154	/fact_flig	ght  plane_id  N656AW  N803AW  N807AW  N808AW	DepTime 849 844 1656 1647	scheduled_deptime  846 846 1657 1647	ArrTime 1148 1121 1922 1906	scheduled_arrtir	ne ArrDe 01 01 01 08	47 20 14 7	yea 200 200 200 200
	File_p Row o	oath: coun	C:/o ht: 9 eq_id 4 5 8 0	date_id 20000102 20000103 20000103 20000128 20000129	orig_dest_id PHX_ATL PHX_ATL PHX_ATL PHX_ATL PHX_ATL PHX_ATL	Atlant tegrated flightNum 609 609 611	/fact_fli	ght  plane_id  N656AW  N803AW  N807AW	DepTime 849 844 1656	scheduled_deptime  846  846  1657	ArrTime 1148 1121 1922 1906 1939	scheduled_arrtir 11 11 19 18	ne ArrDe	47 20 14 7 40	yea 200 200 200 200 200
	File_p Row 0  1 2 3 4 5	path: coun	C:/c at: 9 eq_id 4 5 8 0	date_id 20000102 20000103 20000103 20000128 20000129 20000101	orig_dest_id  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL	### Atlant ####################################	/fact_flig	plane_id N656AW N803AW N807AW N808AW N653AW	DepTime 849 844 1656 1647 1648 1702	scheduled_deptime  846 846 1657 1647 1657	ArrTime 1148 1121 1922 1906 1939 1912	scheduled_arrtir 11 11 19 18 18	ne ArrDe 11 11 18 8 9 9 19	47 20 14 7 40 4	yea 200 200 200 200 200 200
	File_p Row 0  1 2 3 4 5	path: coun 1 1 1 1 1	C://c t: 9 eq_id 4 5 8 0 1 6 2	date_id 20000102 20000103 20000128 20000129 20000101 20000131	estaota/int  orig_dest_id  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL	Atlant tegrated flightNum 609 609 611 154 154 611 154	/fact_flig	plane_id N656AW N803AW N807AW N808AW N653AW N652AW	DepTime 849 844 1656 1647 1648 1702 1645	scheduled_deptime  846 846 1657 1647 1647 1657	ArrTime 1148 1121 1922 1906 1939 1912 1852	scheduled_arrtir 11 11 19 18 18	ne ArrDe 11 11 18 18 19 19 18	47 20 14 7 40 4 -7	yea 200 200 200 200 200 200 200
	File_p Row 0  1 2 3 4 5	path: coun	C:/(c ht: 9 eq_id 4 5 8 0 1 6 2 3	date_id 20000102 20000103 20000103 20000128 20000129 20000101	orig_dest_id  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL  PHX_ATL	### Atlant ####################################	/fact_flig	plane_id N656AW N803AW N807AW N808AW N653AW	DepTime 849 844 1656 1647 1648 1702	scheduled_deptime  846 846 1657 1647 1657	ArrTime 1148 1121 1922 1906 1939 1912	scheduled_arrtir 11 11 19 18 18	ne ArrDe 11 11 18 18 19 19 18 18 19 11	47 20 14 7 40 4 -7	yea 200 200 200 200 200 200 200 200

Conclusion: the test results meet expectations.