

1

Original Task Statement

```
def fix_spaces(text):
```

```
    """
    Given a string text,
    1.replace all spaces in it with underscores
    2.if a string has more than 2consecutive spaces,
    then replace all consecutive spaces with
    """
```

Original Task GroundTruth (Code)

```
1. new_text = ""
2. i = 0
3. start, end = 0, 0
4. while i < len(text):
5.     if text[i] == " ":
6.         end += 1
7.     else:
8.         if end - start > 2:
9.             new_text += "-"
10.            new_text += text[start:end]
11.            start = end
12.         else:
13.             new_text += text[start:end]
14.             start = end
15.         i += 1
16.         if end - start > 2:
17.             new_text += "-"
18.             new_text += text[start:end]
19.             start = end
20.         return new_text
```

Attacker



.....

We try to make it challenging to show our creativity!



Defender



.....

3

And then we try to answer those challenging tasks to prove our code generation ability!

New Task Statement by 🤖 🧠


```
def fix_spaces(text: str) -> str:
    """
    Enhanced space fixing function that
    incorporates statistical analysis. Given a
    string text, this function applies the
    following logic:
    1. Analyzes all consecutive space groups
    and calculates mean and mean absolute
    deviation (MAD)
    2. For spaces with high deviation (> MAD)
    and count > 2: replaces with "-"
    3. For spaces with count > 2 but normal
    deviation: replaces with " "
    4. For spaces with high deviation but
    count <= 2: replaces with " " repeated
    5. For normal spaces with count <= 2:
    replaces with " "
```

2

mutated code 🤖

mutated code 🤖

mutated code 🤖



New Task Statement

Test Oracle

4

Test Suit

Score Suit

Good Attacker?

Good

Defender?

