



















Candidate 1: day 0.0350; duration 45 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 2: day 0.0504; duration 30 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 3: day 0.0641; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 4: day 0.0665; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 5: day 0.0716; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.11 nT









Window RMS difference: 0.38 nT









Window RMS difference: 0.30 nT









Candidate 6: day 0.1671; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 7: day 0.1696; duration 60 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 8: day 0.1782; duration 60 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 9: day 0.1826; duration 75 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 10: day 0.2245; duration 70 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 11: day 0.2443; duration 260 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 1.10 nT









Window RMS difference: 4.23 nT









Window RMS difference: 2.01 nT



Candidate 12: day 0.2522; duration 335 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 13: day 0.2619; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 14: day 0.2804; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.13 nT



Window RMS difference: 0.83 nT









Window RMS difference: 0.61 nT



Minutes relative to window midpoint



Minutes relative to window midpoint

Candidate 15: day 0.2832; duration 60 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 16: day 0.2881; duration 30 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.11 nT









Window RMS difference: 0.37 nT









Window RMS difference: 0.35 nT









Candidate 17: day 0.3574; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 18: day 0.3592; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 19: day 0.3619; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 20: day 0.3669; duration 30 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 21: day 0.3704; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 22: day 0.3806; duration 40 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 23: day 0.3848; duration 140 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 24: day 0.3896; duration 170 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 25: day 0.3929; duration 60 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 26: day 0.3954; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 27: day 0.3979; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 28: day 0.4035; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 29: day 0.4069; duration 70 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 30: day 0.4092; duration 45 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 31: day 0.4157; duration 190 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 2.42 nT









Window RMS difference: 0.56 nT









Window RMS difference: 4.42 nT









Candidate 32: day 0.4210; duration 240 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 33: day 0.4277; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 34: day 0.4351; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 35: day 0.4380; duration 35 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 36: day 0.4406; duration 65 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 37: day 0.4502; duration 360 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Minutes relative to window midpoint



Minutes relative to window midpoint

Candidate 38: day 0.4587; duration 705 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 2.92 nT



Window RMS difference: 0.95 nT









Window RMS difference: 2.82 nT









Minutes relative to window midpoint

Minutes relative to window midpoint

Candidate 39: day 0.4672; duration 500 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 40: day 0.4779; duration 415 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 41: day 0.4849; duration 75 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.34 nT



Window RMS difference: 0.16 nT









Window RMS difference: 0.45 nT









Minutes relative to window midpoint

Minutes relative to window midpoint







Candidate 42: day 0.4998; duration 125 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 43: day 0.5124; duration 1450 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 44: day 0.5224; duration 45 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 45: day 0.5282; duration 40 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 46: day 0.5304; duration 50 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 47: day 0.5330; duration 175 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 48: day 0.5381; duration 70 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 49: day 0.5400; duration 75 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.33 nT



Window RMS difference: 0.02 nT









Window RMS difference: 0.11 nT









Minutes relative to window midpoint

Minutes relative to window midpoint







Candidate 50: day 0.5471; duration 575 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 51: day 0.5554; duration 40 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 52: day 0.5792; duration 30 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 53: day 0.5829; duration 400 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 54: day 0.6150; duration 50 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required









Candidate 55: day 0.6176; duration 60 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 56: day 0.6243; duration 335 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 57: day 0.6358; duration 145 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required





Candidate 58: day 0.6390; duration 80 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Window RMS difference: 0.39 nT









Window RMS difference: 2.30 nT



Window RMS difference: 1.27 nT

Candidate 59: day 0.6464; duration 985 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required



Candidate 60: day 0.6543; duration 30 s
Adaptive candidate window shaded; high-pass cutoff 1/3600 Hz; scientist review required

