

Supplementary Figure S2 | Descriptive spatial projection

10 complete sections: 4 GSE206306 + 6 GSE231630 | broad-compartment context only; no lesion ROI

S2A Spatial resource and label-transfer quality control

Supplementary Spatial Figure S-spatial-1 | Spatial resource and label-transfer QC

Supplementary anatomical/tissue-context projection. Seurat label transfer is not true deconvolution.

A Spatial resource summary and ROI boundary


10 Visium sections
10 complete inputs
10/10 label-transfer successes

Curated metadata: 4 high-confidence; 6 moderate-confidence sections

No plaque, mineral, lesion, or fibrosis ROI annotation available


B Prediction-score distribution

Existing Phase 3-Step 2 QC output



C Predicted broad-compartment composition

Existing Phase 3-Step 2B descriptive summary



D Loop/TAL projection usability boundary

Loop/TAL usability boundary

Nonzero prediction-score fraction: 0%

Loop/TAL max-predicted in-tissue spots: 0

Not used for claim-grade MAGMA x Loop/TAL co-distribution.

Not evidence of Loop/TAL spatial enrichment.


S2B Descriptive MAGMA module overlays

Supplementary Spatial Figure S-spatial-2 | Descriptive MAGMA spatial module projections

Canonical MAGMA modules displayed as broad tissue-context overlays; no claim-grade Loop/TAL co-distribution.


A Bonferroni module overlay overview

Descriptive spatial module projection




B Top100 module overlay overview

Descriptive spatial module projection



C Suggestive module overlay overview

Descriptive spatial module projection



D Module scores by predicted broad compartment

Descriptive spatial module projection; no ROI annotation

Not plaque-specific localization; no disease/control test; not independent validation

