

Exercises for Lecture 2

Foundations of Stat Mech

May 29, 2020

1 Time averages by Hamiltonian evolution

Be $\mathcal{U}(X) = e^{iHt} X e^{-iHt} \equiv X_t$ the time evolution generated by a non degenerate Hamiltonian $H = \sum_n E_n P_n$ and $\phi_t = \mathcal{U}\phi = e^{iHt}\phi e^{iHt}$ the time evolved state. Let p_n be the probability of being in the state P_n , namely $p_n = \text{tr}(\phi P_n)$.

1.1 Time averaged state

Let ϕ be a pure state with amplitudes $|\phi\rangle = \sum_n a_n |E_n\rangle$. Show that

$$\bar{\phi} = \sum_n P_n \phi P_n = \sum_n p_n P_n = \sum_n |a_n|^2 P_n = D_H \phi \quad (1)$$

and compute its purity.

1.2 Average Loschmidt Echo

Define the Loschmidt echo as $\mathcal{L}_t = |\langle \phi | \phi_t \rangle|^2$. Show that $\overline{\mathcal{L}_t} = \text{Tr} \bar{\phi}^2$.

1.3 Typicality in time (Challenge)

Be H a non-degenerate Hamiltonian with also non-degenerate gaps. Define $\omega = D_H \phi$ Show that

$$\overline{D(\phi_{St}, \omega_S)} \leq \frac{1}{2} \sqrt{d_S^2 \text{tr} \omega^2} \quad (2)$$

2 Averages in \mathcal{H}

2.1 Haar-average Loschmidt Echo

Show that

$$\langle \overline{\mathcal{L}_t} \rangle_\phi = \frac{2}{d+1} \quad (3)$$

2.2 Markov inequality

Use Markov inequality to upper bound

$$\langle \Pr(|A_t - \bar{A}| > \epsilon) \rangle_\phi \quad (4)$$

2.3 Haar-average purity

Show that

$$\langle \text{tr} \phi_A^2 \rangle_\phi = \frac{d_A + d_B}{d_A d_B + 1} \quad (5)$$

2.4 Typicality of canonical state (challenge problem)

Define $\omega = D_H \phi$. Be $d(\cdot, \cdot)$ the trace distance. Show that

$$\langle d\left(\omega_S, \frac{1}{d_S}\right) \rangle_\phi \leq \frac{1}{2} \sqrt{\frac{1}{d_B}} \quad (6)$$