

MAT137 Lecture 29

Huan Vo

University of Toronto

February 8, 2018

Agenda

Convergence of sequences

Bounded and monotonic sequence

Sequences

List the first five terms of the following sequences, where we assume a sequence starts at $n = 1$:

(a) $a_n = \frac{(-1)^n \sqrt{n}}{n! + 2}$

(b) $a_n =$ the n th prime number

(c) a_n is the number of edges of a regular n -gon

(d) $a_1 = 1, \quad a_{n+1} = \frac{a_n}{a_n + 2}$

(e) $a_1 = 1, \quad a_{n+1} = 1 + \frac{1}{1 + a_n}.$

The next term?

Guess a pattern for the following sequence and use it to come up with the next term.

$$\left\{ 0, \frac{1}{4}, -\frac{2}{8}, \frac{3}{16}, -\frac{4}{32}, \frac{5}{64}, \dots \right\}.$$

The limit of a sequence

Definition

We say that a sequence $\{a_n\}_{n=0}^{\infty}$ **converges** to the number $L \in \mathbb{R}$, denoted by

$$\lim_{n \rightarrow \infty} a_n = L$$

if for every $\varepsilon > 0$ there exists a natural number N such that whenever $n > N$ we have $|a_n - L| < \varepsilon$.

Exercise. From the definition of limit, show that

$$\lim_{n \rightarrow \infty} \frac{2n}{n+1} = 2.$$

Subsequences

Definition

A **subsequence** of a sequence $\{a_n\}$ to be a sequence of the form

$$a_{n_1}, a_{n_2}, a_{n_3}, \dots,$$

where the n_j are natural numbers with $n_1 < n_2 < n_3 < \dots$. We can denote a subsequence as $\{a_{n_k}\}_{k=1}^{\infty}$.

For example, a subsequence of $\{a_n\}_{n=1}^{\infty}$ is

$$a_1, a_3, a_5, a_7, a_9, \dots$$

Subsequences

Prove the following theorem

Theorem

Suppose that a sequence $\{a_n\}$ converges to L . Then any subsequence of $\{a_n\}$ also converges to L .

Exercise. Show that the sequences $(-1)^n$, $\sin(n)$ diverges.

As limit of a function

Prove the following theorem

Theorem

If $\lim_{x \rightarrow \infty} f(x) = L$ and $f(n) = a_n$ when $n \geq 1$ is an integer, then

$$\lim_{n \rightarrow \infty} a_n = L.$$

Evaluate the following limits

(a) $\lim_{n \rightarrow \infty} \frac{1}{n^r}$, where $r > 0$.

(b) $\lim_{n \rightarrow \infty} \frac{\sin(\ln n)}{n}$.

(c) $\lim_{n \rightarrow \infty} \frac{\ln^2 n}{n}$.

Limit of absolute values

Prove the following theorem

Theorem

Let $\{a_n\}$ be a sequence. Then

$$\lim_{n \rightarrow \infty} |a_n| = 0 \quad \text{if and only if} \quad \lim_{n \rightarrow \infty} a_n = 0.$$

Evaluate the following limit

- (a) $\lim_{n \rightarrow \infty} \frac{(-1)^n}{n+2}.$
- (b) $\lim_{n \rightarrow \infty} \frac{(-1)^n n^2}{e^n}.$

Composition of limits

Prove the following theorem

Theorem

If $\lim_{n \rightarrow \infty} a_n = L$ and the function f is continuous at L , then

$$\lim_{n \rightarrow \infty} f(a_n) = f\left(\lim_{n \rightarrow \infty} a_n\right) = f(L).$$

Again one cannot remove the continuity condition. Consider the sequence $a_n = 1/n$ and

$$f(x) = \begin{cases} 0, & x \neq 0, \\ 1, & x = 0. \end{cases}$$

Then

$$\lim_{n \rightarrow \infty} f(a_n) = 0 \neq f\left(\lim_{n \rightarrow \infty} a_n\right) = f(0) = 1.$$

Composition of limits

Evaluate the following limits

(a) $\lim_{n \rightarrow \infty} e^{-1/\sqrt[3]{n}}.$

(b) $\lim_{n \rightarrow \infty} \sin\left(\frac{\pi n + 1}{2n}\right).$

(c) $\lim_{n \rightarrow \infty} \arctan\left(\frac{n^2 + 1}{n^2 + 4}\right)$

(d) $\lim_{n \rightarrow \infty} \sqrt[n]{n}.$

Limit laws

Evaluate the following limits

- (a) $\lim_{n \rightarrow \infty} \sqrt{\frac{1 + 3n^2}{2 + n^2}}.$
- (b) $\lim_{n \rightarrow \infty} \frac{\arctan n}{n}.$
- (c) $\lim_{n \rightarrow \infty} (n - \sqrt{n+1}\sqrt{n+2}).$
- (d) $\lim_{n \rightarrow \infty} \frac{(-1)^n \sqrt{n} \cos(n^{n^n})}{n+1}.$

Bounded and monotonic sequence

Definition

A sequence $\{a_n\}$ is called

- (a) **increasing** if $a_n < a_{n+1} \forall n$,
- (b) **decreasing** if $a_n > a_{n+1} \forall n$,
- (c) **monotonic** if it is either increasing or decreasing,
- (d) **bounded above** if there exists a number M such that $a_n \leq M \forall n$,
- (e) **bounded below** if there exists a number m such that $a_n \geq m \forall n$,
- (f) **bounded** if it is both bounded below and above.

Bounded and monotonic sequence

(a) Show that the following sequence

$$a_n = 2 - 3ne^{-n}, \quad n \geq 1$$

is increasing and bounded.

(b) Consider the following sequence

$$a_1 = \sqrt{2}, \quad a_{n+1} = \sqrt{2 + a_n}.$$

Show that $\{a_n\}$ is increasing and bounded above by 3.

Next Class: Monday February 12

Watch videos 11.6, 11.7, 11.8 in [Playlist 11](#).