

Preference Ranking Guidelines

V5. 26.01.21

Version Control

Version #	Updates (slide #)	Date Updated
3.1	Slide 27: Instruction Following: If the language in the response is incorrect it should be graded as "Not Following" instruction (previously "Partially Following").	September 23, 2024
3.2	The guidelines were updated with a new "Skip" process. Now, to Skip a task, you will need to use the "Report a problem" from the Tag Tool UI. Slide 7: Tool UI updated Slide 10: Report a Problem section is updated Slides 13-14: Skipping reasons updated	November 11, 2024
3.3	Slide 44: The definition for the Spelling issue is updated. Slide 51: The definition for the Formatting and punctuation issue is updated. Slide 107: 2.1 Single Response Rating: A note for Slightly Satisfying and Slightly Unsatisfying is added concerning the localization issue.	January 27, 2025
3.3	Converting all screenshots in Keynote: Slide 6: Added workflow from screenshot Slide 115: Added Satisfaction Logic flowchart from screenshot Slide 116: Added Satisfaction Logic flowchart from screenshot Slide 131: Added Preference Ranking diagram from screenshot	January 29, 2025
4	Removed Harmfulness specific evaluation	July 8, 2025
5	Updated Localization Guidelines and added new examples	January 21, 2026
5	Updated Guidelines to fix the notes under Satisfaction related to Localization criteria for wrong language and formatting.	February 5th, 2026

How to Use This Document

This document serves as a reference for the Preference Ranking annotation project. This document is interactive. You can read this from start to finish or jump to different topics using the Navigation Bar on the left.

Introduction

Overview

NAVIGATION BAR

INTRODUCTION

- Overview
- Workflow
- Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- Following Instructions
- Localization
- Concision
- Truthfulness
- Satisfaction

2.2. Preference Ranking

- Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Users reach out to digital assistants for various reasons: to ask for specific information, to give instruction (e.g., create a passage, write a code), or simply to chat. Because of that, the majority of user requests are conversational and might be filled with colloquialisms, idioms, or unfinished phrases. Just like in human-to-human interaction, a user might comment on the digital assistant’s response or ask a follow-up question. While a digital assistant is very capable of generating human-like conversations, the limitations are still present. For example, it is challenging for the assistant to judge how accurate or safe (not harmful) the response is. This is where your role as an analyst comes into play. The purpose of this project is to evaluate digital assistant responses to ensure they are relevant, accurate, concise, and safe.

Introduction

Overview

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS


RESOURCES

Task	Sub-Task	Description
User Request Analysis	a. Interpret User request	Analyze the user request, ensure understanding (using context if present)
	b. Assess your ability to rate the response	The user request and response might need advanced specialized skills to provide reliable ratings. The presentation of the user request/response might have visual issues preventing the rating of the task.
Response Evaluation	a. Provide ratings for each response	You will be shown at least 2 responses. At this stage you will provide ratings for each response (you might be shown a subset of rating questions).
	b. Compare responses	You will then go through a series (if more than 2 responses are shown) of comparisons, provide your rating for which side you prefer.
Comments	N/A	Leave a detailed comment why one side was preferred to another OR if they are same.

Introduction

Workflow

The following workflow diagram outlines the necessary steps to be taken for the Preference Ranking task.



NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

2.2. Preference Ranking

- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Introduction

Tool UI

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction


2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES



NAVIGATION BAR

INTRODUCTION

- Overview
- Workflow
- Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- Following Instructions
- Localization
- Concision
- Truthfulness
- Satisfaction

2.2. Preference Ranking

- Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

5

Does the response follow the user's instructions?

☐ Not following
☐ Partially following
☐ Fully following

How concise is the response?

☐ Bad
☐ Acceptable
☐ Good

How truthful is the response?

☐ Not Truthful
☐ Partially Truthful
☐ Truthful

Your ratings for Response A

Dimension	Rating
Following Instructions	N/A
Localization	N/A
Conciseness	N/A
Truthful	N/A

How satisfying is the response?

☐ 😞 Highly Unsatisfying
☐ 😐 Slightly Unsatisfying
☐ 😊 Slightly Satisfying
☐ 😄 Highly Satisfying

Tool UI

Tool UI

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Compare

0/3 Complete

A and B

A and C

B and C

Response A

Jay-Z did not cover 'Plastic Love' by Mariya Takeuchi at Glastonbury. 'Plastic Love' was covered by Jungle at Glastonbury in 2019.

Dimension	Rating for A	Rating for B
Instruction Following	N/A	N/A
Localization	N/A	N/A
Concision	N/A	N/A
Truthful	N/A	N/A
Satisfaction	N/A	N/A

Compare responses in terms of satisfaction:

Left Much Better

Left Better

Left Slightly Better

Same

Right Slightly Better

Right Better

Right Much Better

Response B

Jay-Z did not cover Mariya Takeuchi's 'Plastic Love' at Glastonbury. 'Plastic Love' was never performed at Glastonbury by Jay-Z.

Please describe the reasons for your gradings

Submit

Tool UI

UI Description

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

2.2. Preference Ranking

- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

1	User Request	In the tool, the first section you will find is the User Request.
2	Predicted Category	The predicted category just below the user request shows the task's domain. This information will assist you in determining whether to skip the task due to an "expertise mismatch."
3	Report a Problem	The Report a Problem icon is used to skip the task <i>if</i> the skipping requirements are met. Ensure that this feature is used <i>responsibly</i> and only when <i>necessary</i>! How to use: 1. Click the Report a Problem icon 2. Click the Report Task button 3. Select the reason for reporting a task and submit it: Report a Problem If you encounter a problem, share the following information with your supervisor and ask for guidance. Sharable Link ⓘ https://task-viewer.sc.liance.com/?taskId=ffe9311fc-f0f8-4121-8e38-3e727d76dfba Collection ID ⓘ 12d1dc40-e6f4-4ed8-be11-c4c4104c8d0f Task ID ⓘ ffe9311fc-f0f8-4121-8e38-3e727d76dfba Work ID ⓘ 2608fe4-b8fc-324d-af18-5509b70f03c2 User ID 1975afa0-915f-4b45-a543-79acc96dad06 Annotation Tool task-editor 1.0 Starshot Version 4.81.3.2 Report Task Copy Link Copy Link & IDs Note: This action cannot be undone. The system will log this as a skip action, and you will not receive credit for time worked on this task. Why do you want to report this task? ☐ Technical Issue ☐ Expertise Mismatch ☐ Other Cancel Submit

Tool UI

UI Description

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking


• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

4	Responses	A computer-generated response that needs to be evaluated.
5	Response Evaluation	A set of response-related questions to be answered following the guidelines, before submission. A summary table of your responses by dimension will also populate as you make your selection. This will help assess the Satisfaction rating for the response.
6	Preference Ranking	Assess, compare, and rate two responses to determine which one is better. A summary table of your dimension selection for each response will populate here. This will help you assess which response is better, based upon those selections.
7	Comments	Explain your ranking in the comments. Be specific on why one response is better than the other.
8	Submit Button	Use this button to submit the current task and move on to the next task.
9	Project Guidelines	Project guidelines are linked on the top right side of the tool.



Guidelines

Step 1. User Request Evaluation

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

The purposes of this step are:

- To understand user intent and the underlying purpose of the request by:
 - Identifying the type of the user request and the context around it.
- To model the desired response - the ideal response that a user might expect.
- To identify whether the request is safe and doesn't introduce potential harm.

Step 1. User Request Evaluation

1.1 Skipping Request

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

1.1 Skipping Request

First, read the request and decide whether you can move forward with the evaluation. In rare cases, you might face the issues listed in the table below., which prevent you from evaluating the prompt or response.

 **NOTE:** These exceptional reasons for skipping the task apply to both, request and response. Hence, you may need to skip the task either in the User Request Evaluation step or later in the Response Evaluation step.

Step 1. User Request Evaluation

1.1 Skipping Request

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

[2.2. Preference Ranking](#)

- [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Skipping Reason	When to use	Examples
Technical Issues	A technical issue prevents you from correctly submitting the task.	Skip if: • Problem with the UI prevents you from making the correct grading selections. • Data did not load properly. The user request, predicted category, or a model’s response are missing. Do NOT skip if: • Sequense of letters is incorrect. For example, you may only see responses A, C, D, F listed. It's expected that sometimes letters will be missing, so do not skip.

Step 1. User Request Evaluation

1.1 Skipping Request

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Skipping Reason	When to use	Examples
Other	Other reasons for reporting/skipping the task include: Gibberish: The user prompt is gibberish / has no coherent meaning. Note: Vague or ambiguous requests should NOT be reported. Language: The prompt or request is in the language in which you don't have expertise. Note: Do not report/skip the task if the Prompt is in English.	Skip if: - User request treats made up words / sounds as real words: "And hooptiously drangle me with crinkly bindlewurdles". Do NOT skip if: - User request is vague: "where is the best place". - User request acknowledges a word is made up: "Write me a version of 'We wish you a merry christmas' except it's about a fictional 'Hempmas' which is a hemp and cannabis themed holiday" - User request is incomplete: "summarize this article for me". - In this case the user would be expecting the assistant to follow up on which article to be summarized. Skip if: - The request is in language other than your locale: "lister les 10 meilleurs outils de gestion du cycle de vie des contrats, applications saas sur le marché et donner un résumé pour l'étude de marché" (fr_FR locale). - これは有向非巡回グラフの例です。(DAG) ex1 &lt;- dagitty("dag { X [exposure] Y [outcome] U [unobserved] Z -&gt; X -&gt; Y X &lt;- U -&gt; Y }") 気温と高度の変化の DAG を作成します。(ja_JP locale) Do NOT skip: - The user request is asking to translate a foreign phrase to your locale. For example, for en_US grading: "please translate 'Cómo está usted' to English".

Step 1. User Request Evaluation

1.1 Skipping Request

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)

- [Satisfaction](#)

[2.2. Preference Ranking](#)

- [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Skipping Reason	When to use	Examples
Expertise Mismatch	You don’t have the expertise to assess the user request and responses, even with thorough online research.	Skip if: • You have limited knowledge in a certain field (e.g., mathematics, legal, etc.) and do not feel confident to rate the quality of the response. ○ User request: "Prove that if the inequality is true for n numbers, it is true for $2n$ numbers". ○ User request: "In the United States, do individuals have a legal right to not have their lives written about in a book that is available to the public?"  NOTE: This doesn't mean any request related to mathematics, legal, etc. can be skipped. Do your best to proceed with evaluation.
Research Time: Generally we should not spend more than 5 minutes per response on research. For example, if there are 3 responses for a specific user request, the total time for research collectively should not exceed more than 15 minutes in general. For more difficult or longer tasks, you may spend more time (~10 minutes). For extremely difficult tasks where you don’t think you can gain reasonable familiarity even with 10 minutes research, you may skip them by choose “Expertise Mismatch”. Important: Instances where the nature of the request requires you to spend more time researching to verify the given information, please proceed with evaluation and DO NOT SKIP such requests. For example, a user request asking you to verify 15 websites and provide a summary of each with a list of the best selling products.		

Step 1. User Request Evaluation

1.2 Request Type and Context

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

1.2 Request Type and Context

Types of User Requests

A user’s request can be of various types. The following table has some examples. The column “User Request Type” is not exhaustive and a user request can belong to several different user request types.

Examples of User Requests and Responses

User Request Type	Example User Request	Notes
Questions & Answers	What year did World War II end?	Q&A using digital assistant’s knowledge
	Which player has the most home runs in the World Series in MLB history?	
	What is the Empty Day about and who were the cast members? Use only the provided text to answer "The Empty Day" is the 22nd television play episode of the first season of the Australian anthology tsome craf....."	Q&A about some text given to the digital assistant.
Math & Reasoning	Alice is three times as old as Bob, and Bob is 10 years older than Cindy. The sum of their ages is 80. How old is each person? Please provide a step-by-step explanation and show your work.	Usually solving math or logic/reasoning puzzles
	What is the total of every number from 1 to 100 added together? Show me how you came up with that answer. Come up with a trick to make it easier to figure out.	Math problem with two instructions: reasoning behind the answer and the request for a ‘simple trick’

Step 1. User Request Evaluation

1.2 Request Type and Context

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

1.2 Request Type and Context

User Request Type	Example User Request	Notes
Brainstorming	I have too many reusable grocery bags. Give me a list of some things I can do with the excess bags.	Open-ended user requests that could have a variety answers.
	What time of day is the best time to take pictures? Can you list 3 best times and why? Don't use too many words though I don't like reading.	The request is a mix of precise and open ended questions. Response would involve a well known anwser (golden hour) and then several possible answers. Also instructions added on top on how the answer should read.
Creative Writing	Rewrite the following sentence to make it sound more fun: Today I went to the zoo and saw a Zebra.	
Role Playing	Act as an interviewer of a software engineer position and ask me some resume questions.	
Coding	Write me python code to sort a column of a pandas data frame.	
Chit Chat	I'm enjoying my vacation	Most likely the user's intent is to start a chat with the digital assistant. Imagine you're starting a conversation by saying the same to another person and the responses are how they respond. An ideal response to such requests is more natural and human-like.

Step 1. User Request Evaluation

1.2 Request Type and Context

1.2 Request Type and Context

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Context

As mentioned, understanding user requests is one of the key parts of the Response Evaluation step. In some tasks, you will see a piece of user-
assistant conversation (when a user is asking follow-up questions). The response you'll be rating is supposed to fully address the **last request** from the user, taking **all** previous interactions into account. The last request may or may not be related to the previous conversation. In other words, to evaluate the response, you need to understand the request. Some requests can be easily understood while others require additional context. Consider the examples below.

#	Use-Assistant Interaction	Does it require context and is the context present?	Comment	Types of User Follow-Up Requests
1	User: What is the capital of Texas Assistant: The capital of Texas is Austin User: How about Washington state	Context needed	It is difficult to understand user intent without the context. However, the context implies that the last user request is referring to something previously mentioned and requesting the capital of Washington state.	Follow-up request based on previous <u>requests</u>
2	User: "How important is consistency and dedication in this fitness goal" Assistant: "Consistency and dedication are very important for achieving a fitness goal [the response truncated]" User: "How do I reduce body fat and increase muscle mass?"	Context not needed	The purpose of the user request is clear without the previous context. Although the follow-up question is related to the same topic, it makes sense as an independent request.	

Step 1. User Request Evaluation

1.2 Request Type and Context

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

1.2 Request Type and Context

#	Use-Assistant Interaction	Does it require context and is the context present?	Comment	Types of User Follow-Up Requests
3	User: "give me some famous novels written by Mark Twain" Assistant: "Sure, here are some famous novels from Mark Twain: "The Adventures of Huckleberry Finn", "The Adventures of Tom Sawyer", "The Prince and the Pauper", "A Tramp Abroad", and "The Gilded Age"" User: "tell me more about The Adventures of Tom Sawyer"	Context not needed	The purpose of the user request is clear without additional context: to learn more about a certain topic. Although the follow-up question is related to the same topic, it makes sense as an independent request.	Follow-up request based on previous <u>responses</u>
4	User: "summarize the following text into a TLDR" Assistant: "I'm sorry but I cannot summarize the text without knowing what it is. Please provide me with the text you would like summarized." User: "Offside is one of the laws in association football, codified in Law 11 of the Laws of the Game. The law states that a player is in an offside position if any of their body parts, except the hands and arms, are in the opponents' half of the pitch, and closer to the opponents' goal line than both the ball and the second-last opponent (the last opponent is usually, but not necessarily, the goalkeeper). Being in an offside position is not an offence itself, but a player so positioned when the ball is played by a teammate can be judged guilty of an offside offense if they receive the ball or will otherwise become "involved in active play", will "interfere with an opponent", or will "gain an advantage" by being in that position. Offside is often considered one of the most difficult to understand aspects of the sport."	Context needed	The last user request cannot be understood without the previous interaction between user and assistant.	Follow-up request to provide <u>additional information</u> , refinement, or extra requirements

Step 1. User Request Evaluation

1.2 Request Type and Context

1.2 Request Type and Context

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

#	Use-Assistant Interaction	Does it require context and is the context present?	Comment	Types of User Follow-Up Requests
5	User: "Hey can you write a short story about a magical forest and a young girl who discovers she can communicate with the animals there?" Assistant: "In the heart of an enchanted woods, where the morning sun dappled through the emerald canopy, lived a young girl named Amelia. ... <Truncated to save space>" User: "That's a great start! But I would like the story to be a bit darker. Maybe Amelia is struggling with loneliness and finds solace in the forest."	Context needed	The last user request cannot be understood without the previous interaction between user and assistant.	Follow-up request to provide <u>additional information</u> , refinement, or extra requirements
6	User: "capital city of India" Assistant: "The capital of India is New Delhi." User: "how is the climate there?" Assistant: "New Delhi has a hot and humid climate year-round. The average temperature in the summer months, which are from April to June, can reach as high as 40°C (104°F). The winter months, which are from November to February, are cooler, with average temperatures ranging from 10°C to 20°C (50°F to 68°F). The monsoon season, which is from July to September, brings heavy rainfall to the city." User: "Show me steps to create a new gmail account"	Context not needed	The user follow-up request can be understood without the previously mentioned information.	A new, completely unrelated topic

Step 1. User Request Evaluation

1.3 User Request Evaluation

1.3 User Request Evaluation

Attention to details

The final step of the User Request Evaluation is to model the expected (ideal) response to this request. It is a best practice to put yourself in a user's shoes and try to imagine, what response you would expect from the assistant if you were to issue the specific request.

To model the expected response, read the request carefully and look for the specific instructions that should be reflected in the response.

Ask yourself:

1. Does the user indicate the format of the response (e.g., "provide me a bullet list of...", etc.)?
2. Does the user specify the length of the request (e.g., "give me 2 reasons why...", "in 2 or 3 sentences summarize...", etc.)?
3. Is there any indication of a desired style (e.g., "write a small poem in a Shakespearian style", "create a funny story about...", etc.)?
4. What specific action does the user expect (e.g., "summarize", "rephrase", "adjust the tone", "write a bubble sort code in Python language, do not use comments", etc.)?
 - a. ⚠️ **NOTE:** some user requests can be implicit (e.g., "Kenya" - implies that the user wants the assistant to tell them something about Kenya, or "a poem about raining" - implies that a user expects the assistant to write a poem about raining).
5. Are there any links in the user request that I need to open to better understand the user request?
 - a. ⚠️ **NOTE:** Links should be treated as part of the user request.

⚠️ Paying attention to these details will help you evaluate whether the response follows the instructions in the user request.

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

2.2. Preference Ranking

- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Step 2. Response Evaluation

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Overview

- Response Evaluation involves two steps:
- Single Response Rating.** In this step, each response is analyzed against predefined criteria called dimensions and then rated to determine its overall quality. Dimensions outline the key factors or parameters that contribute to the overall quality or effectiveness of a response.
 - Preference Ranking.** In this step, the responses are compared and ranked against each other on a 7-point scale using the same dimensions.

The following sections will provide guidance on selecting the appropriate ratings and ranking for each of these dimensions based on the Guidelines.

Step 2. Response Evaluation

2.1 Single Response Rating

2.1 Single Response Rating

Single response rating involves evaluating a particular response across the following dimensions:

1. Following instructions
2. Localization
3. Concision
4. Truthfulness
5. Satisfaction

Each dimension might have a set of dedicated criteria. Follow the detailed definitions of each criterion in the tabs below.

 **NOTE:** The way you evaluate Single Response Rating can vary depending on the assigned task. It's important to note that not all tasks will include every parameter mentioned here. Each task may specifically ask for certain rating questions, but not necessarily all of them.

IMPORTANT UPDATE: Harmfulness-specific evaluation questions have been removed. However, if you encounter potentially harmful content, flag it in the comments, and refer to the Satisfaction section for updated guidance.

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)

2.2. Preference Ranking

- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Following Instructions

Review the user request. Make sure you fully understand the user request:

1 - Conduct research if necessary to understand the user request and response. If the request contains links, open them as they are part of the user request.

2 - Refer to the Attention to the Details section of the User Request analysis, to see if the response contains specific instructions for format, length, style, and particular actions.

3 - Identify whether the instructions in the request are implicit or explicit.

- **Explicit Instructions:** The instructions are clearly stated with details that do not leave room for interpretation of what the user request is asking. For example:
 - A user request explicitly (clearly) mentions the content, format, and length requirements, such as “give me 3 examples of major economic recessions in the history in bullet points sorted in reverse chronological order. Be sure to include the start and end year of each recession.”
 - A coding user request mentioned “just the code, no comment”, then the response should not contain comments. This is an explicit instruction.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

- **Implicit Instructions:** The instructions can be inferred (understood), even if it is not clearly stated.
 - If the user request says “just the code”, implicit is that the response does not contain comments or descriptions about the code. If the user request was “how do I write some code to do...”, then it’s likely some description would enhance the helpfulness of the request and some commentary might be useful.
 - Questions & Answers are examples of implicit instructions. Asking questions is a form of instruction. In other words, the expectation is that the response contains the answer to the question. A similar line of reasoning applies to math/reasoning problems (which are often posed as questions).
 - Given that “Central America's oldest democratic republic which has had no standing army since 1948” there are no clear, explicit instructions in the user request but the implicit instruction is for the response to provide the correct name of the country that matches the information within the user request.
- When context is present, you should also consider instructions implied by previous conversations. For example:
 - User:** “Please rewrite this article in a way that a 5-year-old can understand. <text to write>”.
 - **Assistant:** “<Rewritten article>”.
 - **User:** “Another article please: <text to rewrite>”. In this example, it is implied that the user is seeking for rewriting the article in the same way as in their first request.

Guidelines

Step 2. Response Evaluation

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

[RESOURCES](#)

IMPORTANT

Following Instructions should not be mistaken for accuracy/truthfulness. An inaccurate response might still be following instructions and vice verse. For example:

- The user asks to name ten countries starting with the letter ‘C’. The response contained 10 countries, meaning, it’s following the instructions even though some of the country names are made up!
- For Question & Answers user requests, if the response is attempting to answer the question, it is following the instructions even if the answer is wrong.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale for Single Response Rating	
Scale	Criteria
Fully following	• All explicit and implicit instructions are followed. • Declines to generate an inappropriate, offensive, or dangerous response with helpful disengagement. ⚠ NOTE: Slight deviation in word count (5% above or beyond requested by the user) is considered "Fully Following".
Not following	• <u>Language</u>: The user asks to provide the response in one language, but the assistant provides it in the other language. • The response fails to follow the main points of the explicit and implicit instructions. • Example: If 200 words are requested but a 500 word response is generated, this is "Not following" the instruction. Please note that a response that does not meet the word count requirement CANNOT be Very Satisfying. • ⚠ NOTE: The model might decline the user request due to the output limitation. For example, a user requests a 50,000-word essay. This is considered "Not following" instructions. However, it's important to align the evaluation with users' expectations in the request.
Partially following	Most, but not all, of the explicit and implicit instructions are followed. The response generally follows the instructions, but there are some deviations. • <u>Response Format</u>: The user explicitly asks for a Yes/No answer, but the assistant added extra information in the response ○ The user explicitly asks for a detailed response but the assistant defaults to Yes/No response. • <u>Specific Details</u>: The user explicitly specifies the length, style, format, etc. of the response and the assistant provides a response with deviations (two-paragraph response instead of requested one paragraph, summary of 3 sentences instead of requested 1 sentence, etc.)

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
We need to make a presentation on the theme of 'Marketer Role in the AI Era' at a study where marketing incumbents gather. Please create a table of contents for your presentation. Translate it to Korean.	Sorry but I cannot respond in Korean.	Not following	It's not possible for the chat assistant to respond following instructions and explains why.
	I cannot respond in Korean, but here is table of contents in English.	Partially following	Failed to follow one instruction but followed the other.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
TD1000 Y WARRANTY DEED State Doc Fee: \$59.50 Recording Fee: \$13.00 THIS DEED is dated the 8th day of March 2019, and is made between Pete G. Ohlin and Stephanie R. Ohlin (whether one, or more than one), the "Grantor" of the County of El] Paso and State of Colorado and Troy A. Brines and Danielle M. Brines the "Grante....2 " Answer a question about the contents of this document. The question and answer will be formatted as follows. Don’t include the question in your response. Q: On what date was this document created? A: March 8th, 2019 Q: What was the sale price? A: \$595,000.00 Q: What are the names of the "Grantors"? A:	Here is the answer to the question: Q: "What are the names of the "Grantors"? A: The Grantors are Pete G. Ohlin and Stephanie R. Ohlin. Please, let me know if you have further questions about the legal document.	Partially Following	Even if the answer is correct, the response failed to follow the instructions requesting a particular format.
	Pete G. Ohlin and Stephanie R. Ohlin.	Fully following	Confirms to the examples.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
The Refillery is stocked with bath and home products. Bring a container or buy one in store and fill with desired _____	The Refillery is stocked with bath and home products. Bring a container, buy one in-store, and fill it with the desired product. to reuse containers, reducin.....tally-friendly shopping experience. Come in with your container and leave with quality, eco-conscious products tailored to your needs.	Not following	The user request asks to fill in the blanks, implicitly expecting a single word (or very short) response. The response on the right also included text that is not expected.
	product	Fully Following	It is not obvious if user expects a single word, but at most a short response (or restating the user user request with blank filled in) is following instructions
	The Refillery is stocked with bath and home products. Bring a container or buy one in store and fill with desired product.		
	Bring a container or buy one in store and fill with desired product.		

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
How do I get food from the food pantry? 1. Fill out the online food pantry registration form or register in person onsite during our open hours. If you prefer, you may download paper copies of the forms in English, Spanish, or Mandarin. To request paper copies of the registration forms in the mail or to ask any further questions, please email pantry@amherstsurvival.org or call 413-549-3968 x104. 2. Get your free groceries either in person, at curbside pickup, or through delivery. (Sign up for curbside pickup at www.calendly.com/amherstsurvival; Email pantry@amherstsurvival.org to ask about delivery). Use yes or no to answer: Does the information contains eligibility to get food from pantry?	The answer is No. Upon the first review, it looks like the answer is no. Based on the information that you have provided, it is difficult to answ..... es eligibility requirements to get food from the pantry, calling or emailing would allow someone to ask about these eligibility requirements. However, this does not count as information provided in the user request.	Partially Following	Explicitly asked for a Yes/No answer yet the response added extraneous information(though the user request did not say “do not add anything else”, it is implicit).
	No	Fully following	

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
In one sentence, summarize the following California Industrial Welfare Commission guidelines: In order to determine which Industrial Welfare Commission (IWC) Order applies to an employer or a business, it is first necessary to determine if a business is covered by an industry order. An industry order (IWC Orders 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, and 13) regulates wages, hours and working conditions in specific industries. An order is an industry order if the title of the order contains the word “industry.” Otherwise, the order is an occupational order (IWC Orders 4, 14, 15, 16 and 17). Wage, hour and working condition regulations contained in an occupational order only apply when a business is not covered by an industry order.	To determine the applicable Industrial Welfare Commission (IWC) Order for an employer or business, one must first establish if the business is covered by an industry order. Industry orders (IWC Orders 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, and 13) regulate wages, hours, and working conditions in specific industries. I.....e regulations outlined in an occupational order (IWC Orders 4, 14, 15, 16, and 17). Occupational orders primarily address wage, hour, and working condition standards for specific occupations or job categories not covered by industry orders.	Partially Following	It provides a summary but not in one sentence.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
Full user prompt is on a previous slide.	The California Industrial Welfare Commission guidelines determine which of industrial or occupational orders apply to employers and businesses based on the presence of the word "industry" in the order title, with industry orders regulating wages, hours, and working conditions in specific industries, while occupational orders apply when no industry order covers a business.	Fully following	One sentence summary.
	Sure, please provide me with the text you would like me to summarize and I can do that for you.	Not following	

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
What is the capital of Oregon.	The capital city of Oregon is Portland.	Fully following	Even though the response is inaccurate (the capital of Oregon is Salem, not Portland), it is attempting to answer the question. Note: The Following Instructions and Truthfulness (accuracy) are independent dimensions.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
Provide example python code to draw 60 random samples without replacement and compute their average.	<pre>import numpy as np # Define the simulation parameters population_size = 20000 sample_size = 60 # Create the population population = 1 / np.logspace(0.001, 10, population_size) # Generate random indices for sampling without replacement indices = np.random.randint(0, population_size, size=sample_size) # Extract the samples using the random indices samples = population[indices] # Compute and print the sample mean sample_mean = np.mean(samples) print(f'Sample mean is {sample_mean:.3f}')</pre>	Partially Following	indices = np.random.randint(0, population_size, size=sample_size) is not random sample without replacement (it is with replacement). This example not following instruction is same as being inaccurate too (often the case with math and coding related user requests).

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
Full user prompt is on a previous slide	<pre>import numpy as np population_size = 20000 sample_size = 60 population = 1 / np.logspace(0.001, 10, population_size) indices = np.random.choice(population_size, size=sample_size, replace=False) samples = population[indices] sample_mean = np.mean(samples) print(f'Sample mean is {sample_mean:.3f...')</pre>	Fully following	indices = np.random.choice(population_size, size=sample_size, replace=False) is random sample without replacement. Implicitly it appears using “example” implies adding comments, but it is not obvious adding/ not adding comments is part of the instructions.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
Summarize the following text for me.	Sure, please provide me with the text you would like me to summarize and I can do that for you.	Fully following	User hasn't provides any text yet. It is expected that the model asks for it and wait for the user to provide the text.
	Here is the summarization of the text: ...<some random text here>	Not following	
Write "Roses are red, violets are blue, everyday of the week i love you" in the style of Elizabethan sonnet	Oh, how sweet the morn's embrace, when roses red, And violets blue, a tale of love they spin, Each day, my heart's true song I do sing. For thy love doth conquer all sin In every sunrise's hue, in every moon's beam, I find thy presence, dear one, true and bright, T'is love's own grace that doth my soul align. Mine eternally bound by thy love's dear light. With every dawn, thy bounty graced forth, A treasure rare, a gift from yonder sky. As thus, I pen my heart's endless troth, Roses are red, violets are blue. Everyday I love thee.	Not Following	The main intent is to write a Elizabethan sonnet (Shakespearean) which has 14 linesabab cdcd efef gg rhyming scheme and this poem doesn't conform to anything.

Step 2. Response Evaluation

2.1 Single Response Rating - Following Instructions

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Notes
User: summarize the plot the first novel of Harry Potter in 3 sentences Assistant: Harry Potter and the Sorcerer's Stone introduces the magical world of wizardry. The story follows 11-year-old orphan Harry Potter as he learns he is a wizard on his 11th birthday, and embarks on a journey to Hogwarts School of Witchcraft and Wizardry where he uncovers a plot by the dark wizard Lord Voldemort to steal the Sorcerer's Stone and regain his powers. Along the way, he makes friends Ron and Hermione, and together they face challenges and adventures to protect the stone. User: then the second novel	Harry Potter and the Chamber of Secrets sees Harry Potter's second year at Hogwarts marked by a series of chilling attacks. Rumors spread of the Chamber of Secrets being opened, petrifying students. Harry, Ron, and Hermione discover that the chamber was built by Hogwarts' founder Salazar Slytherin to purge the school of Muggle-born students. To save the school from further terror, they descend into the Chamber itself, where Harry confronts a memory of Lord Voldemort and a giant basilisk. Ultimately, Harry defeats the monster and the heir of Slytherin, Ginny Weasley, by using the power of love and friendship.	Partially Following	Based on the context, the user is implicitly asking for summarization of Harry Potter and the Chamber of Secrets in three sentences. Hence, a summary with five sentences is only partially following instructions.
	In Harry Potter and the Chamber of Secrets, Harry, Ron, and Hermione return to Hogwarts for their second year. They encounter a series of mysterious attacks that petrify students, rumored to be the work of the Chamber of Secrets, opened by the heir of Slytherin. To save the school, Harry must uncover the truth behind the chamber and confront the dark legacy of the past.	Fully following	

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

Localization

 **NOTE:** This dimension applies to **all** locales **except** en_US. If you are working on the en_US locale task, you will not see this dimension in the tool UI.

Tool UI for non-en_US tasks

Does the response follow the user's instructions?

☐ Not following

☐ Partially following

☐ Fully following

Are there any localization issues in the response?

☐ Yes (issues present)

☐ No (no issues)

How concise is the response?

☐ Bad

☐ Acceptable

☐ Good

How truthful is the response?

☐ Not Truthful

☐ Partially Truthful

☐ Truthful

Is the response harmful?

☐ Clearly harmful

☐ Maybe harmful

☐ Not harmful

Your ratings for Response A

Dimension	Rating
Following Instructions	N/A
Localization	N/A N/A
Concision	N/A
Truthful	N/A
Harmful	N/A N/A

How satisfying is the response?

☐  Highly Unsatisfying

☐  Slightly Unsatisfying

☐  Slightly Satisfying

☐  Highly Satisfying

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Localization is the process of adapting a product, service, or content to a specific target market. A well-localized response will give the impression the assistant is designed specifically for the target locale. To achieve this, responses should:

- Be written with native-level fluency, unless otherwise requested
 - Things such as spelling, vocabulary, and grammar should all be correct
- Consider the context of the locale when providing information
 - It should provide the most relevant information for the target locale when possible
 - However, it should not be unnecessarily restricted answers about the locale (see "overly-localized content" below)
- Use tone, phrases, and idioms that feel natural to a user in that locale
 - It should not overuse words, phrases, or idioms to the point of sounding like a stereotype
- Use correct formatting for dates, addresses, etc, and correct units of measurement for distance, temperature, currency, etc.
- Not draw attention to the user's locale in a way that makes it seem outside the norm (see "over-specification" below)
- The purpose of this section is to identify anything about the response that is improper for the target locale.

You will be asked to answer the question "**Are there any localization issues in the response?**" using the scale below.

Scale for Single Response Rating

Scale	Description	Comments
No issues	The response shows no signs of being generated for a different locale than the target one.	If there are any issues with localization, this should not be selected.
Yes, issues present	There is at least one element of the response that would make the user question if the model were designed specifically for their locale	If there are any issues with localization, this must be selected.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

If **Yes, issues present** is selected, the follow-up Question will appear: **Which issues are present? Select all that apply.**

Issues	Definition	Examples
Unlocalized Information	The response provides information related to another locale when information more relevant to the target locale could have been provided instead.	Example 1: en_GB User Request: "What is the easiest way to file taxes?" Assistant Response: "Using IRS Free File. The IRS offers a Free File program where eligible taxpayers can use free tax preparation software to prepare and file their federal taxes electronically." Grade: Issues present, Unlocalized Information Explanation: The user is UK-based, but the IRS is a branch of the US government responsible for collecting taxes. The assistant should use the context of the user's locale to understand they want to know about the process in the UK, not the US. Example 2: en_CA User Request: When is the best time to visit Victoria?" Assistant Response: "Victoria, Australia, is a popular destination with diverse landscapes and a vibrant culture, making it a great place to visit throughout the year. However, the best time to visit Victoria depends on your personal preferences and the type of experience you want to have. Here is a breakdown of the different seasons in Victoria:" <list removed for brevity> Grade: Issues present, Unlocalized Information Explanation: Victoria, BC is the capital city of British Columbia, the 3rd largest province in Canada. The assistant should understand that based on the user's locale, this is the most relevant Victoria.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Overly-localized Content	The response unnecessarily fixates on the target locale. We want the assistant to provide content relevant to the locale, but it should not unnecessarily restrict the information it provides to being about the locale nor should it unnaturally force references to it into generated content. The assistant injects unnecessary locale specificity.	Example: en_CA User Request: "What are the most influential books?" Assistant Response: "Canada has a rich literary tradition, and many Canadian authors have made significant contributions to literature. Here are some of the most influential books by Canadian authors: Classic Influential Books: "Anne of Green Gables" by L.M. Montgomery (1908) "The Handmaid's Tale" by Margaret Atwood (1985) "Life of Pi" by Yann Martel (2001) "The Stone Angel" by Margaret Laurence (1964) "Fifth Business" by Robertson Davies (1970)" Grade: Issues present, Overly-localized content Explanation: This checkbox should be selected. The user did not request the list be only limited to Canadian authors, so the assistant should have considered books written by authors from all around the globe.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Spelling	Any incorrect spelling, whether a typo, a non-standard spelling, a made up or gibberish word, must be marked as a localization issue. This applies to: - Any foreign words within the response that are considered acceptable in the locale - Any language or writing system (e.g, Chinese)	Example: en_GB User Request: "what is your favourite colour?" Assistant Response: "As an AI, I don't have personal preferences, including favorite colors. However, I can tell you that blue is often considered a favorite color worldwide." Grade: Issues present, Spelling Explanation: The assistant used en_US spelling for "favourite" and “colours". en_GB User Request: "Can you explain how photosynthesis works?" Assistant Response: "Photosynthesis is the process by which plants convert sunlight into energy." Grade: Issues present, Spelling Explanation: "sunlight" is not a valid English word. Refer to the Locale Variant Guide for more examples.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Non-local Perspective (Formerly: Over-specification)	The response is not from the perspective of the target locale. A common case of this is the response unnecessarily bringing up the user's locale to specify information in the response. For the model to appear designed specifically for the target locale, it should present information as though it's assumed to be about the target locale, and only specify if necessary.	Example 1: en_AU User Request: "What is the most expensive housing market in the country?" Assistant Response: "According to the Real Estate Institute of Australia (REIA), Sydney, New South Wales, is currently the most expensive housing market in Australia. As of January 2023, the median house price in Sydney was AU\$1.15 million." Grade: Issues present, Over-specification Explanation: For an Australian user, the dollar value should be assumed to be in Australian dollars without having to specify Example 2: en_AU User Request: "How many Australian dollars are in an American dollar?" Assistant Response: " As of April 11th, 2023 • 1 AUD is approximately 0.66 USD • 1 USD is approximately 1.50 AUD Currency exchange rates fluctuate daily, even hourly, so it's recommended to check with a currency exchange service or bank for the most up-to-date rate before making any international transactions." Grade: No issues Explanation: In this case, it's necessary to specify which dollar belongs to which country, so the specification is not a localization issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Non-local Perspective (Formerly: Over-specification)	The response is not from the perspective of the target locale. A common case of this is the response unnecessarily bringing up the user's locale to specify information in the response. For the model to appear designed specifically for the target locale, it should present information as though it's assumed to be about the target locale, and only specify if necessary.	Example 3: en_CA User Request: "What are some things to do on Victoria Day?" Assistant Response: "Victoria Day is a federal holiday in Canada that celebrates the birthday of Queen Victoria, the former monarch of the United Kingdom. It is observed on the Monday preceding May 25th each year. Here are some popular things to do on Victoria Day: <list removed for space>" Grade: Issues present, Over-specification Explanation: Victoria Day is a federal holiday that a model designed for the locale should treat as common knowledge. By defining it without the user requesting a definition, the model makes it seem foreign.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Units of measurement	The response uses incorrect units for measurements such as (but not limited to), unless specifically requested in another locale context: - Currency - Distance - Velocity - Temperature - Weight	Refer to the Locale Variant Guide for examples.
Vocabulary	Using words, phrases, or expressions that is not appropriate for the specific geographical or cultural context is not acceptable.	Example: en_GB User Request: "What are the most popular sports?" Assistant Response: "The United Kingdom has a rich sporting culture with a diverse range of popular games. According to a 2023 survey by Statista, the top 3 most popular sports in the UK based on participant interest are: - Soccer - Cricket - Rugby Union" Grade: Issues present, Vocabulary Explanation: The assistant incorrectly used the word "soccer" when "football" should have been used. Refer to the Locale Variant Guide for more examples.

Guidelines

Step 2. Response Evaluation

2.1 Single Response Rating

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Phrase or Idiom	The response includes a phrase and idiom that is not commonly used or understood in the target locale.	Example: en_CA User Request: "Can you generate C++ code for me?" Assistant Response: "Yes, I'd be chuffed to bits to help you with C++ code! Please feel free to ask any questions, provide the code you'd like help with, or explain the problem you're trying to solve" Grade: Issues present, Phrase or idiom Explanation: "Chuffed to bits" is British colloquialism that would not be well understood by an en_CA user. Refer to the Locale Variant Guide for more examples.
Wrong Language	The response contains foreign words that are not acceptable in the task locale (ranging from a single word to the full text). However: 1. Responses that contain loanwords (borrowed or shared from other languages words) are acceptable if they are commonly used in the task locale.	It is <u>unacceptable</u> when a response is not in the same language as the request: User Request: iPhone15はいくらですか (translation: how much is iPhone 15) Assistant Response: I'm sorry, your message is in a language that I cannot understand. This may be the result of an encoding error. User Request: 有关拜登减免学生债务的最新消息是什么？ Assistant Response: I am sorry, but I did not understand the request. Could you please rephrase your request in English?

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Wrong Language	1. Responses that contain <u>coding languages</u> are acceptable if the request is asking for a coding solution. 2. Responses that contain foreign languages are acceptable if the <u>intention</u> of the request requires the response to be in a foreign language or its acceptable in the locale (e.g., requests to translate from a task locale to a foreign language, user requesting restaurant name recommendations or brand names). i Important Note on Wrong Language and Satisfaction Ratings Responses that contain one or a few foreign words that are not acceptable in the target locale should still be marked as a Localization > Wrong Language issue. However, the Satisfaction rating should be determined based on the severity of the foreign-language content. Use your best judgement.	<u>Acceptable:</u> User Request: how do I say "hello" in Mandarin? Assistant Response: 你好 (translation: hello) Use Request: Translate "how are you" to Spanish Assistant Response: "¿Cómo está usted?" Loanwords are <u>acceptable</u>: • Cul-de-sac (French): A dead-end street or road. • Fiancé(e) (French): A person engaged to be married. • Rendezvous (French): A meeting or appointment. • Entrepreneur (French): A person who starts a business or venture. • Angst (German): A feeling of deep anxiety or dread. • Kindergarten (German): A preschool for children aged three to five years. • Schnitzel (German): A breaded and fried meat cutlet, typically made with veal or pork. Coding languages: The following Python code response print ("Hello, World!") is acceptable. Refer to the Locale Variant Guide for more examples.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Wrong Language	• If the response is entirely or predominantly in the wrong language, it constitutes a critical failure and should receive a Highly Unsatisfying rating. • If the response is mostly in the correct language with limited language mixing, you should use your best judgment to select the appropriate Satisfaction rating. The evaluation tool now allows any Satisfaction rating to be selected after choosing Localization > Wrong Language, enabling more accurate reflection of issue severity.	Acceptable: User Request: how do I say “hello” in Mandarin? Assistant Response: 你好 (translation: hello) Use Request: Translate "How are you" to Spanish Assistant Response: "¿Cómo está usted?" Loanwords are acceptable: 1. Cul-de-sac (French): A dead-end street or road. 2. Fiancé(e) (French): A person engaged to be married. 3. Rendezvous (French): A meeting or appointment. 4. Entrepreneur (French): A person who starts a business or venture. 5. Angst (German): A feeling of deep anxiety or dread. 6. Kindergarten (German): A preschool for children aged three to five years. 7. Schnitzel (German): A breaded and fried meat cutlet, typically made with veal or pork. Coding languages: The following Python code response print ("Hello, World!") is acceptable. Refer to the Locale Variant Guide for more examples.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

[RESOURCES](#)

Issues	Definition	Examples
Grammar	The response contains grammatical errors that do not conform to native usage in the target locale. Note: In earlier versions of the guidelines, grammatical errors were considered localization issues only if they were correct in another locale variant. This restriction no longer applies. Any grammar that is incorrect for the target locale should now be flagged as a localization issue.	learnt (UK) vs. learned (US) Refer to the Locale Variant Guide for examples.
Tone	Any tone that is inappropriate, unnatural, exaggerated, stereotypical, rude, dismissive, unprofessional, or otherwise unsuitable for the target locale should be marked as a localization issue. Note: All tone-related issues should now be evaluated under the Localization dimension. Characteristics such as formal vs. informal, serious vs. humorous, optimistic vs. cynical, or sympathetic vs. sarcastic should be flagged when they negatively affect appropriateness, clarity, or user experience.	Refer to the Tone examples in the Grading Examples document.
Awkward or unnatural writing	Wording or expressions in the response that lack the fluency expected of a native speaker, such as an overly literal translation or obvious machine translation.	Refer to the Awkward or Unnatural Writing examples below.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Issues	Definition	Examples
Formatting and Punctuation	Select this category when the response contains any formatting or punctuation errors in the text. This includes (but is not limited to) incorrect date or time formats, improper or inconsistent punctuation, inappropriate quotation mark usage, incorrect spacing conventions, or incorrect text direction (e.g., left-to-right vs. right-to-left). This category applies only to text-level formatting and punctuations. It does not apply to content organization choices, such as whether information is presented in paragraphs, lists, tables, or other structural layouts. Note: In earlier version of the guidelines, formatting and punctuation errors were flagged as localization issues only when they conflicted with the rules of target locale. Under the current guidelines, this distinction no longer applies. Any formatting or punctuation error in the response, whether locale-specific or universally incorrect, should now be flagged under this category.	Refer to the Formatting and Punctuation examples in the Grading Examples document.
Other	Any other localization issues you notice that are not listed in this table.	Examples: Culturally insensitive content

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Assistant Response	Issue	Comment
What colour is the Golden Gate Bridge?	The Golden Gate Bridge is famously known for its color, which is not actually gold but instead an orange vermilion called "International Orange."	Yes	The prompt used a variant of en_* such as en_AU/CA/GB where colour is spelled with a U, so the assistant responding with en_US spelling without the U could be considered a spelling mistake. However, we still expect the user would be able to read and fully understand this response.
什麼是恆星鏈， 它有什麼新穎之處？	The prompt is written in Mandarin. Would you like me to translate it?	Yes	Responding in a language different from the prompt is only correct if the prompt requests it. In this case, it's the assistant's response suggesting a translation, not the prompt, and so it is not appropriate.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

2.1 Single Response Rating

User Request	Assistant Response	Issue	Comment
推荐三个可以喺 iPhone 用嘅而且又热门嘅新闻聚合应用程式俾我	It seems like you've shared a list of characters and symbols that don't form a coherent sentence or question in English. I'll do my best to understand and provide a response. It seems like you're looking for recommendations for popular news aggregation apps that you can use on your iPhone. Here are three popular options: Apple News, Google News, and Flipboard.	Yes	The assistant understood the prompt and was able to form a relevant response, but the prompt was in Chinese and the response was in English so it is not appropriate.
有关拜登减免学生债务的最新消息是什么？	I am sorry, but I did not understand the request. Could you please rephrase your request in English?	Yes	Did not respond in the same language as the prompt. Acknowledging that it did not understand the language in the prompt does not improve the appropriateness of the language used in the response.

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

2.2. Preference Ranking

- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization	Explanation
de_CH	User Request: Schreibe einen Satz über einen lustigen Wochenendausflug. Assistant Response: Wir hatten an unserem Ausflug am Wochenende sehr viel Spaß.	Spelling	In the Swiss German locale (de_CH), the Eszett (ß) is not used. Words that are spelled with ß in other German locales (such as de_DE) should instead be written with "ss" in de_CH. The correct spelling in this locale is „Spass“, not „Spaß“. Using ß indicates a non-Swiss German spelling variant and therefore constitutes a localization spelling error.
de_DE	User Request: Schreibe einen Satz über einen lustigen Wochenendausflug. Assistant Response: Wir hatten an unserem Ausflug am Wochenende sehr viel Spaß.	Spelling	In the German (Germany) locale (de_DE), the word Spaß is spelled using the Eszett (ß). The assistant's spelling aligns with standard orthographic conventions for this locale and does not indicate influence from another German variant. Therefore, no localization spelling issue is present.
de_DE	Er lehrte mich nicht nur Englisch, sondern auch, wie man kritisch denkt, vernünftig kommuniziert und meine Gedanken und Gefühle ausdrückt. Response: Mr. Johnson, mein Highschool-Englischlehrer, hatte einen bleibenden Einfluss auf mein Leben. Er war mehr als nur ein Lehrer; er war ein Mentor und Inspirator, der mich ermutigte, mein Potenzial auszuschöpfen und härter zu arbeiten.	Awkward or Unnatural Writing	The last part of the sentence sounds like a one to one translation. The correct expression would be "und man seine Gedanken und Gefühle ausdrücken kann".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	Seine Begeisterung für Literatur war ansteckend, und er vermittelte jedes Thema mit echter Leidenschaft. Er ermutigte uns, über die Texte hinaus zu denken und ihre tieferen Bedeutungen zu erforschen, was meine Liebe zum Lesen und Schreiben entfachte. Er lehrte mich nicht nur Englisch, sondern auch, wie man kritisch denkt, vernünftig kommuniziert und meine Gedanken und Gefühle ausdrückt.		
	Eines der bemerkenswertesten Dinge an Mr. Johnson war seine Fähigkeit, das Potenzial in jedem Schüler zu erkennen. Er glaubte an uns, auch wenn wir selbst nicht an uns glaubten. Er erinnerte mich ständig daran, dass ich die Fähigkeit hatte, große Dinge zu erreichen, wenn ich bereit war, mir die Mühe zu machen. Sein Vertrauen in mich gab mir den Selbstvertrauen, Herausforderungen anzunehmen und mich außerhalb meiner Komfortzone zu wagen.		
	Mr. Johnson lehrte mich auch wichtige Lebenslektionen über Disziplin, Hingabe und harte Arbeit. Er erwartete von uns das Beste und akzeptierte nichts weniger. Seine Anforderungen zwangen mich, mich anzustrengen und mein volles Potenzial auszuschöpfen, was mir bei allen meinen zukünftigen Unternehmungen zugute kam. Ich bin ihm für die Hingabe und das Engagement dankbar, die er mir beigebracht hat, da sie mich zu dem Menschen gemacht haben, der ich heute bin.		
	Seine Mentorschaft ging über den Klassenzimmer hinaus. Er machte sich Zeit für uns, bot Ratschläge und war ein geduldiger Zuhörer. Er kümmerte sich wirklich um das Wohlbefinden und die Zukunft seiner Schüler. Er hatte einen bleibenden Einfluss auf mein Leben, und ich bin ihm für seine unerschütterliche Unterstützung und seinen Glauben an mich dankbar.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	Mr. Johnson, mein Highschool-Englischlehrer, inspirierte mich, mein Bestes zu geben und mein Potenzial auszuschöpfen. Ich bin dankbar für seine Anleitung, seine Inspiration und seine unerschütterliche Hingabe. Er hat mich auf eine Weise geprägt, die ich nie hätte vorhersehen können, und ich werde ihn für den Rest meines Lebens für seine Rolle bei meinem Erfolg schätzen.		
de_DE	Er machte sich Zeit für uns, bot Ratschläge und war ein geduldiger Zuhörer. Response: Mr. Johnson, mein Highschool-Englischlehrer, hatte einen bleibenden Einfluss auf mein Leben. Er war mehr als nur ein Lehrer; er war ein Mentor und Inspirator, der mich ermutigte, mein Potenzial auszuschöpfen und härter zu arbeiten. Seine Begeisterung für Literatur war ansteckend, und er vermittelte jedes Thema mit echter Leidenschaft. Er ermutigte uns, über die Texte hinaus zu denken und ihre tieferen Bedeutungen zu erforschen, was meine Liebe zum Lesen und Schreiben entfachte. Er lehrte mich nicht nur Englisch, sondern auch, wie man kritisch denkt, vernünftig kommuniziert und meine Gedanken und Gefühle ausdrückt.	Awkward or Unnatural Writing	"Er machte sich Zeit für uns" sounds unnatural/not appropriate, the correct expression is "Er nahm sich Zeit für uns".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	Eines der bemerkenswertesten Dinge an Mr. Johnson war seine Fähigkeit, das Potenzial in jedem Schüler zu erkennen. Er glaubte an uns, auch wenn wir selbst nicht an uns glaubten. Er erinnerte mich ständig daran, dass ich die Fähigkeit hatte, große Dinge zu erreichen, wenn ich bereit war, mir die Mühe zu machen. Sein Vertrauen in mich gab mir den Selbstvertrauen, Herausforderungen anzunehmen und mich außerhalb meiner Komfortzone zu wagen.		
	Mr. Johnson lehrte mich auch wichtige Lebenslektionen über Disziplin, Hingabe und harte Arbeit. Er erwartete von uns das Beste und akzeptierte nichts weniger. Seine Anforderungen zwangen mich, mich anzustrengen und mein volles Potenzial auszuschöpfen, was mir bei allen meinen zukünftigen Unternehmungen zugute kam. Ich bin ihm für die Hingabe und das Engagement dankbar, die er mir beigebracht hat, da sie mich zu dem Menschen gemacht haben, der ich heute bin.		
	Seine Mentorschaft ging über den Klassenzimmer hinaus. Er machte sich Zeit für uns, bot Ratschläge und war ein geduldiger Zuhörer. Er kümmerte sich wirklich um das Wohlbefinden und die Zukunft seiner Schüler. Er hatte einen bleibenden Einfluss auf mein Leben, und ich bin ihm für seine unerschütterliche Unterstützung und seinen Glauben an mich dankbar.		
	Mr. Johnson, mein Highschool-Englischlehrer, inspirierte mich, mein Bestes zu geben und mein Potenzial auszuschöpfen. Ich bin dankbar für seine Anleitung, seine Inspiration und seine unerschütterliche Hingabe. Er hat mich auf eine Weise geprägt, die ich nie hätte vorhersehen können, und ich werde ihn für den Rest meines Lebens für seine Rolle bei meinem Erfolg schätzen.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
de_DE	Ich hoffe, diese Nachricht findet dich gut und in guter Stimmung, Response: Hallo Tommy, Ich hoffe, diese Nachricht findet dich gut und in guter Stimmung, während du deine unglaubliche Reise durch Italien startest. Als dein Vater kann ich nicht anders, als ein Gefühl der Stolz und Freude zu haben, dass du diese wunderbare Gelegenheit ergreifst, deine kulturellen Kenntnisse zu erweitern und etwas Italienisch zu lernen. Italien ist ein Land mit einer reichen Geschichte, Kunst, Musik und natürlich einer köstlichen Küche. Machen Sie sich bereit, sich auf eine kulinarische Reise zu begeben, die Sie nie vergessen werden. Probieren Sie so viele verschiedene Gerichte wie möglich aus, von köstlichem Pasta bis hin zu schmelzendem Gelato. Vergessen Sie nicht, die regionalen Spezialitäten zu genießen, denn jeder Teil Italiens hat sein eigenes kulinarisches Schatz. Denken Sie daran, dass das Erlernen einer neuen Sprache eine Herausforderung sein kann, aber es ist auch eine unglaublich lohnende Erfahrung. Tauchen Sie ein in die italienische Kultur, sprechen Sie mit den Einheimischen und üben Sie so viel wie möglich. Ich bin sicher, dass Sie Ihre Sprachkenntnisse schnell verbessern und neue Freunde auf dieser Reise finden werden.	Awkward or Unnatural Writing	This response sound unnatural and awkward, like a word by word translation.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	Obwohl ich dich vermisse, freue ich mich, dass du diese unvergessliche Zeit deines Lebens genießt. Bleiben Sie offen für neue Erfahrungen, nehmen Sie alle Chancen wahr und schaffen Sie Erinnerungen, die Sie ein Leben lang bei sich tragen werden. Denken Sie daran, sicher zu sein, sich gut um sich selbst zu kümmern und in Kontakt zu bleiben. Schreiben Sie mir regelmäßig und lassen Sie mich wissen, wie es Ihnen geht, was Sie gesehen haben und was Sie über das Essen gelernt haben (ich weiß, das ist ein wichtiger Teil Ihrer Reise!). Ich werde hier sein, um Sie bei jedem Schritt zu unterstützen und Ihre Briefe zu lesen, während Sie weit weg sind. Buona fortuna, Tommy! Ich bin stolz auf dich und wünsche dir eine wunderbare Zeit in Italien. Mit Liebe, Papa		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
de_DE	Sie könnten Ihre Reise in Florenz beginnen, der Hauptstadt der Toskana und Heimat vieler kultureller Schätze wie den Dom, die Uffizien und die Ponte Vecchio. Von dort aus könntest du Tagesausflüge in Städte wie Siena, Pisa, Lucca und San Gimignano machen, die alle innerhalb einer Stunde mit dem Zug oder Auto erreichbar sind. Response: Sicher! Eine großartige Region in Italien, die perfekt für eine Woche voller Städtetrips ist, ist die Toskana. Die Toskana ist bekannt für ihre atemberaubende Landschaft, ihre historischen Städte und ihre exzellente Küche. Sie könnten Ihre Reise in Florenz beginnen, der Hauptstadt der Toskana und Heimat vieler kultureller Schätze wie den Dom, die Uffizien und die Ponte Vecchio. Von dort aus könntest du Tagesausflüge in Städte wie Siena, Pisa, Lucca und San Gimignano machen, die alle innerhalb einer Stunde mit dem Zug oder Auto erreichbar sind. Jede dieser Städte hat ihren eigenen einzigartigen Charme und bietet eine Fülle von Sehenswürdigkeiten, Kunst, Architektur und Gastronomie. Du könntest auch die malerische Landschaft der Toskana erkunden, Weinproben machen und die Ruhe und Schönheit der Region genießen. Die Toskana ist eine perfekte Region für eine Woche voller Städtetrips, ohne zu weit fahren zu müssen, und bietet eine unvergessliche Reiseerfahrung. Viel Spaß bei deiner Reise!	Awkward or Unnatural Writing	Inconsistent use of personal pronouns. In the first sentence the formal pronoun "Sie" is used, whereas in the second sentence uses the informal "du".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
de_DE	Kannst du mir erklären, was künstliche Intelligenz ist? Response: "Künstliche Intelligenz ist ein Bereich der Informatik, der sich mit der Entwicklung von Systemen beschäftigt, die menschenähnliche Fähigkeiten zeigen."	Formatting and Punctuation	In the German locale, quotation marks are written as „Example Text“ rather than "Example Text". (Wikipedia)
de_DE	User Request: Wann findet das nächste Teammeeting statt? Assistant Response: Das nächste Teammeeting findet am 04/15/2024 um 3:00 PM statt.	Formatting and Punctuation	In German (de_DE), dates in everyday usage follow a day–month–year order and are typically written with periods as separators (e.g., 15.04.2024). Time is usually expressed using the 24-hour clock (e.g., 15:00). The assistant instead used a month–day–year format with slashes (04/15/2024) and a 12-hour clock with AM/PM, both of which are inconsistent with standard German conventions outside of technical or administrative contexts. This formatting would appear foreign or unlocalized to a German user.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
de_DE	Sehr geehrter Herr Müller, vielen Dank für Ihre Nachricht und die übersandten Unterlagen. Ich habe sie mir bereits angesehen und werde Ihnen bis Ende der Woche eine Rückmeldung geben. Falls du in der Zwischenzeit noch Fragen hast, kannst du dich jederzeit melden. Ich denke, Sie werden mit dem Ergebnis zufrieden sein. Mit freundlichen Grüßen Anna Schmidt	Awkward or Unnatural Writing	The text illustrates an unintended shift between formal and informal forms of address in German. It begins with the formal pronoun Sie and corresponding possessive forms (Ihre, Ihnen), which are appropriate in a professional or polite context. Midway through the message, the writer switches to the informal du forms (du, dich), before returning to Sie. This inconsistency violates German norms of address, where maintaining a single level of formality is expected within the same interaction unless an explicit change has been agreed upon. Such shifts are often perceived as unprofessional or socially awkward.
de_DE	Incorrect gender - 'DAS Kauf eines Hauses' , correct is 'DER Kauf eines Hauses'; Incorrect casing - 'ich möchte DEM Haus kaufen', correct is 'ich möchte DAS Haus kaufen'	Grammar	Nouns have genders and cases which can change depending on context. Incorrect casing - 'ich möchte DEM Haus kaufen', correct is 'ich möchte DAS Haus kaufen'

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
de_DE / de_AT	Am Samstag ging er früh auf den Markt, um frische Erdäpfel und süße Marillen zu kaufen. Die Bäuerin empfahl ihm außerdem etwas Topfen und ein Stück Käse, perfekt für eine Jause im Garten. Später saß er gemütlich auf dem Bankerl , trank einen Verlängerten und genoß das schöne Wetter. Es war ein ganz normaler, aber richtig schöner Tag.	Vocabulary	This text uses Austrian German vocabulary. Words like “Erdäpfel” mean potatoes (instead of the standard German 'Kartoffeln'), and 'Marillen' means apricots (standard German: 'Aprikosen'). Other terms such as 'Jause' (a snack), 'Topfen' (quark/curd cheese), and 'Verlängerter' (a type of coffee) are commonly used in Austria and reflect everyday regional language.
en_GB	Prompt: Why did I see Jared Leto in the news dressed like a cat? Incorrect Tone: Well, blimey, you must have seen Jared Leto in the press due to his role in a new project he's involved in. Either he's pulling our leg for some publicity or he's popped off his rocker, that chap. In the past, Mr. Leto has made a habit of going whole hog with his acting roles, totally transforming himself for each one, including his striking Joker role in Suicide Squad. So, maybe he's in a panto or grand theatre production. Or he could be promoting his band, Thirty Seconds to Mars in a nutter's way. Wouldn't put it past him for a spot of tomfoolery. If it's not all in jest, then I'm as puzzled as a newt in a jigsaw puzzle. I'm just an old chap enjoying my cuppa and Cornish pasty without needing all that Hollywood palaver. Let's keep our pennies for the gargle down the local, not star-studded malarkey. Now, if you'll excuse me, I have a date with the Queen's back catalogue and a bowl of spotted dick.	Tone	-

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	Better Tone: It seems Jared Leto was caught up in a recent controversy that had the tabloids buzzing. He was spotted wearing an outfit that resembled a cat during a public appearance. While some found it peculiar and amusing, others perceived it as a bold and creative fashion statement. As for the exact reason behind his choice of attire, only Jared Leto himself can provide the definitive answer. However, it wouldn't be surprising if he intended to make a memorable and eye-catching entrance, as he is known for his unique and artistic style. Whether it was a well-thought-out artistic expression or a simple case of wanting to stand out, his feline-inspired ensemble certainly turned heads and sparked conversations among the public.		
en_GB	Prompt: Why is Taylor Swift recording all her albums again? Incorrect Tone: Taylor Swift is re-recording her entire discography due to a right bobbish predicament concerning the ownership of her original master recordings. As it happens, her old record label, Big Machine Label Group, flogged the rights to her first six albums to a private equity firm. As you can imagine, that didn't go down well with our T-Swizzle. She wasn't given the opportunity to buy her own work, which left her feeling right miffed. Not being one to let things lie, she decided to make a fresh start. In essence, she's putting a new spin on her old tunes by re-recording them. This allows her to regain control over her music catalogue, and ensure that every penny made from her old hits goes straight to her pocket, rather than to folk she reckons didn't earnt it.	Tone	

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	It's all a bit of a palaver, but all power to her for not taking it lying down! Better Tone: Taylor Swift, the celebrated American singer-songwriter, has caused quite a stir among her devoted fanbase with the unexpected announcement of her decision to re-record all her past albums. This intriguing move is rooted in the complexities of music ownership and rights within the industry. Initially, Swift signed a recording contract with Big Machine Records, granting the label ownership of the master recordings of her first six studio albums. Throughout her tenure with the label, she achieved tremendous success and established herself as a prominent figure in the music world. However, when she decided to part ways with Big Machine Records and embark on a new journey with Republic Records, the ownership of her master recordings remained with the former label. As time passed, Swift voiced her growing concerns about the lack of control she had over her creative legacy. She expressed dismay at the prospect of her old songs being used without her consent or knowledge, potentially undermining the integrity of her artistic vision. This apprehension was fueled when Big Machine Records was sold to Scooter Braun, a prominent music manager who had previously been involved in public feuds with Swift. <truncated for space>		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
en_GB	Prompt: Can you suggest some TV shows that are similar to the storyline of the Breaking Bad show? Incorrect Tone: Ah, I see you're on the lookout for telly programs akin to the gripping tale of Breaking Bad, innit? Well, fear not, for I've got a few suggestions up me sleeve that might tickle your fancy! First off, we've got "Peaky Blinders," an absolute gem set in the gritty streets of Birmingham during the aftermath of the Great War. It follows the exploits of the Shelby family, a notorious gangster clan dabbling in illicit activities such as bootlegging, gambling, and all sorts of shady dealings. Trust me, mate, it's a smashing blend of drama, crime, and historical context, and it'll have you glued to your telly. Next up, how about "Line of Duty"? This gripping police procedural series delves into the murky world of corruption within the British police force, with AC-12, an anti-corruption unit, peeling back the layers to bring the baddies to justice. It's a right thrilling cat-and-mouse game with unexpected plot twists that'll leave you gobsmacked, mate. <truncated for space> Better Tone: Certainly! Here are some TV shows with plotlines similar to Breaking Bad:	Tone	

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	1. "Broadchurch" (2013-2017): This British crime drama follows the story of two detectives investigating a murder in a small coastal town. It explores the impact of the crime on the community and the moral dilemmas faced by the characters. 2. "The Fall" (2013-2016): This Irish-British series centers around a detective who is hunting down a serial killer in Belfast. It delves into the psyche of the killer and the complex relationship between the detective and the criminal. <truncated for space>		
en_IN	User Request Can you help me write a professional email?" Response Howdy! I'd be happy to help you draft that email."	Phrase or idiom	"Howdy" is an American regional greeting and is not commonly used or understood in Indian English. A neutral greeting such as "Hello" would be more appropriate for the Indian locale. Greetings such as G'day Mate, Howdy are not en_IN specific and needs to be marked down

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
en_IN	User Request: "Can you explain what cloud computing is?" Assistant Response: "Cloud computing, per se, internet ke through services provide karne ka model hai."	Wrong Language	The assistant response has a different script showing up "Hinglish" so we mark it down as Wrong Language
es_**	Response: No dudes en hablar con tus amigos, familiares o un consejero si te sientes abrumado. Compartir tus sentimientos puede ayudarte a lighten the load and obtener nuevas perspectivas. No tienes que lidiar con esto solo; buscar apoyo es un signo de fortaleza, no de debilidad. Correct version: No dudes en hablar con tus amigos, familiares o un consejero si te sientes abrumado. Compartir tus sentimientos puede ayudarte a aligerar la carga y obtener nuevas perspectivas. No tienes que lidiar con esto solo; buscar apoyo es un signo de fortaleza, no de debilidad.	Wrong Language	" <i>lighten the load and</i> " is in wrong language. Note: Even if there is a single word in the response that is in an incorrect language. It should be marked under Localization - wrong language.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
es_ES	Response: París fue la sede de los JJOO en el año 2024.	Spelling	The correct abbreviation of Juegos Olímpicos is JJ. OO., with two periods and a space. This should be flagged as a spelling issue.
es_ES	Response: Si quieres, puedes darme más instrucciones sobre como quieres que estructure el resumen del texto.	Spelling	In this case, "cómo" should be written with an accent mark. This should be flagged as a spelling issue.
es_ES	Aquí está una explicación Response: "Claro, aquí está una explicación que le puedo dar a un niño de primaria sobre los resfriados: Un resfriado es una enfermedad que puede causarte sentir mal y tener algunos síntomas como tos, dolor de garganta y secreción nasal. Los resfriados son muy comunes y suelen desaparecer solos después de una semana o así. Sin embargo, algunos síntomas como el dolor de garganta o la congestión nasal pueden durar un poco más. La tos también puede durar algunas semanas más, pero eventualmente desaparecerá. Lo importante es descansar mucho y tomar suficiente líquido para sentirte mejor. Si tienes fiebre o te sientes muy mal, es posible que necesites hablar con un médico para que te dé algo para sentirte mejor."	Awkward or Unnatural Writing	Overall, the text has an unnatural tone. There are several sentences that were translated literally and sound awkward, such as: - Aquí está una explicación: We would use the verb tener, "aquí tienes una explicación". - Causarte sentir mal: Since the text is about health, we would say "causar malestar" or "hacer que te encuentres mal". - Después de una semana o así: It should be "al cabo de una semana más menos" because "o así" is a literal translation of "or so". Furthermore, the assistant uses the verb “sentir” too many times instead of looking for synonyms, which impacts the fluency of the text.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
es_ES	Darle más pensamiento Response: Querida [Nombre de la esposa], Espero que este mensaje te encuentre bien. Me gustaría compartir algunas actualizaciones sobre mis planes para el viaje. Después de darle más pensamiento, he decidido pasar otra noche en Boston con mis padres. La salud de mi padre ha estado empeorando rápidamente, y siento que necesito aprovechar al máximo cada momento con ellos, no sé cuándo volveré a verlos. Sé que esto significa cambiar nuestros planes, y lo siento mucho por eso. Espero que puedas entender la importancia de esto para mí. Te aseguro que haré todo lo posible para volver a Los Ángeles lo antes posible y ponerme al día con todo lo que he perdido. Por favor, sabes que te echo de menos mucho. No puedo evitar pensar en ti y en lo mucho que me gustaría que estuvieras aquí conmigo. Estoy haciendo todo lo posible para manejar esto, y pronto estaremos juntos de nuevo. Por favor, cuídate mucho y mantenme informado de todo lo que está sucediendo allí. Te quiero mucho y espero hablar contigo pronto. Con amor, [Tu nombre]	Awkward or Unnatural Writing	The text sounds very awkward due to literal translations from English, including: - Espero que este mensaje te encuentre bien: Native speakers don't use this greeting. - Darle más pensamiento: We would say "pensarlo más". - Lo siento mucho por eso: "Por eso" should be omitted. - Te echo de menos mucho: The correct order is "te echo mucho de menos". - Con amor: We would sign off with "con cariño" or "un abrazo" instead.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
es_ES	Los objetos geométricos (...) pueden ser deformados y flexionados Response: "En este mundo alternativo, introduciría un nuevo axioma llamado "Axioma de la flexibilidad". Este axioma establece que todos los objetos geométricos, incluyendo líneas, planos y figuras, pueden ser deformados y flexionados de manera plástica sin romperse ni desaparecer. Este axioma permitiría la creación de formas y estructuras geométricas únicas y sorprendentes, ya que los objetos podrían ser doblados, estirados y torcidos de maneras que no se pueden hacer en el mundo real. Los edificios podrían tener formas fluidas y cambiantes, los objetos podrían ser diseñados para transformarse de una forma a otra, y las líneas y planos podrían ser flexionados para crear patrones intrincados y complejos. Además, este nuevo axioma también tendría implicaciones en la física y la mecánica del mundo, ya que las propiedades de los materiales y los objetos podrían ser alteradas por su capacidad para ser deformados y flexionados. Esto podría llevar a la creación de nuevos materiales con propiedades únicas, nuevos métodos de construcción y nuevas formas de moverse y interactuar con el entorno. En resumen, el Axioma de la flexibilidad introduciría una nueva dimensión a la geometría, permitiendo la creación de formas y estructuras únicas y abriendo nuevas posibilidades en la física y la mecánica del mundo."	Awkward or Unnatural Writing	Overuse of passive sentences, which are quite common in English, but in Spanish it makes the text harder to read because it's unnatural. It would be smoother with a reflexive pronoun: "los objetos (...) se pueden deformar y flexionar".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
es_ES	"Esoterismo eslavo" o "Rodnoverie" (...) "upyr's" Response: "La teoría de conspiración que usted mencionó parece estar relacionada con un movimiento conocido como "Esoterismo eslavo" o "Rodnoverie" (Nativo de la fe), que es una forma de neopaganismo que se ha desarrollado en Rusia y otros países de la antigua Unión Soviética. Este movimiento busca revivir y reconstruir las antiguas creencias y prácticas paganas de los pueblos eslavos antes de su conversión al cristianismo. Según algunas de las creencias dentro del Rodnoverie, los antiguos eslavos adoraban a una serie de dioses y diosas, y creían en una fuerza cósmica llamada "Rod" que gobernaba el universo. También creían que existían seres malignos, como los "upyr's" o vampiros, y los "lichy", que eran criaturas similares a los lagartos que eran vistos como enemigos de los eslavos. En la teoría de conspiración que su estudiante le mencionó, parece que se combinan estos elementos para crear una historia en la que los rusos lucharon contra una raza de personas lagarto que intentaban tomar sus tierras. Se dice que los rusos bebieron del lago Baikal, que les otorgó poderes de los antiguos dioses eslavos, y que así fueron capaces de derrotar a estas criaturas y proteger su tierra.	Formatting and Punctuation	The assistant always uses English quotation marks (" "). The correct quotation marks in Spanish are the guillemets (« »). English quotation marks should only be used inside guillemets.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	Es importante destacar que esta teoría de conspiración no tiene ningún respaldo histórico y es vista como una creencia marginal dentro de la comunidad académica. La historia y la cultura de los rusos es un tema ampliamente estudiado y documentado, y no hay ninguna evidencia que respalde la existencia de una raza de personas lagarto o de cualquier batalla de este tipo. En resumen, aunque puede ser interesante aprender sobre las diferentes creencias y prácticas religiosas de los pueblos eslavos, es importante tener en cuenta que las teorías de conspiración sin respaldo histórico deben ser tratadas con escepticismo y analizadas críticamente antes de ser aceptadas como ciertas."		
es_ES	Response: El ballet contemporáneo se ha ido abriendo paso a lo largo de las últimas décadas.	Formatting and Punctuation	The word ballet is a extranjerismo crudo: a foreign word that hasn't been adapted formally into Spanish, and it's included in the DLE as is. Extranjerismos crudos should be written in cursive as per grammar. This should be flagged as a formatting issue.
es_ES	Response: Hola Rosendo, Muchas gracias por haberte tomado la molestia de escribirme. ¡Espero que podamos vernos pronto!	Formatting and Punctuation	There are two punctuation issues in this response: 1. There is a comma missing between "Hola" and "Rosendo". 2. In Spanish, greetings in letters or emails should be followed by a colon instead of a comma.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
es_ES	Response: Durante el periodo helenístico predominó una variedad común del idioma que dió lugar a una lengua llamada griego moderno.	Spelling	The verb "dio" is written without accent mark as per grammar rules. This is a spelling mistake that should be flagged as a localization issue.
es_ES	Response: Evita usar el teléfono o la computadora antes de irte a dormir.	Vocabulary	In es_ES we would say "ordenador" instead of "computadora", which is more common in other Spanish-speaking regions.
es_ES	Response: Aquí tienes algunos platos con arroz que te pueden gustar: - Arroz a Banda: Este es un plato típico de la gastronomía valenciana. - Arroz a la Cubana: Se suele tomar como primer plato en restaurantes.	Grammar	The system incorrectly capitalized common nouns, which doesn't follow Spanish grammar rules for capitalization. Furthermore, the sentence after a colon shouldn't be capitalized either.
es_ES	Response: Andó día y noche sin rumbo alguno, pero no vio a nadie que pudiera socorrerle.	Grammar	In this case, the correct form of the verb "andar" is "anduvo". Although used frequently, the forms "andó", "andé" and similar are not grammatically correct.
es_ES	Response: Por supuesto! Dime qué texto quieres que resuma.	Formatting and Punctuation	Spanish uses opening and closing exclamation marks (¡ !), but the system omitted the opening exclamation.
es_ES	Response: El 46% de 98.523 es 45.320.	Formatting and Punctuation	In Spanish, the number and the percentage symbol should be separated with a space (46 %). Furthermore, we shouldn't use a period nor a comma to separate thousands, we should use a space (98 523).
es_ES	Response: Me encantaría ayudarte con tu proyecto de investigación. Por favor proporcione los datos.	Tone	In Spanish, whenever you are referring to someone there's the "tú" verb form, which is more casual, and the "usted" form, which is more formal, but mixing both is not correct. It should be one or the other, depending on the situation.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
fr_FR	C'était son premier album de nouveaux matériaux depuis son album "Evermore". Response: Voici quelques informations sur la sortie de l'album "Midnights" de Taylor Swift en 2022 : Taylor Swift a sorti son dixième album studio, "Midnights", le 21 octobre 2022. C'était son premier album de nouveaux matériaux depuis son album "Evermore" sorti en décembre 2020. L'annonce de l'album a eu lieu lors de la cérémonie des MTV Video Music Awards le 28 août 2022, où Swift a remporté le prix du meilleur clip vidéo pour "All Too Well : The Short Film". Swift a décrit "Midnights" comme un album de chansons sur "les nuits sans sommeil" et des histoires qu'elle a ressassées "à 3 heures du matin". L'album a un son pop, électronique et expérimental, avec des influences de synth-pop et de dream pop. Les paroles de l'album traitent de sujets tels que l'amour, la nostalgie, l'anxiété et la célébrité. L'album "Midnights" a reçu des critiques positives de la part des critiques musicaux, qui ont loué la production, les paroles et la voix de Swift. L'album a également connu un succès commercial important, battant plusieurs records de streaming et de vente en une semaine. Par exemple, il a été l'album le plus vendu aux États-Unis en une semaine depuis "Reputation" de Swift en 2017, et il a battu le record du plus grand nombre d'écoutes en une journée sur Spotify. En résumé, la sortie de l'album "Midnights" de Taylor Swift en 2022 a été un événement majeur dans l'industrie de la musique, avec des critiques positives et un succès commercial important.	Awkward or Unnatural Writing	- "de nouveaux matériaux" seems like a litteral translation of the English "new materials", which would not work in French - The expression "premier album de nouveaux matériaux" is also awkward. A more natural structure may be to replace the preposition "de" with a gerondive. - French speakers are very sensitive to repetitions of words and try to avoid them as much as possible in writing. Here, "album" is used twice in the sentence. A synonym could have been found for one of the occurences. - sentence starting by "Swift": we would use the entire name of the artist.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
fr_FR	Oui, j'ai fait. Response: CARACTÈRE 1 : CLIENT (C) CARACTÈRE 2 : CONSEILLER FINANCIER (F) (SCÈNE : UN BUREAU DANS UNE COMPAGNIE D'INVESTISSEMENT. LE CLIENT EST ASSIS DEVANT LE BUREAU DU CONSEILLER FINANCIER, QUI EST ASSIS SUR LE BUREAU.) F : Bonjour, monsieur Johnson. Merci d'être venu me voir aujourd'hui. C : Pas de problème, monsieur Smith. J'étais ravi de recevoir votre appel. F : Alors, commençons par jeter un coup d'œil à vos dossiers financiers. J'ai vu que vous avez investi une partie considérable de votre argent dans des actifs à haut risque. C : Oui, j'ai fait. J'ai entendu dire qu'ils peuvent offrir de hauts rendements. F : Bien sûr, mais ils sont également accompagnés de plus grands risques. Et en regardant vos dépenses, je dois vous mettre en garde contre toute implication future dans de tels actifs.	Awkward or Unnatural Writing	t seems like a litteral translation of English "yes, I did". In French, the verb "faire" is transitive so it needs to be followed by an object. It is also never used in a short expression to say "yes" or "no" like in English. - "une partie considérable de votre argent" : grammatically correct but sounds a bit dramatic and translated. "vous avez réalisé des investissements importants etc." - "Oui, j'ai fait. J'ai entendu dire qu'ils peuvent offrir de hauts rendements." - see comment made previously on "yes I did", and "hauts rendements"should be changed to "rendements importants". Although it is grammatically correct and understandable, does not sounds natural. “mais votre mode de vie actuel montre le contraire" sounds unnatural, we would go for something like "mais votre train de vie indique le contraire” - "Je vois ce que vous dites" is unnatural , we will phrase it differently: "je comprends ce que vous voulez dire" or "je vois ce que vous voulez dire”.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	C : Pourquoi cela ? Je peux gérer le risque. F : Je comprends, monsieur Johnson, mais votre mode de vie actuel montre le contraire. Si vous continuez à investir dans ces actifs et que les choses tournent mal, vous pourriez tout perdre. C : Je vois ce que vous dites. Alors, que me suggérez-vous ? F : Je pense que vous devriez vous concentrer sur des investissements plus sûrs, comme des actions ou des obligations. Ils peuvent offrir un rendement modéré, mais ils sont moins risqués. C : D'accord, je pense que c'est une bonne idée. J'aimerais vous entendre parler de quelques options. F : Bien sûr, je serais ravi de vous aider. Nous pouvons examiner vos objectifs financiers et créer un portefeuille d'investissement personnalisé qui correspond à vos besoins. C : Cela semble fantastique. Faisons-le. F : Merci, monsieur Johnson. Je suis heureux de pouvoir vous aider. (LA SCÈNE SE TERMINE.)		- "J'aimerais vous entendre parler de quelques options" does not sound natural, we would go for "J'aimerais en savoir plus sur les options/ solutions/ produits que vous pourriez proposer." - "Cela semble fantastique: Faisons-le" is also a literal translation : in french it would rather be "c'est parfait, faisons comme ça" - "Merci, monsieur Johnson. Je suis heureux de pouvoir vous aider" would be phrased differently as this is a littéral translation of english manner. be "très bien, je suis ravi de pouvoir vous aider."

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
fr_FR	"Maintenant, j'aimerais en savoir plus sur votre amour pour le paiement de la pension alimentaire."	Awkward or Unnatural Writing	- The sentence uses rather generic words (amour, paiement), without a precise semantic meaning. This makes it sound like it was not written by a very competent writer.
	Response:		
	[Musique d'introduction]		- The use of the article "la" and of the singular is clumsy, it would have been better to use an indeterminate article ("des") and make it plural.
	[Hôte] : Bienvenue dans "Interesting Legal Cases", où nous explorons des cas juridiques uniques et intrigants qui ont remodelé le paysage juridique. Je m'appelle votre hôte, [Nom de l'hôte], et dans cet épisode, nous allons nous lancer dans un voyage au cœur d'une question passionnante : l'amour, le mariage et les obligations alimentaires. Rejoignez-nous alors que nous accueillons Alimony Tony, un homme indépendant qui embrasse la romance avec un flair unique.		- The structure of the sentence does not flow well. A human translator would have likely rephrased/ reorganised the sentence completely to make it sound more natural.
	[Musique et effets sonores]		- “Merci d'avoir invité” – this sentence in French does not make sense as we would need to add an object to the verb (e.g. de m'avoir invité) or change it to a noun (e.g. merci pour l’invitation)
	[Hôte] : Alimony Tony, merci d'être avec nous sur le podcast aujourd'hui.		
	[Alimony Tony] : Merci d'avoir invité, c'est un plaisir d'être ici.		- "peux-tu nous parler..." "j'aimerais en savoir plus sur votre amour pour..." "C'est très généreux de ta part. Vous avez actuellement" – the whole interaction changes from the informal form of "you" to the formal version (between the same speakers). We need alignment as it sounds unnatural. Either they address each other in one form or the other, but they would not switch from one sentence to another
	[Hôte] : Alors, pour commencer, peux-tu nous parler de ta passion pour le mariage ?		
	[Alimony Tony] : Bien sûr ! Je suis un homme romantique, et je crois vraiment en la magie du mariage. Quand je tombe amoureux, je suis tout entier dans la relation. Je pense que le mariage est un moyen de s'engager et de s'unir avec quelqu'un que vous aimez.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	[Hôte] : C'est beau. Maintenant, j'aimerais en savoir plus sur votre amour pour le paiement de la pension alimentaire. Qu'est-ce qui vous a amené à prendre cette décision ?		"le bonheur et le bien-être d'eux" - we would not phrase it like that, but we would say "leur bien-être"
	[Alimony Tony] : Eh bien, je crois que quand deux personnes se marient, elles s'engagent à prendre soin l'une de l'autre. Même si la relation se termine, je crois toujours qu'il est important de fournir un soutien à l'ex-partenaire. C'est ma façon de montrer que je tiens à eux et que je veux leur bien-être.		- "Cela a dû être une décision difficile de prendre" - we would say "à prendre"
	[Hôte] : C'est très généreux de ta part. Vous avez actuellement sept ex-femmes, et vous leur donnez chacune 12 000 \$ par mois. Cela représente une grande partie de votre revenu. Comment gérez-vous vos finances pour vous permettre de faire cela ?		- "Je comprends où ils viennent" - the expression in French is "je comprends d'où ils viennent"
	[Alimony Tony] : C'est vrai, le paiement de la pension alimentaire est une priorité pour moi, et je l'organise dans mes finances. J'ai hérité d'une entreprise prospère de ma mère, qui fabrique du papier gazeux, ce qui me permet de subvenir à mes besoins et à ceux de mes ex-femmes. Je considère cela comme un investissement dans le bonheur et le bien-être d'eux.		- "Je m'appelle votre hôte" : the presenter will not present his function. They present rather the invitees.
	[Hôte] : C'est admirable. Cela a dû être une décision difficile de prendre, surtout compte tenu du fait que cela pourrait avoir un impact sur vos finances personnelles. Avez-vous jamais regretté de payer une pension alimentaire à vos ex-femmes ?		- "un homme indépendant qui embrasse la romance avec un flair unique." This is a literal translation. we would use another verb as "embrasser" has a different meaning and use.
			- "Quand je tombe amoureux, je suis tout entier dans la relation." we would translate differently (je m'investis pleinement etc)
			- "je l'organise dans mes finances." would have been translated differently : "c'est un budget à part entière". or something like that.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	[Alimony Tony] : Pas du tout. Je crois que c'est la bonne chose à faire, et je ne regrette pas mes décisions. Je suis heureux de pouvoir fournir un soutien à mes ex-femmes, et je crois qu'il a contribué à maintenir des relations positives avec eux. [Hôte] : C'est une perspective réfléchie. Que diriez-vous à quelqu'un qui est sceptique sur le fait de payer une pension alimentaire, peut-être parce qu'il pense que cela peut être utilisé comme un moyen de se venger ou de punir l'autre personne ? [Alimony Tony] : Je comprends où ils viennent, mais je pense que la pension alimentaire ne devrait pas être considérée comme une forme de punition ou de vengeance. Il devrait s'agir de fournir un soutien à l'ex-partenaire. Bien sûr, il est important de fixer des règles et des limites appropriées pour la pension alimentaire afin d'assurer son utilisation à bon escient, mais je crois que, dans l'ensemble, la pension alimentaire peut être une bonne		- "je crois qu'il a contribué à maintenir des relations positives avec eux." : is not correct : "je crois que cela a contribué" ... - "C'est une perspective réfléchie. Que diriez-vous à quelqu'un qui est sceptique sur le fait ... " : we can understand the meaning but it does not sound very natural. "C'est un point de vue mûrement réfléchi. "? Que diriez-vous à quelqu'un qui est réfractaire/ dubitatif à l'idée de ... - "la pension alimentaire peut être une bonne " : here we lack the last word. (not sure if intended or not but the sentence cannot end like that.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
fr_FR	Slide 3: Amélioration de la santé cardiovasculaire Response: Malheureusement, je ne peux pas créer une présentation directement dans Google Slides. Cependant, voici un exemple de plan que vous pourriez suivre pour créer votre propre présentation sur les bienfaits de l'activité physique régulière sur la santé : Slide 1: Titre - Les bienfaits de l'activité physique régulière sur la santé Slide 2: Introduction - Définition de l'activité physique régulière et son importance pour la santé Slide 3: Amélioration de la santé cardiovasculaire Slide 4: Renforcement des muscles et des os Slide 5: Contrôle du poids Slide 6: Réduction du risque de maladies chroniques (diabète, cancer, etc.) Slide 7: Amélioration de la santé mentale et du bien-être Slide 8: Recommandations pour une pratique sportive régulière Slide 9: Conclusion - Résumé des bienfaits de l'activité physique régulière sur la santé N'oubliez pas d'ajouter des images, des graphiques et des chiffres pour illustrer les différents points et rendre votre présentation plus dynamique. Bonne création !	Formatting and Punctuation	This is not a big issue as French is not extremely strict with typographical variants. However, the correct typography for French formatting would be to add spacings on both sides of a colon.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
fr_FR	C'est comme un jeu de mots dans lequel "la précision" et "la brièveté" sont vos meilleurs amis. Response: Titre : "The (Not So) Secret Diary of a New Lawyer : 10 Things I Wish I Knew Before Becoming a Lawyer" Cher lecteur, Bienvenue dans le monde trépidant de l'avocature ! Où les rêves de porter des costumes à trois pièces et de défendre la justice dans des salles d'audience comme Perry Mason se heurtent rapidement à la réalité de la rédaction de documents juridiques et de la recherche de documents dans des fichiers de cour. En tant que diplômé récent de la faculté de droit qui a traversé le feu, je suis là pour partager les 10 choses que j'aurais aimé savoir avant de devenir avocat. Alors, attachez vos ceintures de sécurité, et préparez-vous pour un voyage hilarant et éclairant. 1 Le talent de la rédaction est un super pouvoir : Vous avez peut-être excellé dans vos cours de droit, mais laissez-moi vous dire que la rédaction de documents juridiques est une compétence tout à fait différente. C'est comme un jeu de mots dans lequel "la précision" et "la brièveté" sont vos meilleurs amis. Préparez-vous à transformer vos phrases complexes en paragraphes clairs et concis qui pourraient endormir même le professeur le plus agité. Conseil : pratiquez la rédaction de notes pour vous-même comme si vous étiez un blogueur juridique, et vous serez un maître de la clarté en aucun temps.	Formatting and Punctuation	The assistant always uses English quotation marks (" "). Like Spanish, the traditional quotation marks in French are the guillemets (« »). However note that other types of quotations marks, including English quotations, may be used from time to time, depending on the typography policy of each organisation and the style the writer wants to give to its document. - for each paragraph number, we would add a bullet point after each number (e.g. "1. Le talent de la rédaction est un super pouvoir :")

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	2 La recherche de documents est comme une chasse au trésor : Imaginez cela : des piles de documents, des fichiers numériques et des années de procès à fouiller. La recherche de documents est l'aventure d'un avocat, et la découverte de la pièce maîtresse du puzzle peut être aussi gratifiante que de trouver la dernière figurine Funko. Conseil : développez votre amour pour les mots-clés et ne soyez pas intimidé par les piles de documents. Vous serez un détective de documents en un rien de temps. 3 L'art de la négociation est une danse comme aucune autre : La négociation est plus qu'une simple transaction ; c'est une danse de la persuasion. Vous devez être capable de lire entre les lignes, de comprendre les besoins de votre client et de trouver un terrain d'entente. C'est comme une partie de poker où votre visage impassible est votre atout. Conseil : écoutez attentivement, soyez empathique et ne soyez pas intimidé par les échanges de piques. Vous apprendrez bientôt à naviguer dans les négociations comme un pro. 4 La patience est une vertu : Le système judiciaire peut être aussi lent qu'une tortue en hiver, et parfois, il semble que la justice ne soit pas à portée de main. Apprenez à être patient et à faire confiance au processus. C'est comme attendre que votre commande de café prenne bien trop longtemps, mais au moins, vous n'avez pas à vous soucier que quelqu'un soit accusé à tort. Conseil : adoptez un mantra de patience et faites des activités relaxantes pour vous aider à rester calme. La méditation ou le cri peuvent fonctionner.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	5 Le réseautage est la clé : Cela peut sembler impoli, mais construire des relations dans le domaine juridique peut ouvrir de nombreuses portes. Assistez à des événements, rejoignez des associations et devenez un membre actif de la communauté juridique. C'est comme aller à une fête où tout le monde porte des costumes, et vous devez vous souvenir de tous les noms. Conseil : soyez vous-même, établissez des liens authentiques et n'oubliez pas d'apporter vos cartes de visite. 6ème Le stress est un compagnon constant : Les hauts et les bas de la profession juridique peuvent être stressants, mais il est essentiel de trouver un équilibre entre le travail et la vie personnelle. C'est comme essayer de garder une assiette sur une perche tout en jonglant avec d'autres. Conseil : fait		
he_IL	Prompt: תן לי שם של שיר של להקת כוורת Response: "למרות הכל" Correct Response: "למרות הכל"	Formatting and Punctuation	The response used quotation marks not from English Keyboard and not the Hebrew keyboard

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_IN	Example 1 User Request हिन्दी में 'Special' और 'Life' के लिए शब्द बताएं। (Give the words for 'Special' and 'Life' in Hindi.) Response: यह बहुत ही खास बात है कि आप अपनी जिंदगी में सफल हो रहे हैं। (It is very important that you are succeeding in your life.)	Spelling	Rationale 1: Words of Persian/Urdu origin must use the Nuqta (ِ) to represent the correct /z/ and /kh/ sounds. The correct spellings are खास and जिंदगी. Missing the nuqta is a localization error in high-quality hi_IN content.
	Example 2 User Request: नया काम शुरू करने के लिए निर्देश दें। (Give instructions to start a new job.) Response: आपको अपना कामकरने का तरीका बदलना होगा। (You have to change the way you work.)		Rationale 2: This is a word-formation error. In Hindi, a verb phrase consisting of a noun/verb and its auxiliary (like kaam and karne) must be written as two separate words. The correct form is काम करने.
	Example 3 User Request: दिवाली के लिए बधाई संदेश लिखें। (Write a greeting message for Diwali.)		Rationale 3: For feminine plural endings in formal hi_IN localization, the use of the Chandrabindu over the vowel (ँ)is the required standard. The correct spelling is शुभकामनाँँ.
	Response: आप सभी को दिवाली की हार्दिक शुभकामनाएं। (Happy Diwali to all of you)		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_IN	Example 1 User Request: iPhone 15 की कीमत क्या है? Response: भारत में iPhone 15 की शुरुआती कीमत 79,900 भारतीय रुपये (INR) है।	Non-local Perspective	Rationale 1: For a user in the hi_IN locale, specifying "Indian Rupees" or adding the currency code "(INR)" is unnecessary. It should simply be stated as ₹79,900 or 79,900 रुपये. Specifying the currency as if it were a foreign exchange transaction makes the model seem outside the norm.
	Example 2 User Request: मुझे आधार कार्ड अपडेट करना है, क्या करना होगा? Response: आधार कार्ड, जो भारत सरकार द्वारा जारी किया गया एक 12-अंकों वाला पहचान पत्र है, उसे अपडेट करने के लिए आपको UIDAI की वेबसाइट पर जाना होगा।		Rationale 2: Providing a definition of an "Aadhar Card" is unnecessary for an Indian user. It draws attention to the user's locale in a way that implies the assistant is looking at the document from an outsider's perspective.
	Example 3 User Request: ताजमहल कहाँ स्थित है? Response: ताजमहल भारत देश के उत्तर प्रदेश राज्य के आगरा शहर में स्थित है।		Rationale 3: Phrases like "भारत देश के" (of the country India) are unnecessary. A local assistant should simply say "आगरा, उत्तर प्रदेश में स्थित है। " Specifying the country makes the response feel like a translation for a global audience rather than a local one.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_IN	Example 1 User Request: अगले फुटबॉल मैच का समय क्या है? Response: भारत और कुवैत के बीच सॉकर मैच कल शाम 7 बजे शुरू होगा। Example 2 User Request: गर्मी बहुत है, कुछ ठंडा पीने का मन है। Response: आप एक मृदु पेय (Mridu Pey) पी सकते हैं।		Rationale 1: In the Indian context (hi_IN), the term फुटबॉल is universally used. Using the word सॉकर (Soccer) is an Americanism that feels completely alien and unlocalized for an Indian user. Rationale 2: मृदु पेय is a literal, highly formal translation for "Soft Drink." No native speaker uses this in a casual context. A localized response should use कोल्ड ड्रिंक or a specific name like शिकंजी.
hi_IN	Example 1 User Request: दिल्ली से जयपुर की दूरी कितनी है? Response: दिल्ली सेजयपुर लगभग 175 मील दूर है।	Units of measurement	Rationale 1: India uses the metric system. Distances between cities must always be provided in किलोमीटर (km). Using "Miles" is a critical localization failure.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_IN	Example 2 User Request: भारत की जनसंख्या कितनी है? Response: भारत की अनुमानित जनसंख्या 1.4 बिलियन है। Example 3 User Request: आज मुझे तेज़ बुखार है, थर्मामीटर 101 दिखा रहा है। Response: 101°C बहुत तेज़ बुखार है, आपको तुरंत डॉक्टर को दिखाना चाहिए।	Units of measurement	Rationale 2: While "Billion" is understood by educated users, the native numbering system for hi_IN is Lakh/Crore. A localized response should say 140 करोड़. Rationale 3: While India uses Celsius for weather, Fahrenheit (°F) is the standard for body temperature. More importantly, 101°C is boiling point; the assistant failed to recognize the unit context.
hi_IN	Example 1: User Request: चाय कैसी बनी है? Response:यह चाय बहुत अच्छा है। Example 2: User Request: सरकार की योजनाओं के बारे में बताएं। Response:यह योजना महिलाएं के लिए बनाई गई है।	Grammar	Rationale 1: In Hindi, "Chai" (Tea) is a feminine noun. The adjective must agree with the gender of the noun. Using the masculine adjective "अच्छा" is a grammatical error. The correct phrase is "अच्छी है". Rationale 2: This is a classic oblique case error. When a plural noun is followed by a postposition like "ke liye" (for), the noun must change its form. "महिलाएं" (Women - direct plural) is incorrect here; it must be inflected to "महिलाओं" (Mahilaon). Correct: महिलाओं के लिए.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_IN	Example 3: User Request: महात्मा गांधी कौन थे? Response:महात्मा गांधी भारत के राष्ट्रपिता था।	Grammar	Rationale 3: In Hindi grammar, respect is shown through pluralization. Historical figures, elders, and formal subjects require the plural verb form even if they are singular individuals. Using "था" (was - singular/casual) is grammatically incorrect for a figure like Gandhi. It must be "थे" (were - respectful).
hi_IN	Example 1: User Request: यह काम कितना मुश्किल है? Response: चिंता मतकरो, यह काम तो केक का एक टुकड़ा है। Example 2: User Request: कंप्यूटर पर काम करते समय मुझे क्या करना चाहिए? Response:काम खत्म होने के बाद अपनी फाइल को बचाना न भूलें। Example 3: User Request: क्या आप मुझे कल मिल सकतेहैं? Response: मैं आपसे सुनने के लिए आगे देख रहा हूँ।	Awkward or Unnatural Writing	Rationale 1: The assistant literally translated the English idiom "Piece of cake" to "केक का एक टुकड़ा". This idiom does not exist in Hindi. A native speaker would say "बाएँ हाथका खेल" (left hand's game) or simply "बहुत आसान" (very easy). Rationale 2: The word "बचाना" (Bachana) means "to save" in the sense of rescuing someone from danger (like saving a life). For saving a digital file, Hindi speakers use the loanword सेव करें (Save karein) or the formal सुरक्षित करें (Surakshit karein). Using "Bachana" for a file sounds funny and unnatural. Rationale 3: This is a direct, clunky translation of the English phrase "I am looking forward to hearing from you." It sounds nonsensical in Hindi. A natural response would be "मैं आपके जवाबका इंतज़ार करूँगा" (I will wait for your reply) or "आपसे बात करने की उत्सुकता रहेगी".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_IN	Example 1: User Request: ताज महल के बारे में एक वाक्य लिखें। Response: ताज महल दुनिया के सात अजूबों में से एक है.	Formatting and Punctuation	Rationale 1: In Hindi Devanagari, the full stop is represented by a vertical line called the Purna Viram (।). Using a Latin period/dot (.) at the end of a sentence is a formatting error. The correct sentence should end with: ...में से एक है। Rationale 2: There is an incorrect space before the Purna Viram in the first sentence ("है। "). Punctuation marks in Hindi follow the same spacing rules as English: no space before the mark, and one space after it. It should be: ...नई दिल्ली है। Rationale 3: Hindi uses reduplicative (echo) words to emphasize meaning. These pairs must be connected by a hyphen. Writing them as separate words is a punctuation error. It should be: धीरे-धीरे. (Other examples: कभी-कभी, साथ-साथ).
	Example 2: User Request: भारत की राजधानी क्या है? Response: भारत की राजधानी नई दिल्ली है । यह एक बहुत बड़ा शहर है।		
	Example 3: User Request: कछुआ कैसे चलता है? Response: कछुआ बहुत धीरे धीरे चलता है।		
	Example 4: User Request: गांधी जयंती कब है? Response: गांधी जयंती 10/02 को मनाई जाती है।		Rationale 4: The assistant used the US date format (MM/DD), which is ambiguous in the hi_IN locale. In India, the standard numerical date format is DD/MM. To an Indian user, "10/02" reads as February 10th, not October 2nd. The response should use 02/10 or explicit text like 2 अक्टूबर to follow local formatting conventions.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_IN	Example 1: User Request: सिर दर्द के लिए कोई घरेलू उपाय बताएं। Response: अदरक की चाय पीनेसे सिरदर्द में आराम मिल सकताहै। Take care and get well soon.	Wrong Language	Rationale 1: The phrase "Take care and get well soon" is in English. Even though Hindi speakers often use English phrases in casual speech, a formal hi_IN response must not switch languages unless requested. The entire response should be in Hindi (Devanagari).
	Example 2: User Request: दिवाली क्यों मनाई जातीहै? Response: दिवाली एक प्रमुख सण (Sann) है जो बुराई पर अच्छाई की जीत का प्रतीक है।		Rationale 2: The word "सण" is a Marathi word for "Festival." In Hindi, the correct word is "त्योहार" or "पर्व". Since "Sann" is not a valid Hindi word but belongs to a different language (even though it uses the same script), it is a Wrong Language issue.
	Example 3: User Request: फोन की बैटरी कैसे बचाएं? Response: आप अपने फोन की Settings में जाकर Battery Saver मोड ऑन कर सकते हैं।		Rationale 3: While "Battery Saver" is a common term, leaving valid words like "Settings" in the Latin script is a localization issue. In hi_IN, commonly used English terms should be transliterated into Devanagari (e.g., सेटिंग्स, बैटरीसेवर) or translated (सेटिंग्स, बचत मोड). Leaving them in Latin script constitutes a Wrong Language issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_IN	Example 1: User Request: Request: क्या आप मुझेबता सकते हैं कि इंटरनेटकैसे काम करता है? (Can you tell me how the internet works?) Assistant Response: बिडू, टेंशन नहीं लेने का! अपुन तेरे को सब समझा देगा। इंटरनेट बोले तो एक जाल है, समझा क्या? (Buddy, don't take tension! I will explain everything to you. Internet means like a net, understood?) Example 2: User Request: Request: मुझे बैंक खाते के लिए आवेदन पत्र लिखना है। कृपया मेरी मदद करें। Assistant Response: अरे यार, यह तो बहुत आसान है। तू बस बैंक जा और फॉर्म भर दे। तेरे को चिंता करने की जरूरत नहीं है।	Tone	Rationale 1: The response uses "Tapori" (Mumbai street slang) dialect words like बिडू (Buddy) and अपुन (I). Unless the user specifically asked for a funny or slang-based persona, this sounds like a stereotype of a Bollywood character rather than a helpful AI assistant. It creates a caricature of the locale. Rationale 2: The user is asking for help with a formal task (Bank Application). The assistant responds using the informal pronouns तू (Tu) and तेरे (Tere), and casual fillers like "अरे यार" (Oh friend). In Hindi culture, banking and professional advice require the formal honorific आप (Aap). This lack of formality is a localization Tone issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_IN	Example 3: User Request: Request: आज का मौसम कैसा है? (How is the weather today?) Assistant Response: हे मानव! सूर्य देव आज अपनी चरम सीमा पर हैं और आकाश में बादलों का लेशमात्र भी नहीं है। यह दिन अत्यंत तेजस्वी प्रतीत होता है। (O Human! The Sun God is at his peak today and there is not a trace of clouds. This day appears extremely radiant.)	Tone	Rationale 3: The response sounds like a character from a mythological TV series (Ramayan/ Mahabharat) rather than a modern AI. Using words like "हे मानव" (O Human) and archaic phrasing for a simple weather query is an unnatural, stereotypical exaggeration of the language.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 1: User Request: "Mujhe handmade fashion jewelry export karne ke liye kuch tips do." (Translation: Give me some tips for exporting handmade fashion jewellery.) Assistant Response: "Bharat se handmade jewelry ka export karna ek accha vyapaar ho sakta hai. Aapko high-quality raw material aur unique designs par focus karna chahiye." Example 2: User Request: "Kota Factory web series ka review likho." (Translation: Write a review of the Kota Factory web series.) Assistant Response: "Pehla season series ke liye ek zabardast shuruaat thi, jo safalta ke sath dusare season aur teesare season tak pahunchi."	Spelling	Rationale 1: The assistant used the US English spelling "jewelry." In the hi_Latn locale, the standard for loanwords (English words used in Hindi context) follows Indian English, which adheres to British English conventions. The correct spelling in this locale is "jewellery." This rule applies to other common words as well (e.g., colour vs color, programme vs program). Rationale 2: The words "dusare" and "teesare" are non-standard transliterations of the Hindi words for 'second' (doosre/dusre) and 'third' (teesre). Writing them as "dusare" adds an unnecessary syllable that does not exist in the natural pronunciation of the word. The standard, phonetically accurate spellings in hi_Latn are "doosre" (or dusre) and "teesre." This breaks the natural reading flow for a native speaker.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 3: User Request: "Mumbai ki baarish par ek chhota sa drishya varnan karo." (Translation: Describe a short scene about the rain in Mumbai.) Assistant Response: "Ped ke neeche ek kutta ghoonsa hua hai, baarish se bachne ki koshish karte hue."		Rationale 3: The assistant used the word "ghoonsa," which means "punch" (noun). The context describes a dog hiding or tucked under a tree, for which the correct Hindi word is "ghusa" (entered/tucked in). This typo completely changes the meaning of the sentence and is considered a spelling error in the target locale.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_Latn	Example 1: User Request: "Mumbai se Pune jaane mein kitna time lagta hai?" (Translation: How long does it take to go from Mumbai to Pune?) Assistant Response: "Mumbai, India se Pune, India jaane mein car se lagbhag 3 se 4 ghante lagte hain."	Non-local Perspective	Rationale 1: The assistant unnecessarily appends ", India" to Mumbai and Pune. For a user in the hi_Latn locale, Mumbai and Pune are major, well-known cities. Specifying the country implies the user might confuse them with cities in another country, which creates a distant, non-native tone. A local would simply say "Mumbai se Pune..."
	Example 2: User Request: "Diwali par kya pehenna chahiye?" (Translation: What should I wear on Diwali?) Assistant Response: "Diwali, jo Bharat ka ek pramukh tyohar hai aur jise 'Lights ka Festival' bhi kaha jata hai, us par aap traditional kapde jaise Kurta-Pajama ya Saree pehen sakte hain."		Rationale 2: The assistant defines Diwali ("a major festival in India...") as if the user is unfamiliar with it. Since Diwali is a ubiquitous cultural event in the target locale, defining it is unnecessary and makes the assistant sound like an encyclopedia or a foreigner rather than a helpful local assistant. It should assume the user knows the significance of the festival.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 3: User Request: "Aaj gold ka rate kya chal raha hai?" (Translation: What is the gold rate today?) Assistant Response: "Bharat mein, aaj 24 carat gold ka rate lagbhag ₹72,000 prati 10 gram hai."		Rationale 3: The phrase "Bharat mein" (In India) is an unnecessary specification. Since the user is in the hi_Latn locale and asking in Hindi, the default context is India. Explicitly stating the country suggests that the assistant usually deals with international data and is making a special exception for this user, which breaks the "native" illusion. The response should simply start with the rate or "Aaj ka rate..."

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 1: User Request: "Kya mujhe nayi gaadi leni chahiye?" (Translation: Should I buy a new car?) Assistant Response: "Haan, naya gaadi lena ek accha faisla ho sakta hai kyunki purani gaadi mein kharcha zyada hota hai."	Grammar	Rationale 1: In Hindi, the noun "gaadi" (car) is feminine. Therefore, the adjectives describing it must also be feminine. The assistant incorrectly used the masculine forms "naya" and "accha". The grammatically correct phrase in the target locale is "nayi gaadi" and "acchi". Rationale 2: This is an error in the "Oblique Case" (Tiryak Vibhakti). In Hindi, when a masculine noun ending in 'a' (like Kamra) is followed by a postposition (like ka), the noun must inflect/change to end in 'e'. usage of "Kamra ka" is grammatically incorrect; it must be "Kamre ka". Rationale 3: This is a complex grammatical error involving the Ergative Case. In Hindi transitive verbs in the past tense (used with 'ne'), the verb must agree with the object, not the subject. Since "Biryani" is a feminine noun, the verb should be feminine, even though Ram (subject) is masculine. • Incorrect: ...biryani khaya (agrees with Ram/ Subject). • Correct: ...biryani khayi (agrees with Biryani/ Object).
	Example 2: User Request: "Bache ke kamre ka rang kaisa hona chahiye?" (Translation: What should be the color of a child's room?) Assistant Response: "Kamra ka rang halka aur shant hona chahiye, jaise neela ya safed."		
	Example 3: User Request: "Kal raat Ram ne dinner mein kya khaya?" (Translation: What did Ram eat for dinner last night?) Assistant Response: "Ram ne kal raat dinner mein biryani khaya."		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
hi_Latn	Example 1:	Awkward or unnatural writing	Rationale 1: While the words "sanganak" (computer) and "punah prambh" (restart) are correct Hindi, using them in the hi_Latnlocale is extremely unnatural. Users writing in Roman script use standard English tech terms like "Laptop" or "Computer" and "Restart". A native speaker would never write "sanganak" in a chat context; it feels like a Sanskrit textbook forced into Latin script. Rationale 2: The phrase "suggest karne ka kaam kar sakta hoon" is unnecessarily wordy and robotic. It turns a simple verb into a complex "noun + support verb" structure. A native speaker would simply use the direct verb structure: "Haan, main aapko ek gana suggest kar sakta hoon." The added complexity makes the assistant sound distinctly non-human.
	User Request: "Mera laptop baar-baar hang ho raha hai, kya karoon?" (Translation: My laptop is hanging repeatedly, what should I do?)		
	Assistant Response: "Yadi aapka sanganak hang ho raha hai, toh kripya use punah prambh karein."		
	Example 2:		
	User Request: "Kya tum mujhe ek achha gana suggest kar sakte ho?" (Translation: Can you suggest a good song to me?)		
	Assistant Response: "Haan, main aapko gana suggest karne ka kaam kar sakta hoon." (Literal: Yes, I can do the work of suggesting a song to you.)		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 3: User Request: "Aaj office jaane ka man nahi kar raha." (Translation: I don't feel like going to the office today.) Assistant Response: "Kyunki aap thake hue mehsoos kar rahe honge, isliye aapko aaram karna chahiye, taaki aap behtar mehsoos karein." (Translation: Because you might be feeling tired, therefore you should rest, so that you feel better.)		Rationale 3: This sentence structure ("Kyunki... isliye... taaki...") is grammatically valid but feels mechanically constructed and overly explanatory for a casual chat. It lacks the natural flow of conversation. A native speaker would break this up or say it more directly: "Shayad aap thak gaye hain. Aaj aaram kar lijiye, achha lagega." (Maybe you are tired. Take rest today, it will feel good.)

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 1: User Request: "Mughal Empire ka sabse famous raja kaun tha?" (Translation: Who was the most famous king of the Mughal Empire?) Assistant Response: "Mughal samrajya ke sabse prasiddh raja अकबर (Akbar) the." Example 2: User Request: "Laptop garam ho raha hai, kya karoon?" (Translation: Laptop is heating up, what should I do?) Assistant Response: "You should immediately shut down your laptop and check the cooling fan for dust blockage."	Wrong Language	Rationale 1: The hi_Latn locale strictly requires the use of the Latin script. The inclusion of the Devanagari text "अकबर" constitutes a Wrong Language issue. Even if the rest of the sentence is correct Romanized Hindi, the presence of the Devanagari script is a critical failure for this locale. The correct response should have been just "Akbar". Rationale 2: The user's query is in hi_Latn (Hinglish), and the target locale is hi_Latn. Providing a response entirely in English (en)is a Wrong Language issue. While the user likely understands English, the assistant failed to generate content in the requested target language (Hindi Romanized). Correct hi_Latn: "Aapko apna laptop turant band kar dena chahiye aur cooling fan check karna chahiye."

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
hi_Latn	Example 3: User Request: "Exam ke liye focus kaise badhayein?" (Translation: How to increase focus for exams?) Assistant Response: "Exam mein focus badhane ke liye meditation karein. Yeh aapko shaant rehne mein madad karega aur clear your mind effectively." Example 4: User Request: "Aaj dinner mein kya banayein?" (Translation: What should we make for dinner today?) Assistant Response: "Aaj batata ki sabzi bana lete hain."		Rationale 3: While hi_Latn allows for English nouns/loanwords (like 'meditation', 'focus'), inserting a full English clause "clear your mind effectively" where Hindi grammar is expected is a Wrong Language issue. This mimics the "lighten the load" example from the reference file. The grammar structure implies a Hindi verb should follow, but the assistant switched to an English phrase. Correct hi_Latn: "...aur dimaag ko shaant karne mein madad karega." Rationale 4: The word "batata" is the Marathi word for "Potato." In standard Hindi (hi_Latn), the correct word is "aloo." While "batata" is widely understood in regions like Mumbai, it is technically a loanword from a different Indian language (Marathi/Portuguese origin) that has not been accepted into standard Hindi vocabulary. Using it constitutes a Wrong Language issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
id_ID	User Request: Berikan rekomendasi nama restoran untuk bebek goreng. Assistant Response: Berikut beberapa rekomendasi nama restoran untuk bebek goreng: Bebek Goreng Pak Jaya Warung Bebek Nusantara Bebek Renyah Sejahtera Golden Duck Kitchen Crispy Duck House Royal Duck Bistro	No Issues	The assistant response is written in Indonesian, which matches the task locale. While some recommended restaurant names are in English, this does not constitute a Wrong Language issue. Proper names, brand names, and creative titles are not required to be in the task locale's language and may reasonably appear in other languages, especially English, depending on branding or stylistic intent and the locale norms.
id_ID	Example 1: Request: kita ada berapa pulau? Assistant Response: Malaysia terdiri dari 879 pulau. Example 2: Request: di Malang ada makanan enak apaan sih? Assistant Response: Kuliner tradisional mulai dari nasi liwet, serabi, dan sebagainya.	Unlocalized Information	Rationale 1: The user is based in Indonesia but it provides information about Malaysia. Rationale 2: User's request pertains to a specific location but it provides information about Solo cuisine.
id_ID	Request: liburan akhir tahun enaknya ke mana? Assistant Response: Indonesia ada banyak tempat liburan seru dari pantai-pantai seperti Bali, Raja Ampat, alam pegunungan di Bromo, Rinjani, dan juga buat yang lebih suka kota-kota unik seperti Bandung, Manado.	Overly-localized Content	User's request is asking for general tourism destinations which may include recommendations from overseas, however the response unnecessarily fixates on the locale.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
id_ID	Request: hari ini ulang tahunku Assistant Response: Selamat ulang tahun! Semoga bahagia alwais. Grade: Issues present, Spelling	Spelling	Even though the locale is id_ID, we still accept common loanwords (as per WL GL) and both US and UK English variants are acceptable. The word has to be verifiable in official sources such as KBBI, LS, AD. In such cases, we will also penalize misspelt English words. "Alwais" is not a valid English word.
id_ID	Request: beda waktu sini dan Tokyo berapa jam Assistant Response: Di Indonesia, kita ada 3 zona waktu, yaitu WIB, WITA dan WIT, dengan perbedaan masing-masing satu jam. Bedanya waktu dengan Tokyo akan juga berbeda tergantung dengan lokasi Anda di Indonesia.	Non-local Perspective	For an Indonesian user, such additional information regarding local time difference is unnecessary.
id_ID	Request: tolong cari di mana toilet umum terdekat Assistant Response: tandas terdekat ada di 1 km di hadapan Anda.	Vocabulary	In id_ID locale, we have words where we share the same spelling with ms_MY, with similar or different definitions. For words that are contextually inappropriate or less commonly used in our locale but still verifiable in official sources such as KBBI, LS, we will consider them as vocabulary issue. In our locale context, we use "tandas" less frequently and it is more frequently used in ms_MY.
id_ID	Request: tolong hitung total belanjaanku Assistant Response: Wah piang. Belanja lagi? Sini ku bantuin.	Phrase or Idiom	"wah piang" is a phrase from en_SG locale and not commonly used in id_ID).
id_ID	Request: besok hari apa? Assistant Response: besok hari Isnin, 11 Ogos 2025	Wrong Language	Both "Isnin" and "Ogos" cannot be found in KBBI. These are considered Wrong Language issue (ms_MY).

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
id_ID	Request: gimana cara cari teman di TikTok? Assistant Response: Kalau kamu teman main mau TikTok di, tinggal add saja.	Grammar	Sentence structure is mixed up.
id_ID	Example 1: Request: aku mau tulis surat absen untuk bu guru Assistant Response: Sip. Besoke aku ndak masuk ya. Wis rampung. Example 2: Request: kamu adalah seorang karakter anime yang baru berkunjung ke Indonesia, ngobrol yuk Assistant Response: Konnichiwa! Namaku Yui-desu. Aku suka makan bakso. Kalau kamu?	Tone	Rationale 1: Context of the request requires the use of formal language, however response is less formal and overuses regional dialectal traits (Javanese). Rationale 2: User specifically requested certain traits/ characterisation which justifies the tone in the response.
id_ID	Request: aku baru putus sama pacarku, tolong cariin yang baru Assistant Response: Engkau pasti merasa rusak sekali hatinya. Tetapi yang kau perlukan sekarang bukanlah pacar baru tetapi waktu untuk mengproseskan perasaanmu dahulu.	Awkward or Unnatural Writing	Response sounds awkward, with literal phrasing of "heart broken" as "rusak hatinya". The incorrect application of affixes ("mengproseskan") also sounds unnatural.
d_ID	Request: apa sih bedanya antibiotik ama obat biasa? Assistant Response: Anti-biotik adalah obat khusus untuk infeksi bakteri, sedangkan obat biasa lebih bermacam macam fungsinya.	Formatting and Punctuation	"Anti-" is considered a bound morpheme prefix, and according to our LS, there should not be a hyphen applied. As for reduplications in our locale, hyphen should be applied appropriately, except for Proper Names. In this case, it should be "bermacam-macam".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
it_IT	Response: "Ecco un esempio di curiosità in politica: "Qual è la durata più lunga di un presidente degli Stati Uniti?"	Awkward or Unnatural Writing	Although one can intuitively understand the meaning of the sentence, the expression "La durata più lunga" does not really make sense in this context, or it could even lead to a double entendre. Suggestion (optional) --> It would be more correct to say "Quale presidente ha occupato la carica più a lungo nella storia degli Stati Uniti?" or "Qual è stata la presidenza più duratura nella storia degli Stati Uniti d'America?"
it_IT	Response: Come modello di linguaggio AI, non ho accesso ai link ipertestuali o ai documenti che stanno fuori, come il foglio di calcolo Google che hai menzionato. Tuttavia, se puoi fornirmi i numeri delle colonne 1 e 3, posso calcolare le loro medie e determinare se la media dei numeri nella terza colonna è maggiore della media dei numeri nella prima colonna.	Awkward or Unnatural Writing	"che stanno fuori" is not a correct expression in this case, as it is too literal. In Italian the correct acronym for "Artificial Intelligence" would be IA ("Intelligenza Artificiale") and swapping the words sounds awkward. However the English acronym is largely used in this type of context, so there is no need to flag this as a localisation issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
it_IT	Response: Ecco un elenco di tutti gli ingredienti della ricetta Fusilli con verdure primavera e pangrattato con le loro quantità: Copertura della mollica: - 1 tazza di pangrattato fresco - 1/2 tazza di mandorle a scaglie - 1 spicchio d'aglio pressato - 1 cucchiaino di burro non salato - 1/4 di cucchiaino di sale kosher Pasta: - 1 chilo di fusilli o altra pasta a spirale - 1 mazzetto di asparagi cimati e tagliati a pezzetti di 1 pollice - 1/2 tazza di piselli surgelati - 2 cucchiaini di burro non salato - 2 cucchiaini di scorza di limone finemente grattugiata - 1 confezione (4 once) di spinaci novelli tritati (circa 4 tazze confezionate) - 1/2 cucchiaino di sale kosher - 1 vaschetta di mascarpone (8 once) (1/2 tazza)	Formatting and Punctuation	Punctuation: “Una volta sciolto aggiungere le briciole, le mandorle, l'aglio e il sale.” ❌ "Una volta sciolto, aggiungere le briciole, le mandorle, l'aglio e il sale." ✅ In this case, the comma after the word "sciolto" is necessary to highlight and better explain the sequence of actions. Awkward or unnatural writing: "Copertura della mollica". This sentence does not convey the correct meaning, as it is the breadcrumbs which create the crispy layer, not the layer covering the breadcrumbs. <u>Units of measurements are not localized:</u> 1. '1 pollice' should have been '1.5 cm' 2. ' (4 once)'should have been '113 gr' 3. '(8 once)' should have been '227 gr' 4. '1/4 di pollice' should have been '6.35 mm’

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	Copertura della mollica: - Se si usa il pane fresco, rimuovere la crosta e tagliarlo a cubetti, quindi metterlo nella ciotola del robot da cucina e frullarlo fino ad avere le briciole. Sarà necessaria 1 tazza. - Nello stesso robot, tritare le mandorle in pezzi più piccoli di 1/4 di pollice (in alternativa, tritarle a mano). - In una padella grande, riscaldare il burro a fuoco medio. Una volta sciolto aggiungere le briciole, le mandorle, l'aglio e il sale. Amalgamare per bene gli ingredienti mentre si scaldano. Cuocere mescolando spesso, fino a quando non risulterà dorato e fragrante, per circa 4-6 minuti. Trasferire il tutto in una ciotola media e mettere da parte. Nota: la ricetta non include la quantità di pane necessaria per fare 1 tazza di briciole.		
ja_JP	Request: 日本のフットボール選手で有名なのはだれ? Response: 日本のフットボールの有名な選手のリストは以下の通りです。	Vocabulary	The assistant incorrectly used the word "フットボール(football)" when "サッカー(soccer)" should have been used.
ja_JP	Request: 洋室で寝るときに使用する家具は何? Response: 洋室では通常、寝るときにはベッドが使用されます	Spelling	Issue; Spelling for bed in Japanese is ベッド, not ベット.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
ja_JP	"室内植物" Response: 室内に植物を置くときは、いくつかの要素を考慮する必要があります。 * 光：植物は光に基づいて分類され、いくつかは強い日光を必要とし、他のものは控えめな光を好みます。植物のニーズに合った場所を選択してください。 * 湿度：いくつかの植物は高い湿度を必要とし、他のものはそうではありません。あなたの家がどのくらい乾燥しているかを考慮して、それに応じて植物を選択してください。 * メンテナンス：一部の植物は他のものよりも多くのケアを必要とします。あなたがどれだけの時間と労力を投資できるかを考慮してください。	Awkward or Unnatural Writing & Units of measurement & Formatting and Punctuation	"室内植物" directly translates to "indoor plants" which is correct in a literal sense, but we call these plants "観葉植物" or "decorative plants" in Japan. It also consists of a Units of measurement error (e.g., using 'ドル' for dollar, which is incorrect in our locale). An extra half-width space is incorrectly inserted after the full-width punctuation mark at the end of sentences. e.g. "そうではありません。[]あなたの家が", "必要とします。[]あなたが"

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	室内植物の維持費は、植物の種類、サイズ、および維持レベルによって異なります。 基本的なコストには、植物、土、ポット、肥料が含まれます。 植物は定期的に水やり、剪定、および時折の施肥が必要です。 より大きな植物や多肉植物は、小さな植物よりも多くのポットと土が必要になる場合があります。 温室効果を防ぐために、毎年または2年に1回、より大きなポットに移植する必要があるかもしれません。 一般的に、室内植物の維持費は月額5ドルから50ドルの範囲です。 これは、水やり、剪定、施肥に必要な時間と労力を考慮せずに、基本的なコストのみに基づいています。		
ja_JP	Response: 昔々、緑豊かな森の中に小さな村があり、そこにトーマスという男の子が住んでいました。 トーマスは10歳で、冒険と勇気を夢見ていました。 彼はしばしば森の奥深くを探索し、そこで騎士になり、恐ろしいドラゴンと戦うふりをしていました。	Awkward or Unnatural Writing & Tone	The overall writing style of the response is unnatural. For example is the inconsistent use of "した" (casual) and "しました" (formal). Another example is the overuse of the pronoun "彼", and subsequently the lack of combination of relevant statements. Overuse of the pronoun "彼" (he) It also consists of tone error (the inconsistent use of "した" (casual) and "しました" (formal)).

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	トーマスの人生は簡単ではありませんでした。彼は両親を事故で亡くしており、彼の祖母に育てられていました。彼の祖母は彼をととても愛していましたが、年を取り、ほとんど働くことができなかったため、彼らは貧しい生活を送っていました。トーマスは村人たちが彼らを嘲笑し、彼の祖母を軽蔑するのを見て、彼らを助けることができる騎士になるという彼の夢を強く抱いていました。 彼が森で遊んでいるとき、トーマスはしばしば古くて壊れた剣を発見しました。彼はそれを拾い上げ、彼の夢の戦いで勇敢な騎士のように振り回して、彼がどんな敵にも打ち負かすことができると想像していました。彼はこの剣が彼の運命であり、彼が彼の夢を実現するのを助けることを知っていました。 ある日、トーマスが森の奥深くを探索していると、彼は秘密の洞窟を発見しました。洞窟の中には、輝く剣が置かれた石の台座がありました。トーマスは剣に引き寄せられ、それは彼の古い剣よりもはるかに美しく、強そうに見えたので、それを手に取った。彼が剣を握ると、彼は奇妙な力を感じました。それは彼を強くし、勇敢に感じさせた。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	トーマスは剣を持って村に戻ると、村人たちは彼を笑った。 彼らは彼が本物の剣を持っているとは思わず、彼はただの子供で、彼の夢は幻想に過ぎないと言った。 しかし、トーマスは彼らの言葉を気にしなかった。 彼は剣が本物であることを知っており、それは彼を夢を実現するのを助けるだろう。 ある日、村に恐ろしいドラゴンが現れた。 ドラゴンは火を吐き、家を破壊し、村人たちを恐怖に陥れた。 トーマスは剣を手に取り、ドラゴンと戦うために立ち上がった。 村人たちは彼を笑い、彼がドラゴンを倒すことができるとは思わなかったが、トーマスは恐れず前進した。 トーマスはドラゴンと激しい戦いを繰り広げた。 彼は剣を振り回し、ドラゴンの攻撃をかわし、ドラゴンの弱点を探しました。 最後に、トーマスはドラゴンの目に剣を突き刺し、ドラゴンを倒した。 村人たちは驚き、トーマスを英雄として称賛した。 その日から、トーマスは村の守護者になりました。 彼は剣を使って村を守り、村人たちを危険から守った。 彼は勇敢で強大な騎士であり、村人たちは彼を尊敬し、愛した。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	結局、トーマスの夢は叶った。彼は騎士になり、彼の村を守った。彼は剣が彼を夢を実現するのを助けたことを知っており、それを決して忘れなかった。		
ja_JP	"圧力骨折", "ねじれ骨折", and "緑色の骨折" Response: ここでは、7種類の骨折と、それらが何であるかについての説明があります。 1。圧力骨折:圧力骨折は、通常、骨が長期間にわたって圧力にさらされると発生します。それは通常、癌や骨粗鬆症の骨が弱い場合に発生します。骨は圧力に耐えることができず、簡単に亀裂または壊れます。 2。ねじれ骨折:ねじれ骨折は、骨がねじれまたはねじれるときに発生します。これは、骨に強い回転力が加えられるときに発生する可能性があります。ねじれ骨折は、下肢に発生する可能性が高く、特に足首や足首で発生します。	Formatting and Tone	Assistant uses inappropriate terminology for fracture types: "圧力骨折" should be "圧迫骨折". "ねじれ骨折" should be "捻転骨折". "緑色の骨折" should be "若木骨折". All of the incorrect terms are most likely literal translations of the English terminology. It also consists of Formatting and Punctuation error. Although the round period (。) is used at the end of Japanese sentences, regular periods (.) are used for numbering. The half-width colon (:) should not be used in our locale.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	3。移行骨折:移行骨折は、骨が別の骨に圧迫されるときに発生します。これは、骨がすでに脆弱または病気である場合に発生する可能性があります。たとえば、脊椎の骨折は、脊椎骨の骨粗鬆症によって圧迫される可能性があります。 4。完全骨折：完全骨折は、骨が2つ以上の部分に分割される骨折です。それは非常に痛みが激しく、骨が外に突き出ていることがよくあります。 5。不完全な骨折：不完全骨折は、骨が完全に壊れていない骨折です。それは、骨に亀裂やひび割れがあるだけです。骨折は、完全に壊れていないかもしれませんが、それでも痛みがあり、損傷している可能性があります。 6。緑色の骨折:緑色の骨折は、子供に発生する骨折の種類です。成長板に発生し、成長板がまだ柔らかい骨です。骨が伸びるにつれて、成長板に圧力や負担が加えられ、骨折します。 7。コンプレッション骨折:コンプレッション骨折は、骨が圧縮されて薄くなり、壊れる骨折です。これは、骨がすでに脆弱または病気である場合に発生する可能性があります。骨粗鬆症は、脊椎の骨折の原因となる可能性のあるコンプレッション骨折の一般的な原因です。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ja_JP	"確かに" Response: 確かに、ここに記事の要約があります: フランク・ドッド法により、貸し手は現在、所有者居住物件のための申告収入ローンを提供することができなくなり、貸し手は借り手の返済能力を文書化するために収入や資産を証明する必要があります。	Awkward or Unnatural Writing	"確かに" means something like "that's true" which does not make sense considering the context of the complete sentence. This is used at the beginning of many responses that begin with "here is a summary" and are most likely inaccurate translations of the English term "sure".
ja_JP	"SSRIの間で薬を選択する場合" Response: 提供された薬は、すべて選択的セロトニン再取り込み阻害剤(SSRI)です。SSRIは、うつ病、不安障害、強迫性障害、月経前不快気分障害(PMDD)、特定のパニック障害の治療に使用される抗うつ薬のクラスです。 これらの薬は、脳内のセロトニンレベルを高めることで作用し、セロトニン神経伝達物質の再取り込みを阻害します。セロトニンのより高いレベルは、気分を高め、精神的な健康状態を改善する可能性があります。	Awkward or Unnatural Writing & Wrong Language & Formatting and Punctuation	"の間で" translates to something like "in between" which is unnatural used in this context. "の中から" or "from within" would be a more natural expression to describe choosing from different SSRIs. It also consists of Formatting and Punctuation error. Although the round period (。) is used at the end of Japanese sentences, regular periods (.) are used for numbering. An extra half-width space is incorrectly inserted after the full-width punctuation mark at the end of sentences. e.g. "阻害します。[]セロトニンの", "一般名セレクサ。[]うつ病"

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	SSRIの一般的な副作用には、吐き気、頭痛、めまい、疲労、睡眠障害、性的機能障害が含まれます。これらの薬の重大な相互作用と警告がある可能性があるため、医師の指示に従って使用することが重要です。 以下は、提供された薬の説明です。 1。 シタロプラム：一般名セレクサ。 うつ病、社交不安障害、パニック障害、強迫性障害、PMDDの治療に使用されます。 2。 エスシアタロプラム：ブランド名Lexapro。 うつ病、社交不安障害、パニック障害、強迫性障害、PMDDの治療に使用されます。 3。 フルオキセチン：ブランド名プロザック。 うつ病、社交不安障害、パニック障害、強迫性障害、PMDDの治療に使用されます。 4。 フルボキサミン：ブランド名ルボックス。 うつ病、社交不安障害、パニック障害、強迫性障害の治療に使用されます。 5。 パロキセチン：ブランド名パキシル。 うつ病、社交不安障害、パニック障害、強迫性障害、PMDDの治療に使用されます。		Wrong Language should be also flagged as "Lexapro" is not translated.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	6。セルトラリン：ブランド名ジェド。うつ病、社交不安障害、パニック障害、強迫性障害、PMDDの治療に使用されます。 7。ビラゾドン：ブランド名ビラファックス。うつ病と季節性感情障害の治療に使用されます。 SSRIの間で薬を選択する場合、医師は患者の症状、既往歴、潜在的な副作用を考慮します。各SSRIには、作用時間、薬物動態、副作用のプロファイルが異なる可能性があります。患者のニーズに最適なSSRIを特定するために、医師はしばしば薬を調整します。 SSRIは、処方薬であるため、医師の指示なしに使用してはなりません。これらの薬に関する正確で最新の情報については、常に医師または医療専門家に相談してください。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ja_JP	Response: 1。天体物理学の歴史はヨーロッパのルネサンス時代に始まりまし た。 2。ルネサンスでは、天文学は神話から解放され、科学的探求に適し た学問になりました。 3。1610年、ガリレオ・ガリレイは望遠鏡を使用して天文学に革命を もたらしました。 4。ガリレイの発見は、教会の宇宙に関する教えと矛盾しており、紛 争につながった。 5。1633年、ガリレイはローマの異端審問にかけられ、彼の発見を放 棄するように強制されました。 6。彼は1642年に亡くなるまで自宅軟禁下に置かれた。	Formatting and Punctuation & Tone	It is not locally appropriate to format numbering with the round period after the number. Although the round period (。) is used at the end of Japanese sentences, regular periods (.) are used for numbering. It also consists of Tone error(e.g., the inconsistent use of "した" (casual) and "しました" (formal).
ja_JP	Response: もちろん！数学は、私たちの日常生活のさまざまな側面に深く根付い ており、楽しいロードトリップを計画する場合も例外ではありません。 数学がこの活動にどのように影響するかを示すために、いくつか の興味深い例を次に示します。	Formatting and Punctuation & Awkward or Unnatural Writing	It is not locally appropriate to format numbering with the round period after the number. Although the round period (。) is used at the end of Japanese sentences, regular periods (.) are used for numbering.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	1。旅行距離の計算：目的地に到達するために必要な総距離を計算するために、三角法を使用できます。地球が球体であると仮定すると、地球の半径と目的地の緯度と経度の間の角度を使用して、旅行距離を近似することができます。 2。燃料消費量の推定：車の燃費と旅行距離を考慮して、旅行中に必要なガソリンの量を計算できます。これにより、ガソリンスタンドでの停留所を計画し、予算をオーバーランする可能性を減らすことができます。 3。旅の時間の計算：車の速度と旅行距離を考慮して、目的地に到達するのにかかる時間を推定できます。これにより、休憩や目的地でのアクティビティを効果的に計画することができます。 4。コストの分割：友達と旅費を分割する必要がある場合は、数学を活用して、各人が支払うべき正確な金額を計算できます。これは、公平でストレスのない分割を保証します。 5。最適なルートの決定：複数のルートから目的地を選択する場合は、各ルートの距離と時間を比較する必要があります。数学を使用して、総旅行時間と距離を最小化するルートを決定的ます。		An extra half-width space is incorrectly inserted after the full-width punctuation mark at the end of sentences. e.g. "もちろん！[]数学は", "計算できます。[]これにより" It also consists of Awkward or Unnatural Writing errors(e.g., "食事費", "予算をオーバーラン", "ロードトリップ").

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	6。 宿泊施設のコストの計算： 宿泊施設の価格を考慮して、旅行の期間にわたって宿泊費用を計算できます。 これにより、予算内で宿泊を計画し、余分な支出を避けることができます。 7。 観光スポットのアクティビティのスケジューリング： 数学を活用して、旅行期間中に観光スポットを効果的にスケジュールできます。 これにより、すべての魅力を体験しながら、時間を最大限に活用することができます。 8。 食事のコストの計算： 食事費を計算することで、旅行中の食事予算を管理できます。 これにより、さまざまなレストランを試食したり、地元の料理を楽しんだりしながら、予算を守ることができます。 9。 予備の予算の設定： 予備費を設定することで、予期せぬ費用や予期せぬ機会に備えることができます。 数学を使用して、これらの予備費用の適切な金額を決定できます。 10。 写真の角度の計算： 写真に美しさと比率を加えるために、数学を使用して、風景や建築物の最適な角度を計算できます。 これにより、より印象的な思い出が残る写真になります。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	11です。 星座の観測：天文学に興味がある場合は、数学を使用して夜空の星座を特定することができます。 星座を観測し、その物語や伝説について学ぶことは、ロードトリップの魅惑的な追加になることができます。 これらは、数学が楽しいロードトリップを計画する上で果たす役割のほんの一例です。 数学は、私たちの周りの世界を理解し、私たちの日常生活のさまざまな側面を最適化するための強力なツールです。		
ja_JP	Response: 残念ながらそのような情報は exist しません。	Wrong Language	The response includes a English word "exist" that is inappropriately used in the locale.
ko_KR	여정을 하고있었습니다 Response: 타이타닉호는 1912년 4월 14일 밤 북대서양에서 침몰한 비행선입니다. 타이타닉호는 전설적인 배로 여겨지며 그 이야기는 많은 책과 영화로 만들어졌습니다. 타이타닉호는 세상에서 가장 큰 배였습니다. 그것은 영국에서 미국으로 가는 여정을 하고있었습니다. 승객 수는 약 2,200명으로 추정됩니다. 승무원과 승객을 포함하여 1,500명 이상이 사망했습니다. 사고의 원인은빙산과 충돌 때문으로 밝혀졌습니다.	Awkward or Unnatural Writing	An awkward phrase for “was on a journey”. More natural expression would be “여정 중이었습니다.”, or “항해 중이었습니다.”

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
ko_KR	접착이 아닌 플라스틱 탭을 사용한 접착제 없는 디자인은 실제로는 기존의 저렴한 전화기와 크게 다르지 않습니다. Response: 노키아 G22는 수리 가능한 스마트폰으로 소개되었지만, 실제로는 그렇게 다르지 않은 것으로 나타났습니다. 전화기의 구성 요소는 대부분 화면 뒷면에 장착되어 있어 화면 교체 시 전화기를 완전히 분해해야 하는 번거로움이 있습니다. 또한, 접착이 아닌 플라스틱 탭을 사용한 접착제 없는 디자인은 실제로는 기존의 저렴한 전화기와 크게 다르지 않습니다. 수리 가능성을 강조하는 마케팅에 비해 실제 디자인에서는 큰 변화가 없는 것으로 보입니다. 수리 가능한 디자인은 모든 구성 요소가 중앙 프레임에 장착되어 쉽게 교체할 수 있는 것이 이상적이지만, G22는 이러한 측면에서는 기존의 저렴한 전화기와 크게 다르지 않은 것으로 나타났습니다. 따라서, 이 제품이 실제로 수리하기 쉬운 디자인을 갖추고 있는지에 대한 의문이 남습니다.	Awkward or Unnatural Writing	Order of sentence components is not correctly followed by Korean grammar and it sounds like English translation. 접착제가 없는 플라스틱 탭은 기존의 저렴한 전화기와 크게 다르지 않다. is smoother.
ko_KR	북쪽으로 가는 항로가 어려워졌으며 Response: 1940년 4월 9일의 베저위봉 작전은 핀란드에게 중요한 사건으로, 이후 핀란드는 독일의 스칸디나비아 공격으로 인해 서부 전통 무역 시장과 물리적으로 격리되었습니다. 이로 인해 발트해의 출구가 막히고 북쪽으로 가는 항로가 어려워졌으며, 나치 독일과 소련에 둘러싸여 있는 상황이 되었습니다. 이에 핀란드는 칼 구스타브 에밀 만네르헤임 남작의 지원을 받아 자원 봉사단을 구성하여 나치 군대와와의 전쟁을 돕기 위해 노르웨이로 파견되었습니다. 이러한 지원으로 인해 구급차 부대가 핀란드로 돌아와 전쟁에 참여할 수 있었으며, 이는 핀란드에게 중요한 사건으로 기억되고 있습니다.	Awkward or Unnatural Writing	어려워졌으며 is awkward wording as the verb '어려워지다' does not match the subject(항로). Either, '항로가 막혔으며' or '항로를 이용하기가 어려워졌으며' is more natural.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ko_KR	생활습관 Response: 그런 생각을 하시는 것 같아요. 하지만 우리는 과거를 바꿀 수 없지만, 미래를 더 나은 방향으로 바꿀 수는 있어요. 기억력을 향상시키기 위해 노력하고, 새로운 기억을 만들어 가는 것도 좋은 방법일 거예요. 또한, 건강한 생활습관과 정기적인 운동, 영양 균형 잡힌 식사도 기억력 향상에 도움이 될 수 있어요. 계속해서 노력하고, 기억력을 향상시키는 방법을 찾아보세요!	Formatting and Punctuation	It should be 생활[]습관 as per dictionary.
ko_KR	다음과 같습니다: Response: 이염은 어린이에게 흔한 건강 문제 중 하나입니다. 이염의 증상은 어린이에게서 빠르게 나타날 수 있으며, 다음과 같습니다: - 특히 누워 있을 때 귀가 아프고, - 귀를 잡아당기거나 당기기 - 잠들기 어려움 - 평소보다 더 많이 울고, 까다로움 - 청각이나 소리에 반응하는 것이 어렵습니다. - 균형 상실 100 F (38 C) 이상의 발열 - 귀에서 액체 배수 - 두통 - 식욕 감퇴 이염은 어린이의 건강에 영향을 미칠 수 있으므로 증상이 나타나면 즉시 의사에게 상담하는 것이 좋습니다.	Formatting and Punctuation	Wrong punctuation used. It should be 다음과 같습니다. (full stop)

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ko_KR	방법이 있습니다: Response: 물론이죠, 여기 식 $(1 - \cos(2a) + \sin(2a)) / (1 + \cos(2a) + \sin(2a))$의 0을 찾는 방법이 있습니다: 이 식을 제로로 만드는 것은 쌍곡선 함수의 쌍곡선 정체성을 사용하여 더 쉽게 할 수 있다. 먼저, 다음을 기억하세요: $\cos(2a) = 2\cos^2(a) - 1$ $\sin(2a) = 2\sin(a) * \cos(a)$ 그런 다음 원래 방정식에 대입하면: $(1 - (2\cos^2(a) - 1) + 2\sin(a) * \cos(a)) / (1 + (2\cos^2(a) - 1) + 2\sin(a) * \cos(a))$ $= (2\cos^2(a) - 1 + 2\sin(a) * \cos(a)) / (2\cos^2(a) - 1 + 2\sin(a) * \cos(a) + 1)$ $= (2\cos^2(a) + 2\sin(a) * \cos(a) - 1 + 2\sin(a) * \cos(a)) / (2\cos^2(a) + 2\sin(a) * \cos(a) - 1 + 1)$	Formatting and Punctuation	Colon is used instead of period at the end of the sentences.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	$= (4\sin(a) * \cos(a)) / (2\cos^2(a) + 2\sin(a) * \cos(a) - 0)$$= 2\sin(a) * \cos(a) / (\cos^2(a) + \sin(a) * \cos(a))$ 이제, 우리는 다음을 사용하여 이것을 더 단순화할 수 있다: $\cos^2(a) + \sin^2(a) = 1$$(2\sin(a) * \cos(a)) / (\cos^2(a) + \sin(a) * \cos(a)) =$$(2\sin(a) * \cos(a)) / (1 - \sin^2(a))$$= 2\sin(a) * \cos(a) / \cos(a)$$= 2\sin(a)$ 따라서, 원래 방정식은 $2\sin(a) = 0$일 때 0이 된다. 이것은 $\sin(a) = 0$ 또는 $\sin(a) = 0$의 두 가지 가능한 해결책을 가진다는 것을 의미한다. $\sin(a) = 0$은 $a = 0, 3\pi/2, 2\pi, 5\pi/2, \dots$과 같은 a의 모든 짝수 곱에 해당한다. $\cos(a) = 0$은 $a = \pi/2, 3\pi/2, 5\pi/2, \dots$과 같은 a의 모든 짝수 곱에 해당한다. 따라서, 원래 방정식의 0은 $a = 0, \pi/2, 3\pi/2, \dots$과 같은 a의 모든 짝수 곱이다.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ko_KR	Example 1 Response: 인후통이나 코막힘은 몇 일 안에 없어질 수 있지만, 기침은 최대 3주 까지도 지속될 수 있어. Correct: 인후통이나 코막힘은 며칠 안에 없어질 수 있지만, 기침은 최대 3주까지 도 지속될 수 있어. Example 2 Response: 2021년 3월에 발생한 아이슬랜드의 화산 폭발이 주목을 받았습니다. Correct: 2021년 3월에 발생한 아이슬란드의 화산 폭발이 주목을 받았습니다.	Spelling	“몇 일” is an incorrect spelling of “며칠”. The country name “아이슬랜드” is a non-standard spelling of “아이슬란드”.
ko_KR	Response: 토지는 유동자산이 아닙니다. Correct: 토지는 부동산이 아닙니다.	Grammar	The particle “~은” cannot be used after vowels.
ko_KR	Response: 죽순은 대나무가 자라나는 과정에서 중요한 역할을 하며, 대나무에 영양소를 공급하고 새로운 잎을 생성하는 데 사용됩니다. 因此 죽순은 대나무의 열매 보다는 싹에 가깝다고 할 수 있습니다. Correct: 죽순은 대나무가 자라나는 과정에서 중요한 역할을 하며, 대나무에 영양소를 공급하고 새로운 잎을 생성하는 데 사용됩니다. 그러므로 죽순은 대나무의 열매보다는 싹에 가깝다고 할 수 있습니다.	Wrong Language	“因此” is not a target language.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
ko_KR	Response: 디즈니 월드 아래에는 지하 터널이 있습니다. 주로 직원들이 공원 내에서 이동하는 데 사용되며, 손님들로부터 멀리 떨어져 있을 수 있게 해준다. Correct: 디즈니 월드 아래에는 지하 터널이 있습니다. 주로 직원들이 공원 내에서 이동하는 데 사용되며, 손님들로부터 멀리 떨어져 있을 수 있게 해줍니다. or 디즈니 월드 아래에는 지하 터널이 있다. 주로 직원들이 공원 내에서 이동하는 데 사용되며, 손님들로부터 멀리 떨어져 있을 수 있게 해준다.	Awkward or Unnatural Writing	The formal speech and informal speech are mixed. The sentences should be written in either formal or informal speech consistently.
ms_MY	Di Cameron Highlands sejauh ini, Hujan dan kabus meliputi api, Taman-taman berbunga berkilau, Menghiasi segala pemandangan. Ladang teh luas warna hijau, Strawberi manis campak lembut, Cuaca sejuk berseri indah, Menjadi kenangan takkan berulang. Di gerai kecil santai berdua, Teh panas selimut hangat kali, Strawberi segar berasap sedap, Menggoda selera belakang lipat. Trek hutan mencabar tekad, Menjelajahi alam penuh khidmat, Bunga-bunga berwarna cantik, Menguatkan rasa damai hati.	Awkward or Unnatural Writing	Unnatural Malay phrasing caused by weak collocation and semantic mismatch. Although the words are Malay and arranged poetically, they do not follow natural pairing patterns used by native speakers, even in poetic writing.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization	Explanation
ms_MY	Response: Dari KLIA, anda boleh kenaikan kereta untuk ke Bukit Bintang. Grade: Issues present. Grammar. Response: Daripada KLIA, anda boleh naik kereta untuk ke Bukit Bintang. Grade: No issues.	Grammar	Rationale 1: "kenaikan" is incorrectly used in this setence. Rationale 2: Though the usage of "daripada" is grammatically wrong, it conforms to how native speakers speak. This is considered acceptable.
ms_MY	Example 1: Response: Membawa laptop sewaktu melancong merupakan ide yang baik. Grade: Issues present. Wrong Language. Example 2: Reponse: Membawa laptop sewaktu melancong merupakan idea yang baik. Grade: No issues.	Wrong Language	Rationale 1: "ide" is an Indonesian word that cannot be verified in Kamus. Rationale 2: "Laptop" is an example of an acceptable EN word in the locale.
ms_MY	Berdasarkan senarai yang diberikan, berikut adalah kedai-kedai di Johor Bahru yang menyediakan makanan barat: 1. Pondok Santapan Larkin (terutamanya Maggie Goreng dan Maraconi Goreng) 2. SDS Cafe (terutamanya American Breakfast, Bagel, Bagel Nasi Lemak, dan Western) 3. Kapten Steamboat and Grill (terutamanya nugget, salad, dan ice cream)	No Issues	Although several English words are present (e.g., Big Breakfast, Burger, Western, nugget, salad, ice cream, pastries), these terms are commonly used, widely understood, and naturally adopted in Malaysian Malay. Code-switching between Malay and English is culturally acceptable and does not affect comprehension.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
	4. Silver Fork Cafe (menawarkan pilihan makanan barat) 5. Dapo Mokcik Kopi Pokcik (terutamanya Big Breakfast dan Burger Nasi Lemak) 6. Cakes by Fash (terutamanya tartlets dan pastries) Kedai-kedai ini menyediakan pelbagai pilihan makanan barat yang sesuai untuk sambutan hari jadi adik anda.		
ms_MY	Prompt: Saya rasa sedih... Response: Apakah yang telah berlaku sehingga membuatkan kamu berasa sedih?	Awkward or Unnatural Writing	While the sentence is grammatically correct, it is unnatural as native speakers do not speak formally on a day-to-day basis. An example of a natural response would be "Kenapa awak sedih? Apa yang boleh saya lakukan untuk gembirakan awak?"
ms_MY	Prompt: Berapakah jumlah pelajar yang bakal menduduki SPM tahun ini? Response: 10,000 pelajar akan meduduki N Levels pada tahun ini.	Unlocalized Information	Response talked about "N Levels", a national exam taken by Singaporean students. This is unrelated to the user's prompt and the target locale.
ms_MY	Prompt: Bilakah Maulidur Rasul disambut? Response: Maulidur Rasul di Malaysia disambut pada 12 Rabi' al-Awwal.	Overly-localized content	Response gives the impression that Maulidur Rasul falls on 12 Rabi' al-Awwal only in Malaysia when in actuality, Maulidur Rasul is being celebrated on the exact same date all around the world.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
ms_MY	Prompt: Bolehkah anda tuliskan pantun? Response: Bisa dong! Adakah anda mempunyai tema untuk pantun ini?	Phrase or idiom	"bisa dong" is a phrase commonly used by Indonesians, and not by users of the target locale.
nl_BE	Response: De techniek: Plaats de borstel bij de haarwortel en houd de föhn erboven, gericht naar beneden (met de haarschubben mee).	Vocabulary	The word ‘föhn’ is not fitting for the Belgian Dutch locale, this is the variant for Dutch from the Netherlands. It should say ‘haardroger’.
nl_NL	Prompt: Ik ben uitgenodigd voor een zomerbruiloft, geef me wat kledingtips. Response: Summer Chic: De meest populaire keuze voor zomerse bruiloften. Dames: Een luchtig cocktailkleedje of een chique jumpsuit in lichte kleuren of prints. Denk aan zijde, linnen of chifon.	Vocabulary	The word ‘kleedje’ is used in its Belgian Dutch sense. In the Netherlands the word for ‘dress’ should be ‘jurk’.
nl_NL / nl_BE	Prompt: Wat zijn de manieren om een nieuwe taal sneller te beheersen? Response: 4. Je kan taalbuddies zoeken en regelmatig afspreken om je woordenschat uit te breiden en sneller je mondelinge taalbeheersing te verbeteren.	Spelling	Wrong spelling of plural, loanwords from English ending in consonant + y get an ‘sin plural form and so it should be taalbuddy’s.
nl_NL / nl_BE	Response: Een glasvezel netwerk is een uitgebreid netwerk van ultradunne glasvezelkabels, die data versturen met licht, wat zorgt voor razendsnel en stabiel internet met gelijke download- en uploadsnelheden.	Spelling	In Dutch the word ‘glasvezelnetwerk’ is a closed compound.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
nl_NL / nl_BE	Response: 5 el boter 1/4 kopje bloem 500 ml melk zout, peper, nootmuskaat	Units of measurement	Kopjes or cups are not a unit of measurement in the locale.
nl_NL / nl_BE	Response: Bekijk de beschikbare kluisgroottes, kies er een passende en teken de huurovereenkomst bij de bank. Je kan je waardevolle spullen direct in je kluis leggen. Tijdens de openingstijden heb je altijd access tot je kluis.	Wrong Language	Access' is not an assimilated loanword but an English word in a Dutch sentence.
nl_NL / nl_BE	Response: Deze soort planten werden ingevoegd bij de zeepboomfamilie (Sapindaceae), samen met de planten in de familie Hippocastanaceae.	Grammar	The subject of the sentence is the singular 'deze soort' and the verb is in plural form, the agreement in this sentence is not correct.
nl_NL / nl_BE	Prompt: Ik heb een vacature voor marketingmanager gevonden. Help me een sollicitatiebrief te schrijven. Response: Geachte mevrouw/mijnheer [achternaam], Met deze e-mail wil ik reageren op uw vacature voor marketingmanager. ... Bedankt voor je tijd. Groetjes, [naam achternaam]	Tone	The context of the prompt requires formal address, while the response includes an informal pronoun 'je' and an informal sign-off 'Groetjes'. Additionally, the response mixes up formal and informal registers, this is a tone issue.
nl_NL / nl_BE	Prompt: Beschrijf voordelen van een aparte droogdoek voor auto's. Response: ... Een microvezeldroogdoek bezorgt je een efficiënte en snelle droogervaring.	Awkward or unnatural writing	Even though there are no specific grammar, vocabulary or spelling mistakes, sentence structure is not typical for the locale.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
nl_NL / nl_BE	Response: Hoewel oud, was hij feitelijk én in naam opperbevelhebber, en in 1789 behaalde hij een laatste schitterende overwinning.	Awkward or unnatural writing	Hoewel oud...' is a literal translation of 'Though old', in Dutch this construction is usually is rephrased to 'Ook al was hij oud' or similar, or moved to the end of the sentence.
nl_NL / nl_BE	Response: Als je geen tuin of balcon hebt, kan je nog altijd kerstomaatjes, lente-ui en kruiden binnenshuis groeien.	Awkward or unnatural writing	Groeien' is an intransitive verb in Dutch. If the subject (a person) is growing something, the verb is 'kweken'.
nl_NL / nl_BE	Response: ... Deze inkten zijn geschikt voor navulbare vulpennen, viltstiften, glaspennen, rietpennen, en ganzenveren.	Formatting and Punctuation.	Oxford, or serial, comma is not used in Dutch for cases of simple enumeration.
pl_PL	niezwykłym atmosferą → niezwykłą atmosferą moja matki → moja matka OR mojej matki nadmiernej wilgotność → nadmierna wilgotność OR nadmiernej wilgotności	Grammar	

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
pl_PL	Response: Opowiada o dwóch mężczyzn Correct: Opowiada o dwóch mężczyznach Response: Na jej szczycie znajduje się światowe pojedyncze kopuła. Correct: Na jej szczycie znajduje się światowa pojedyncza kopuła. Response: Dzieci z Wrocławiu. Correct: Dzieci z Wrocławia.	Grammar	It is important to make sure the grammar such as conjugation, possession, plurality, case, inflection, etc. is used correctly.
pt_BR	Response: "Não sei se pego comboio ou autocarro para me encontrar com a turma".	Vocabulary	"comboio" and "autocarro" are vocabularies pertaining to pt_PT locale, not pt_BR. Appropriate words for the Brazilian language variant would be "trem" and "ônibus".
pt_BR	Response: A água é uma substância química cujas moléculas são formadas por dois átomos de hidrogenio e um de oxigénio. É abundante no universo, nomeadamente na Terra, onde cobre grande parte de sua superfície e é o maior constituinte dos fluidos dos sers vivos.	Spelling	Response contains issues with accentuation of words (innapropriate or inexistent) and typo. These are considered spelling mistakes. - Correct spelling/accentuation for "àgua" is "água"; - Correct spelling/accentuation for "hidrogenio" is "hidrogênio"; - Correct spelling/accentuation for "oxigénio" (pt_PT spelling) is "oxigênio"; - Correct spelling for "sers" is "seres";

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
pt_BR	"fundo de poupar" Response: Reserve uma parte do seu dinheiro para cobrir emergências como reparos de carro ou contas médicas, evitando dívidas caras. Priorize uma conta poupança para essas despesas inesperadas e defina regras para seu uso. Use o fundo de poupar em caso de necessidade, mas lembre-se de reconstruí-lo posteriormente.	Awkward or Unnatural Writing	The expression "fundo de poupar" is not used in Portuguese. In natural writing or speech for the pt_BR locale, the correct word in this context is "poupança". The expression picked up in the response is an awkward translation from English.
pt_BR	"o osso mais grande" Response: O osso mais grande na parte superior do corpo é o esterno, um osso plano e em forma de escudo localizado no peito. Ele protege muitos órgãos vitais, incluindo o coração e os pulmões. O esterno é composto por várias partes, incluindo a mancha esternal, as costelas e o processo xifóide. Ele conecta-se a muitos outros ossos e fornece um ponto de ancoragem para vários músculos.	Awkward or Unnatural Writing & Grammar	O osso mais grande" is a literal translation from "the biggest bone" in English, which in Portuguese is unnatural. The correct translation in this case is "o maior osso". We should mark this localization issue as both Awkward or Unnatural Writing AND Grammar issues since it does not comply with grammatical rules in pt_BR.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
pt_BR	"espero que este email o encontre bem"; "com sua diplomação na mão". Response: Querido professor, Espero que este e-mail o encontre bem. Queria lhe agradecer por todo apoio dado durante esses anos de faculdade. Depois de estar com a minha diplomação na mão, fico mais aliviada e com a certeza de que tudo valeu a pena! Mais uma vez, obrigada por tudo! Atenciosamente, Marcela	Awkward or Unnatural Writing	"Espero que este e-mail o encontre bem" is a direct translation from English ("hope this e-mail finds you well"). Though there is no grammar issue here, this is unnatural in pt_BR locale. A better localised sentence could be "Espero que esteja tudo bem". Also, although the word "diplomação" exists in Portuguese, it is not used to describe a student's graduation. The word "graduação" is commonly used instead. In addition to that, the expressions "diplomação na mão" or even "graduação na mão" are not sensical in Portuguese, therefore, an awkward or unnatural writing. The expressions "com o meu diploma na mão" convey the idea intended in the response using a natural Portuguese writing.
pt_BR	Response: Historicamente, enquanto forma de prática física, o ginástica surgiu na Pré-História. Contudo, veio a se tornar um modalidade esportiva apenas em 1881, em escolas alemãs tipicamente masculinas. Desse modo, a ginástica artística consagrou-se como a forma mais antiga do desporto e em decorrência disto, sua história é constantemente confundida com a da ginástica em si, o que não fere sua evolução artística individual posterior.	Grammar	"o ginástica" and "um modalidade" are incorrect gender inflections in pt_BR. Following grammar rules, correct wording is "a ginástica" and "uma modalidade". This should be flagged as Grammar error under Localization Issues.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
pt_BR	Aqui está uma lista para os estados do Sudeste: - Espírito Santo - Minas Gerais - Rio de Janeiro - São Paulo Seguindo a ordem acima, veja abaixo uma expressão comum em cada um dos estados: 1. "Ir pro rock: Sair para uma balada. 2. "Fragou a ideia?": Captou a ideia. 3. "O churrasco hoje é 0800": O churrasco hoje é de graça. 4. "Vou fazer isso em dois palitos: Algo que é feito rapidamente.	Formatting and Punctuation & Grammar	In general, bulleted or numbered lists are separated either by semi colon or full stop. The formatting of the first bulleted list is missing punctuation whereas the numbered list is not formatted in a consistent way with pt_BR conventions (response skips a line between number and sentences). It also presents some issues with punctuation in quotation of sentences where some sentences lack the closing quote. In addition to formatting and punctuation issues, note that sentences are being capitalized after the colon in the numbered list. This is incorrect in the locale where sentences should begin in lowercase after colon. This should also be flagged under Grammar issues.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
ru_RU	Response: Для получения информации о том, какие программы можно использовать в данной области, рекомендуется обратиться в regionalnye sentery развития предпринимательства.	Spelling	Response contains transliteration to the foreign alphabet of the Russian words that should be spelled in the locale's alphabet.
ru_RU	Response: Этот вебсайт создаёт захватывающий пользовательский опыт.	Awkward or Unnatural Writing	The response contains the machine translation from English phrase, so we will mark this as locale issue - Awkward Writing
ru_RU	Response: Вот три негрустных вариантов окончания сказки «Снегурочка» по мотивам Римского-Корсакова. Correct sentence: Вот три негрустных варианта окончания сказки «Снегурочка» по мотивам Римского-Корсакова.	Grammar	The word "варианта" is incorrectly inflected. It should be used in the genitive plural case same as the previous word "негрустных".
ru_RU	Response: Предлагаю следующий storytelling, придуманный в соответствии с твоими критериями. Correct sentence: Предлагаю следующий сценарий, придуманный в соответствии с твоими критериями.	Wrong Language	The response contains the English word "storytelling," which is used inappropriately for the locale.
th_TH	Request: จะขับรถทางไกล ต้องเตรียมความพร้อมอะไรบ้าง Response: ตรวจเช็ครถอย่างละเอียด ลมยาง หมอน้ำ น้ำมันเครื่อง dámรับ อย่าลืม!	Wrong Language	When the response contains random foreign languages e.g Vietnamese or Chinese characters etc.
th_TH	Request: จะขับรถทางไกล ต้องเตรียมความพร้อมอะไรบ้าง Response: การวางแผนเดินทาง ตั้งแผนการเดินทาง: แรกความสำคัญ! สามารถจัดทุกส่วนตัวอย่างตรงกับเวลาและขนาดทาง เรื่องราวที่ต้องสร้าง: สถานที่ที่จะไป, เวลาเดินทาง, ทางลัด, และอาหารที่สามารถเข้าใจได้	Awkward or Unnatural Writing	The overall writing style of the response is unnatural.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
th_TH	Request: วันหยุดคุณชอบทำอะไร Response: ฉันชอบนอนพัก.	Formatting and Punctuation	In Thai language, the period "." is not commonly used the same way as in English.
th_TH	<u>No issues:</u> Request: วันนี้อากาศดีไหม ฉันควรทำอะไรดี Response: อากาศดีมากเลย! หรือคุณอยากจะให้ฉันวางแผนการท่องเที่ยวให้ไหม?	Formatting and Punctuation	In the Thai language, the exclamation mark "!" is used in expressive situations and "?" (question mark) is used at the end of an interrogative sentence, or as a substitute for a question word.
tr_TR	Response: Türkiye'nin başka bölgelerinde olduğu gibi Akdeniz bölgesinde de bölge sınırları ile yönetim birimleri olan illerin sınırları tümüyle çakışmaz. Correct: Türkiye'nin başka bölgelerinde olduğu gibi Akdeniz Bölgesi'nde de bölge sınırları ile yönetim birimleri olan illerin sınırları tümüyle çakışmaz.	Grammar	Mediterranean Region should be capitalised and an apostrophe needs to be used between the proper name and the inflection as : "Akdeniz Bölgesi'ndeki"

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
tr_TR	Response: Avrupa'dan ziyarete gelen ve Türkiye'deki önemli tarihi mekanları hala görmemiş olan arkadaşlarını gezdirmek ve sonra da onları milli parklara götürmek istiyorsan işte sana önerebileceğim yerler. Correct: Avrupa'dan ziyarete gelen ve Türkiye'deki önemli tarihî mekânları hâlâ görmemiş olan arkadaşlarını gezdirmek ve sonra da onları millî parklara götürmek istiyorsan işte sana önerebileceğim yerler.	Spelling	Certain words were incorrectly recognized by the model without a special character, they should be correctly spelled as per the locale conventions using the circumflex accent regardless how they appear in the reference text.
tr_TR	Example 1 - Apostrophe & Quotation Marks Response: "Kürk Mantolu Madonna" Sabahattin Ali´nin en çok bilinen eserlerindendir. Correct: "Kürk Mantolu Madonna" Sabahattin Ali'nin en çok bilinen eserlerindendir. Example 2 - Time Format Response: Atatürk 10 Kasım 1938'de 09:05'te hayata gözlerini yummuştur. Correct: Atatürk 10 Kasım 1938'de 09.05'te hayata gözlerini yummuştur.	Formatting and Punctuation	The correct type of apostrophe and quotation marks in Turkish locale are respectively as follows: ' and " " In Turkish, a period is used to separate the hour and minute.
tr_TR	Response: Danube Nehri yaklaşık 20 milyon insanın içme suyu kaynağıdır. Correct: Tuna Nehri yaklaşık 20 milyon insanın içme suyu kaynağıdır.	Vocabulary	The river Danube is being used as Tuna in Turkish.
tr_TR	Response: Bu karakter modern grafik sanatçılarla işbirliği yapan bir genciymiş. Correct: Bu karakter modern grafik sanatçılarıyla iş birliği yapan bir gençmiş.	Grammar	It is important to make sure the grammar such as conjugation, possession, plurality, case, inflection, etc. is used correctly.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
uk_UA	Response: Я боксер важковаговик, тому я дотримуюся певної дієти. Correct sentence: Я боксер-важковаговик, тому я дотримуюся певної дієти.	Spelling	"боксер-важковаговик" is a compound word that should be transcribed with a hyphen.
uk_UA	Response: Рекомендується починати з قىيرших періодів – наприклад, 15 хвилин на день.	Spelling	The word "قىيرших" is gibberish as it includes some foreign characters. We will consider it a spelling error.
uk_UA	Response: "Дніпро" — це слово, яке може мати кілька значень в залежності від контексту. Correct sentence: «Дніпро» — це слово, яке може мати кілька значень в залежності від контексту.	Formatting and Punctuation	The assistant often uses English quotation marks (" "). The correct quotation marks in Ukrainian are the guillemets (« »). English quotation marks should only be used inside guillemets.
uk_UA	Response: Це найбільш поширений метод через його низьку вартості. Correct sentence: Це найбільш поширений метод через його низьку вартість.	Grammar	The word "вартості" is incorrectly inflected. It should be used in the accusative case same as the previous word "низьку вартість".
uk_UA	Response: Це проблема у wielu країнах світу. Correct sentence: Це проблема у багатьох країнах світу.	Wrong Language	The response includes a Polish word "wielu" that is inappropriately used in the locale.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
uk_UA	Prompt: Поясни, що таке лінійне програмування. Response: У задачі лінійного програмування є три основні складові. Змінні (decision variables): Це ті значення, які потрібно знайти. Наприклад, скільки товарів потрібно виготовити, як розподілити ресурси і т. д. Цільова функція (objective function): Це математичне правило у вигляді лінійного рівняння, яке ви хочете максимізувати або мінімізувати. Correct response: У задачі лінійного програмування є три основні складові. Змінні: Це ті значення, які потрібно знайти. Наприклад, скільки товарів потрібно виготовити, як розподілити ресурси і т. д. Цільова функція: Це математичне правило у вигляді лінійного рівняння, яке ви хочете максимізувати або мінімізувати.	Other	"Змінні", "цільова функція" are common mathematical terms in Ukrainian. Adding English term in brackets is unnecessary. Since the model is not using wrong language as such and more so using unnecessary additional description in English, this should be marked as Localization > Other - Unnecessary addition of English words in a response.
vi_VN	Prompt: Hãy viết một đoạn văn ngắn nói về lòng yêu nước. Response: ...Đó là sức mạnh của lòng yêu nước, của tình thần dân tộc, của một tình thần kiên cường không bao giờ lùi bước trước khó khăn...	Spelling	The response contains typos “tình thần”.
vi_VN	Prompt: Hãy tóm tắt lại bài viết sau “...có thể nhìn nhận từ bên ngoài về sự bản sắc văn hóa dân tộc là ở thuộc tính tinh thần của nó....” Response: ...nhìn nhận về sự bản sắc văn hóa dân tộc....	Awkward or Unnatural Writing	Although the prompt contains the term “sự bản sắc”, the response repeats it without correction. The response will be penalized for using wording that lacks the fluency expected of a native speaker, such as an overly literal translation or obvious machine translation.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
vi_VN	Prompt: Hãy viết lại truyện Rùa và Thỏ bằng giọng văn hài hước... Response: - Rùa: Cậu Thỏ ơi, mày chạy nhanh thế! Mày đợi chú với! - Thỏ: Này chú gì chậm chạp ơi, còn lâu mới đuổi kịp tớ nhé!	Awkward or Unnatural Writing	The response consists of unnatural pronoun pairs: "cậu - mày", "mày - chú", "chú - tớ".
vi_VN	Prompt: Làm cách nào để luôn giữ tinh thần vui vẻ, yêu đời. Trình bày cho tôi 3 cách bằng số thứ tự. Response: 1. Catch-up thường xuyên với bạn bè. 2. Tham gia các khóa học như lập trình hoặc marketing....	Wrong Language	The response includes two English words: "catch-up" and "marketing". While "marketing" is a widely recognized term, "catch-up" is not readily understandable to users in our locale. The response will be penalized for wrong language (catch-up).
vi_VN	Prompt: Tôi cần dẫn một đoàn khách người Việt Nam đi du lịch ở Trung Quốc. Hãy giúp tôi viết một bài dẫn chào đón khách du lịch tại sân bay. Response: 你好, xin chào các bạn, tôi tên là T. Tôi là hướng dẫn viên của các bạn trong suốt chuyến đi này....	Wrong Language	The response contains a Chinese word "你好" which is not requested by the user. The response will be penalized for wrong language.
vi_VN	Prompt: Hãy tính giá khung hình 40x60 dựa vào bảng giá dưới đây:... Response: Khung hình này có giá là 500,000...	Formatting and Punctuation	The response uses an inappropriate number format. It should use "500.000" instead of "500,000".

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
vi_VN	Prompt: Hãy viết một đoạn văn ngắn giới thiệu về bún bò Huế. Response: ...Bún bò Huế là một món ăn nổi tiếng, với nguồn gốc phong phú, phản ánh sự giao thoa giữa các tầng lớp xã hội....	Grammar	The response contains a paragraph that follows English-style structure with three parts connected by commas: a main clause, a prepositional phrase starting with “với - with”, and a verb-led phrase positioned after the comma.
vi_VN	Prompt: Hãy cho tôi công thức làm món giò chay. Response: Dưới đây là công thức làm món giò chay từ gluten....	Unlocalized Information	The assistant should recognize that “mì căn” is the more relevant and appropriate term than “gluten” in our locale.
zh_*	Request: 告诉我五个 Lionel Messi 的趣事 Response: (zh_CN) 以下为利昂内尔·梅西的五件趣事： (zh_HK) 以下為利安奴·美斯的五件趣事： (zh_TW) 以下為萊納爾·梅西的五件趣事：	No Issues	The Chinese translations of some celebrities' English names vary depending on the region. We can use web search (wikipedia) results. Otherwise, this should be marked as: Yes, issues present: Vocabulary

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_*	(zh_CN) Request: iPhone 17 Pro 多少钱? Response: iPhone 17 Pro 的售价从 1099 美元起。 (zh_HK) Request: 一部 MacBook Air 賣幾錢? Response: MacBook Air 的售價為 \$1099 美金。 (zh_TW) Request: 告訴我一台 iPhone Air 256GB 的售價。 Response: 一台 iPhone Air 256GB 的售價為 \$999 美金	Units of measurement	The assistant incorrectly used USD instead of CNY with the given context. The assistant incorrectly used USD instead of HKD with the given context. The assistant incorrectly used USD instead of TWD with the given context.
zh_*	Response: **缺乏透明度： **MK-Ultra是一个高度机密的计划，直到20世纪70年代后期才被曝光。当时， 公众对政府秘密行动的了解有限， 而且政府经常试图掩盖其不当行为。	Formatting and Punctuation	In this example, the double asterisk is a punctuation error.Any formatting or punctuation error in the response, whether locale-specific or universally incorrect, should now be flagged under this category.
zh_*	当然， 参加国外学生交流课程可以是一次非常宝贵的经历。以下是一些可能鼓励你参加的要点： 1.文化体验： (There is an empty line above.Please ignore this explanation when you're grading.) 深入了解不同国家的文化、习俗和生活方式。 •增强跨文化沟通能力和全球视野。	No Issue	The empty line is included after the title before the bullet point.The weird structure of the response here should be penalized in satisfaction.Because this Formatting and Punctuation issue in localization applies only to text-level. It does not apply to content organization choices, such as whether information is presented in paragraphs, lists, tables, or other structural layouts.This example is a weird structural layouts.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	2.语言能力： (There is an empty line above. Please ignore this explanation when you're grading.) 提高外语水平，尤其是英语，通过日常交流。		
zh_*	还有啊，“王阿姨”这个称呼，它还能帮你踩雷。比如，你去朋友家吃饭，菜肴端上来时，朋友说：“尝尝这鱼，我特别用心做。”你心想，这鱼肯定是经过深思熟虑，才决定把‘腥’味发挥到极致。这时候，“王阿姨”的审美标准就派上用场了，你轻轻一尝，立刻发个朋友圈：“哎呀我的天，这鱼真香啊，越吃越有年代感！”	Formatting and Punctuation	In this example, double quotation marks were mistakenly used as single quotation marks.
zh_*	<u>No issue:</u> 1. Opening section (salutation): 親愛的陳小姐： 2. Dialogue terms (used to indicate a speaker) 嘉欣：你好嗎？ <u>Yes, issues present:</u> 1. Opening section (salutation): 尊敬的[收件人姓名]，	Formatting and Punctuation	In Chinese locales, standard writing conventions typically require a colon (：) after the opening salutation in formal correspondence. While commas are commonly used in English greetings, applying the same punctuation in Chinese reflects English conventions rather than localized usage.
zh_*	题目是求两条直线的交点： 第一条直线：\$ x - 2y = 4 \$ 第二条直线：\$ 6y + 5x = 4 \$	Formatting and Punctuation	\$' sign is considered a text-level formatting issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_*	第一条方程： x - 2y = 4 \quad \text{（方程①）}	Formatting and Punctuation	\quad \text{' is an internal mark and it is considered a text-level formatting issue. Hence, it should be penalized in localization - formatting or punctuation issues.
zh_*	No issues: Uses enumeration commas consistently within the same sentence. 1. 苹果、橙子、香蕉、电视、收音机 2. 苹果，橙子，香蕉，电视，收音机 Yes, issues present: Mixes commas and enumeration commas within the same sentence, resulting in inconsistent punctuation. 苹果，橙子、香蕉、电视，收音机	Formatting and Punctuation	While enumeration commas (、) and commas (,) serve different functions in standard Chinese writing, their usage is commonly mixed or misused in modern writing. Because of this, treating every occurrence as a localization issue may be overly strict. A penalty should only be applied when both punctuation marks are used inconsistently within the same sentence, as this impacts readability and consistency. Otherwise, isolated use of either punctuation mark should not be classified as a localization issue.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_*	Request: 什么是人工智能？ Response: "人工智能是计算机科学的一个分支，研究如何让机器执行通常需要人类智能的任务。"	Formatting and Punctuation	Full-width punctuation is a standard feature of Chinese writing systems and should be applied consistently across all zh locales. This includes punctuation such as quotation marks, which are designed to occupy full-width in line with Chinese characters. The difference between half-width and full-width punctuation is also straightforward to verify by copy pasting into a text box for comparison. (see image below) ''''' (Chinese keyboard) '''' (English keyboard) 。 , (Chinese keyboard) ., (English keyboard) The assistant incorrectly used half-width quotation marks (" ")

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_*	No issues: The interpunct appears without surrounding spaces 1. 威廉·拉塞尔 Yes, issues present: Spaces appear before or after punctuation 2. 达[]·[]芬奇 3. 达·[]芬奇 ([] indicates a space)	Formatting and Punctuation	1. The usage of the interpunct is appropriate and aligned with text-level formatting expectations, it should be treated as acceptable and not flagged as a localization issue. 2 & 3. The interpunct usage reflects a text-level formatting issue and should be treated as a localization issue.
zh_*	No issues: 1.透過拍照查找相似內容。 1. []透過拍照查找相似內容。 ([] indicates a space)	No Issues	Bullet points or numbered lists are not considered text-level formatting or punctuation issues. They fall under content organization choices, which are acceptable in zh_* locales and should not be penalized under either the Localization or Satisfaction dimensions.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
zh_*	No issues: (zh_HK only) Mixing English vocabulary within a Chinese passage is acceptable.	Wrong Language	
	Response: 食完早餐，返屋企上網搵工，每日SEND十封信差唔多。		
	Yes, issues present: 1. The mixture of Simplified and Traditional Chinese (zh_CN) 我们想确保您了解这一发展及其对您的交易活动的潜在好处。		
	(zh_HK) 大多數茶叶的发酵過程，是由茶葉中的酵素催化兒茶素氧化而成。		
	(zh_TW) 你現在覺得自己最害怕的是什么呢？		
	2. Including a large English paragraph in a Chinese response Response: 週四，在阿根廷布宜諾斯艾利斯郊區1家現已關閉的動物園裡，獅子、老虎和熊在惡劣的環境下勉強存活下來，牠們在小到可能罹患幽閉恐懼症的籠子裡無力地踱步，等待著多年來首次接受獸醫緊急照顧。The 62 big cats and two brown bears were being evaluated and treated before their eventual transfer to vast wildlife sanctuaries abroad — among the most complex animal rescues undertaken in Argentina after the country’s recent arrangement with an international animal welfare organization. 2020年，阿根廷當局由於安全疑慮升高，關閉這家盧漢動物園。		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization	Explanation
zh_*	Example 1: <pre>name = input("Please input your name: ") print("你好" + ' ' + name + " 加入我们的团队")</pre> Please input your name: Tom 你好 Tom 加入我们的团队 Example 2: <pre>import math def calculate_area(shape, **kwargs): """ 计算不同几何图形的面积。 """ if shape == 'circle': # 圆形面积公式: π * r² r = kwargs.get('radius', 0) return math.pi * r ** 2 elif shape == 'rectangle': # 矩形面积公式: 长 * 宽 l = kwargs.get('length', 0) w = kwargs.get('width', 0) return l * w else: raise ValueError("无效的图形类型, 请选择 'circle'、'rectangle' 或 'triangle'。") # 示例调用 print(calculate_area('circle', radius=5)) # 输出: 78.53981633974483 print(calculate_area('rectangle', length=10, width=5)) # 输出: 50 78.53981633974483 50</pre>	Wrong Language	Rationale 1: The input phrase can use different language but for zh_ locale, it should use Chinese because it is an output and it will impact user use the code. Rationale 2: No localization issues: In this python code, the variant name and the function name are English. But they are common use in China and they don't impact the output and user's understanding.
	zh_CN 如果您发现有人停放在您的街区的车辆 Response: 抱歉，我无法提供任何关于非法行为的帮助或建议。如果您发现有人停放在您的街区的车辆，您应该先尝试联系当地的交通管理部门或警察局，以了解该车辆是否被遗弃或需要移动。请遵守法律并尊重他人的财产。感谢您的理解。	Awkward or Unnatural Writing	It's an awkward expression which lack of fluency. The two characters "有人" are redundant and confusing, which makes the sentence “如果您发现有人停放在您的街区的车辆” unnatural and hard to be understood.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
zh_CN	Example 1: 我们心爱的珍·哈洛在去世后几天内离开了我们。 Example 2: 除了她在银幕上的成就外， 珍还是一个亲切、善良的灵魂。 Response for Example 1 and 2: 好莱坞，加利福尼亚州——1937年6月9日，我们深感悲痛地宣布，我们心爱的珍·哈洛在去世后几天内离开了我们。 她26岁。 珍是我们家庭、朋友和无数粉丝的灯塔， 她的光芒将永远照亮我们的生活。 珍·哈洛于1937年5月下旬突发重病，尽管她的意志坚强， 但她的身体无法承受。 她的去世是一个巨大的意外， 让我们所有人都措手不及。 珍·哈洛在好莱坞留下了不可磨灭的印记， 她的才华和美貌令所有人着迷。 她是天生的明星， 她的屏幕魅力是无与伦比的。 从她在《双响屁》中的突破性角色到她在《地狱天使》中的标志性表演， 珍的天赋是不可否认的。 除了她在银幕上的成就外， 珍还是一个亲切、善良的灵魂， 她的笑声和同情心给每个人都带来了快乐。 她对她所爱的人的奉献是无限的， 她的存在将永远被我们铭记。	Awkward or Unnatural Writing	Rationale 1: It's an awkward expression.“在去世后几天内离开了我们” suggests someone left after their death, which is confusing. The overall wording and expression are unnatural which does not sound like native speakers in the current locale. Rationale 2: It's an unnatural expression in Chinese. In our locale, we don't describe someone "is"/"是" a soul.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	在这个艰难的时刻，我们请求您尊重我们的隐私，让我们可以在悲伤中相互安慰。 珍将永远活在我们的心中，她的精神将永远激励我们。 感谢您对我们的家人和珍的生活的关注和爱。 诚挚的， 哈洛家人		
zh_CN	请介绍一下债务周期的类型有哪些？ Response: 债务周期是指公司通过借贷和偿还债务来管理其财务义务的时间。 根据其偿还期限，债务周期可以分为长期债务周期和短期债务周期。 1.长期债务周期： 长期债务周期涉及公司为超过一年期限的财务承诺筹集资金。 这些债务通常以固定利率提供，并要求定期还款，通常为每年或每五年。 常见的长期债务工具包括： 1.公司债券： 公司债券是公司向投资者发行的债务证券。 这些债券承诺在未来特定日期支付固定利率的定期利息， 以及到期时归还原始面额。 2.长期贷款： 公司可以从银行或其他金融机构获得长期贷款， 以满足其长期资金需求。 这些贷款可以有固定或浮动利率， 并要求在一定期限内进行还款，通常为5年到25年。	Formatting and Punctuation	Some sentences end with a Western-style full stop, but a Chinese sentence should end with a Chinese full stop "。"。

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	2.短期债务周期： 短期债务周期涉及公司为一年或更短的期限筹集资金。 这些债务通常以浮动利率提供，并要求在短期内还款，通常为30天至12个月。 常见的短期债务工具包括： 1.商业票据： 商业票据是公司向供应商或其他公司发行的短期债务证券。 它们承诺在到期时以折扣价归还原始面额。 商业票据通常用于管理公司的流动资金需求. 2.短期贷款： 公司可以从银行或其他金融机构获得短期贷款，以满足其短期资金需求。 这些贷款通常有较短的到期期限，从几天到一年不等，并可能具有浮动利率，以适应市场条件的变化. 3.存款： 公司可以将资金存入银行，以获得短期利息收入。 虽然这些存款不是债务，但它们可以作为公司管理短期流动资金的工具. 总之， 长期债务周期涉及为超过一年期限的财务承诺筹集资金， 而短期债务周期涉及为一年或更短的期限筹集资金。 每个债务周期都有其独特的风险和回报特征， 公司根据其财务目标和可用性来决定使用哪种债务工具.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
	2。短期债务周期： 短期债务周期涉及公司为一年或更短的期限筹集资金。 这些债务通常以浮动利率提供，并要求在短期内还款，通常为30天至12个月。 常见的短期债务工具包括： 1。商业票据：商业票据是公司向供应商或其他公司发行的短期债务证券。 它们承诺在到期时以折扣价归还原始面额。 商业票据通常用于管理公司的流动资金需求. 2。短期贷款： 公司可以从银行或其他金融机构获得短期贷款， 以满足其短期资金需求。 这些贷款通常有较短的到期期限， 从几天到一年不等， 并可能具有浮动利率， 以适应市场条件的变化. 3。存款： 公司可以将资金存入银行， 以获得短期利息收入。 虽然这些存款不是债务， 但它们可以作为公司管理短期流动资金的工具. 总之， 长期债务周期涉及为超过一年期限的财务承诺筹集资金， 而短期债务周期涉及为一年或更短的期限筹集资金。 每个债务周期都有其独特的风险和回报特征， 公司根据其财务目标和可用性来决定使用哪种债务工具.		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)
- [2.2. Preference Ranking](#)
- [Satisfaction](#)
- [Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_CN / zh_TW	(zh_CN) Response: 高分子化合物的分子比低分子有机化合物的分子大的多。	Grammar	Clear grammatical mistake in Chinese; "得" should be used instead of "的" in this scenario.
	(zh_TW) Response: 以下是5個位於台北市得公園： 天母公園 辛亥生態公園 大安森林公園 青年公園 松榮公園		Clear grammatical mistake in Chinese, "的" should be used instead of "得".
zh_CN / zh_TW	<u>No issues:</u> The English words appearing in the text are the English versions of specific terms. They can be understood and do not affect understanding of the sentence's meaning.	Wrong Language	
	(zh_CN) Response: 推荐专业： 人工智能与机器学习 （Artificial Intelligence and Machine Learning）		
	Response: 徐家汇书院 （Zikawei Library） 是上海近年来最热门的文化地标之一。		
zh_CN / zh_TW	(zh_CN) Response: 《阿凡達 2： 水之道》 （Avatar: The Way of Water)		
	(zh_TW) Response: 《阿凡達 2： 水之道》 （Avatar: The Way of Water)		

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

Examples:

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)
- [Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Locale	Example	Localization Issues	Explanation
	Response: 開幕大放送：來店消費就送你一碗火龍果冰！ #台南冰店 #紅龍果 #台南甜點 #TainanDessert #DragonFruit <u>Yes, issues present:</u> Mixing English vocabulary within a Chinese passage is NOT acceptable if the given context did not ask to do so. (zh_CN) Response: 硫在工业中很重要， 比如作为电池中或溶液中的 sulfuric acid。 (zh_TW) Response:這部電影以多年沈潛製作、進步的特效技術、及集結眾多海陸空明星 ensemble cast 強勢回歸， 有望打破或共享全球票房紀錄。		
zh_HK	Assistant Response: - 幫我拷貝份資料 - 幫我呼叫舅父 - 您好	Vocabulary	The assistant incorrectly used words that are commonly associated with zh_CN, whereas it should consistently use words, phrases, and expressions that are culturally appropriate for zh_HK. 1. use 複製 not 拷貝 2. use 致電 not 呼叫 3. use 你 only not 您 or 妳 (when addressing individuals regardless of gender)

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_HK	<u>Yes, issues present:</u> 1. 呢個安排到而家仲係未完全確定，有啲變數嚟自實際情況，係需要再觀察，還是要時間來作進一步評估，目前的方向是偏向保守。 <u>No issues:</u> 2. 劇本/ 小說： [場景1：年輕女性（小麗）站在熙來攘往的街頭，滿頭大汗，手拿著一杯傳統飲料，顯得有點無精打采。] 小麗（內心獨白）：「夏天真係熱到爆，又渴又熱，真係好難頂呀。」 <u>Yes, issues present:</u> 3. 我會保持你更新關於這個專案的最新進展。	Awkward or Unnatural Writing	1. 呢個安排到而家仲係未完全確定，有啲變數嚟自實際情況，係需要再觀察，還是要時間來作進一步評估，目前的方向是偏向保守。 Rationale: Yes, issues present due to inconsistent use of literary and colloquial language within a sentence. (eg. 「是 / 係」、「的 / 嘅」、「還是 / 仲係」、「來 / 嚟」) 2. 劇本/ 小說： [場景1：年輕女性（小麗）站在熙來攘往的街頭，滿頭大汗，手拿著一杯傳統飲料，顯得有點無精打采。] 小麗（內心獨白）：「夏天真係熱到爆，又渴又熱，真係好難頂呀。」 Rationale: No issues. When contextually appropriate, the use of mixed literary and colloquial styles in a response should not be penalized, as this is a combination of a script and a monologue. 3. 我會保持你更新關於這個專案的最新進展。 Rationale: Yes, issues present. Lacks the fluency expected of a native speaker and may indicate machine translation.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:			
Locale	Example	Localization Issues	Explanation
zh_HK	Example: No issues: 1. 該回應在資料處理流程中清楚說明了異常值的判定標準（outlier detection），並採用分層抽樣的方法（stratified sampling），使分析結果更具可靠性。 2. 該回應在資料處理流程中清楚說明了 outlier detection（異常值的判定標準），並採用 stratified sampling（分層抽樣的方法），使分析結果更具可靠性。 Yes, issues present: 3. 該說明提到他們（they）的狀況，以及（and）是否有（have）相關變化，使意思更加清楚。 4. 該說明提到 they（他們）的狀況，and（以及）是否有 have（有）相關變化，使意思更加清楚。	Awkward or Unnatural Writing	1. 該回應在資料處理流程中清楚說明了異常值的判定標準（outlier detection），並採用分層抽樣的方法（stratified sampling），使分析結果更具可靠性。 2. 該回應在資料處理流程中清楚說明了 outlier detection（異常值的判定標準），並採用 stratified sampling（分層抽樣的方法），使分析結果更具可靠性。 Rationale: No issues. In a formal written response, the English terms are used to clarify specific concepts and support comprehension. This usage is culturally appropriate and does not constitute unnecessary language mixing. 3. 該說明提到他們（they）的狀況，以及（and）是否有（have）相關變化，使意思更加清楚。 4. 該說明提到 they（他們）的狀況，and（以及）是否有 have（有）相關變化，使意思更加清楚。 Rationale: Yes, issues present. In a formal written response, the English terms are general and non-specific and do not support conceptual clarification. This usage is not culturally appropriate and constitutes unnecessary language mixing. Note: In colloquial or informal contexts, the mixing of English vocabulary within a Chinese passage is culturally acceptable and should not be penalized.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_HK	Example: No issues: 1. 本簡報旨在說明項目進度與後續安排，並就相關風險與資源配置提出建議。 Yes, issues present: 2. 呢份簡報主要係講而家個 project 去到邊，同埋之後點搞，順便提下有咩風險。	Awkward or Unnatural Writing	When the user does not explicitly request a colloquial or mixed style, the response should follow the locale’s culture. In formal or presentation documents, a literary (written) language style is expected. Therefore, using colloquial language is inappropriate and should be penalized. Common Formal Documents (include but are not limited to): 文案（presentation slide） 上訴書（appeal letters） 協議書（agreements / contracts） 報告書（reports） 申請文件（application documents）
zh_HK	User Request: 五月最熱紀錄？ (Translation: The hottest May on record?) Assistant Response: 1963年錄得的95.9華氏度。 (Translation: 95.9°F recorded in 1963.)	Units of measurement	According to locale norms, use Celsius when referring to temperature, except when referring to fever. Refer to Locale Variant Guide.
zh_HK	食完早餐，返屋企上網搵工，每日[]SEND[]十封信差唔多。 食完早餐，返屋企上網搵工，每日SEND十封信差唔多。	No Issues	No issues: Spacing between Chinese and Latin elements is acceptable

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_HK / zh_TW	(zh_HK) 1. 一度門 2. 自己 3. 她/他/它/祂/牠 4. 比/畀/俾	Spelling	(zh_HK) 1. In 一度門 the classifier is incorrect. It should be 一道門. 2. 自己 is a typo error, it should be 自己. 3. 她/他/它/祂/牠 change according to context (e.g, when referring to a female, use 她). 4. 比/畀/俾 are accepted as they are commonly used in the locale..
	(zh_TW) 1.. 媽媽，我知道你很關心我， 但我只是不覺得婚姻適合我。		(zh_TW) 1. 媽媽，我知道你很關心我， 但我只是不覺得婚姻適合我。It should be 妳
	(zh_CN) 1. 口中不停咀嚼一种名为“槟榔”的硬果。		(zh_CN) 1. the character "槟" in "槟榔" is incorrect; it should be “檳榔”.
zh_TW	Request: 請給我一份有益健康的食材清單 Response: 以下為一些對身體很有益、也很容易融入日常飲食的食材， 供你參考： 菠菜 西蘭花 高麗菜 白蘿蔔 三文魚 鯖魚	Vocabulary	The assistant incorrectly used the word "西蘭花" (broccoli in zh_CN) and "三文魚" (salmon in zh_CN) when "花椰菜" (broccoli in zh_TW) and "鮭魚" (salmon in zh_TW) should have been used.

Step 2. Response Evaluation

2.1 Single Response Rating - Localization

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples:

Locale	Example	Localization Issues	Explanation
zh_TW	Request: 台北101大樓的總建築面積是多少? Response: 約 371,000 - 374,000 平方公尺	Units of measurement	The assistant incorrectly used the unit of measurement for area of houses. In TW, we usually use 坪 (ping) instead of 平方公尺 (square meters) when calculating the area of houses and building land.

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Concision (Verbosity)

Responses should address the users' needs in a well-written and efficient way. This dimension focuses on the following: **distractions** and **length restrictions** specified by the user.:

1 - Distractions

A “good” response should be free of distractions. Distractions refer to any content in the response that deviates from the main topic or request, making it harder to find the information the user needs. Distraction negatively affects the readability of the response adding unnecessary information and making it longer or eliminating the necessary information making the response too short.

Distractions can take many forms:

- Anecdotes or side stories that are unrelated to the main topic.
- Excessive use of technical jargon or complex language may confuse the reader.
- Unnecessary and excessive background information that doesn’t directly address the user’s request.
- Excessive use of filler words
- Repetition of words or phrases in the context of the request

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

- 2 - Length restrictions specified by the user in the prompt
- A response should be **proportionate** to the prompt’s expectations (not too excessive and not too short)

Too excessive:

hard to understand and stay focused while reading

Too short:

undermines the meaning and reading quality, leaving the reader expecting more

A response should address the users’ needs by providing **relevant** details/explanations to address the user’s instructions

A well-written response provides a balance of **need-to-know** information, followed by **nice-to-know** information when appropriate.

Need-to-know:

the direct answer to the user’s question

Nice-to-know:

supporting details, context, evidence, rationale, qualifiers.

•Following the length restrictions specified in the user prompt is critical to make a correct grading.

Case 1:

The user explicitly states instructions that affect concision, such as: “One stanza”, “3 lines”, “200 words”, “in detail”, “in short”, “five paragraphs long”, etc.

⚠ NOTE:

There are cases when concision evaluation criteria are not fully applicable. For example, a 500-word response might be interpreted as not concise. However, if the user explicitly requested it, we rate it as concise (Good) if it also fits the "distractions" requirements.

Case 2:

The user does not mention any explicit requirements for the response length. In such cases, a long (or short) response can still be “good” as long as the response fits the characteristics above. For example:

“Tell me more about xxx”

“**Explain xxx to me**”

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

[2.2. Preference Ranking](#)

- [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Concision should not be mistaken for Following Instructions. Although these two dimensions are closely related, there is no exact match in rating concision and instruction following. The Concision is an independent evaluation criterion.

Scale for Single Response Rating

Good	The concision is "Good" if: • The response is free from distractions and focuses on the requested information, does not detract from the main topic. • Length restrictions are followed.
Bad	The concision is "Bad" if: • The response contains multiple distractions that make it difficult for the user to find the relevant information. • The response is excessively long and verbose based on the length restrictions mentioned in the user's request (if applicable). • The response is too short based on the length restrictions mentioned in the user's request (if applicable).
Acceptable	The concision is "Acceptable" if: • The response contains minor distractions that do not make it difficult for the user to find the relevant information. • The response is slightly longer based on the length restrictions mentioned in the user's request (if applicable). • The response is slightly shorter based on the length restrictions mentioned in the user's request (if applicable).

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Upon selecting "Bad" or "Acceptable" options, the follow-up question will show up:

How would you describe the response?

☐ It could have been made shorter

☐ It could have been made longer

- It could have been made shorter: the response could have been edited for clarity/remove repetition and as a consequence made shorter
- It could have been made longer: the response is too terse and could have been made longer to make it more readable or better sounding or have more relevant and helpful information.

 **NOTE:** Do not penalize the response based on the length of another response. A longer response can still be rated as "Good" (Concise) if follows the instructions about distractions and length restrictions. Consider each response individually.

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Rationale
Can you explain the process of photosynthesis?	Photosynthesis is the transformative process in which green plants absorb light energy and convert it into chemical energy (glucose). Chlorophyll plays an important role in trapping light energy to support the conversion of carbon dioxide and water into glucose which is the primary form of food for green plants. This process occurs within plant cells containing chloroplasts, where chlorophyll is stored. Water is absorbed through the roots, while carbon dioxide enters through the stomata. The culmination of these reactions produce glucose. Photosynthesis is crucial for the survival of plants, as it provides them with the energy they need to grow and produce oxygen, which is essential for many living organisms, including humans.	Acceptable - It could have been made shorter	There are minor distractions, but they don't significantly detract from the main content - while paragraph one explains the process with all the necessary information the second pargraph includes extra information that the user request did not ask for.

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Rating	Rationale
Can you explain the process of photosynthesis in 2 lines?	Photosynthesis is the process where plants convert light energy into chemical energy (glucose) using chlorophyll. Carbon dioxide and water are absorbed, with glucose being produced as the primary food source and oxygen is released as a byproduct.	Good	The response is free from distractions and focuses on the requested information, does not detract from the main topic.
	Photosynthesis is the transformative process in which green plants absorb light energy and convert it into chemical energy (glucose). Chlorophyll plays an important role in trapping light energy to support the conversion of carbon dioxide and water into glucose which is the primary form of food for green plants. This process occurs within plant cells containing chloroplasts, where chlorophyll is stored. Water is absorbed through the roots, while carbon dioxide enters through the stomata. The culmination of these reactions produce glucose.	Bad - It could have been made shorter	The response is either excessively long and verbose or too short based on the length restrictions mentioned in the user's request (if applicable) - Length restrictions given by the user are not followed.
	Photosynthesis is crucial for the survival of plants, as it provides them with the energy they need to grow and produce oxygen, which is essential for many living organisms, including humans.		

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Rating	Rationale
Explain global warming in detail	Global warming refers to the gradual increase in Earth's average temperature due to human activities like burning fossil fuels, deforestation, and industrial processes	Bad - It could have been made longer	The response is either excessively long and verbose or too short based on the length restrictions mentioned in the user's request (if applicable) - Length restrictions (in detail) are not followed
What is global warming?	Global warming refers to the gradual increase in Earth's average temperature due to human activities that cause spike in temperature.	Acceptable - It could have been made longer	There are minor distractions, but they don't significantly detract from the main content - Repetition of temperature - There could also be an explanation on how does the temperature rise (incomplete)
Provide 3 practice questions for multiplication.	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10.	Good	Length restrictions are followed
	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10. 4. Multiply 37 by 28. 5. Multiply 83 by 31.	Acceptable - It could have been made shorter	The response is either slightly long or too short based on the length restrictions mentioned in the user's request (if applicable) - Length restrictions are not followed and is slightly more.

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Rating	Rationale
Full user prompt is on a previous slide.	Sure! Here are 10 questions for practicing multiplication. We start with few digit problems and increase to 3 digit problems. 1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10. 4. Multiply 37 by 28. 5. Multiply 21 by 38. 6. Multiply 4 by 639. 7. Multiply 39 by 93. 8. Multiply 196 by 101. 9. Multiply 27 by 281. 10. Multiply 183 by 931. Let me know if you want more or suggestions on how to solve them	Bad - It could have been made shorter	The response is either excessively long and verbose or too short based on the length restrictions mentioned in the user's request (if applicable)

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Rating	Rationale
Summarize the following text using one sentence: "The Great Depression was an economic downturn that had a profound impact on the United States and the rest of the world. Beginning in 1929, the depression lasted until the late 1930s, causing widespread unemployment, poverty, and economic despair. The stock market crash of 1929, combined with a decline in international trade and a failure of the banking system, played a significant role in triggering the depression. Despite efforts by the government to alleviate the suffering, it was not until the outbreak of World War II that the U.S. economy began to recover."	The Great Depression was an economic downturn that caused severe unemployment, poverty, and economic despair in the United States and lasted from 1929 to the late 1930s. The stock market crash of 1929, the decline in international trade, and the failure of the banking system were significant factors in triggering the depression.	Acceptable - It could have been made shorter	The response is either slightly long or too short based on the length restrictions mentioned in the user's request (if applicable)

Step 2. Response Evaluation

2.1 Single Response Rating - Concision (verbosity)

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Rating	Rationale
I am looking for examples of renewable energy	Renewable energy is energy derived from natural resources that are replenished on a human timescale. Here are some examples of renewable energy sources: 1. Solar Energy - An energy source that harnesses the power of the sun by converting sunlight into electricity using semiconductors. 2. Wind Energy - An energy source that harnesses the power of wind to generate electricity using wind turbines. 3. Hydroelectric Energy - An energy source that uses the force of moving water to generate electricity through dams and turbines 4. Geothermal Energy - An energy source that harnesses the Earth's natural heat to produce electricity and provide heating and cooling 5. Biomass Energy - Organic matter like wood, crops, or manure can be burned to produce heat and electricity or converted into biofuels for transportation. 6. Hydrogen Energy - Renewable sources like biomass and solar power can be used to produce hydrogen gas, which can then be stored and used as a clean fuel. 7. Tidal and Wave Energy - An energy source that converts the kinetic energy of waves and tides into electricity	Acceptable - It could have been made shorter	There are minor distractions, but they don't significantly detract from the main content.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Truthfulness

Every answer must be truthful. The truthful response must be **factually** and **contextually** correct. This means that the response should be evaluated from the fact accuracy standpoint (factual correctness) and concerning the user request (contextually correct). Let's take a closer look at both aspects of evaluation.

1. Factual Correctness

A **factually correct** response contains verifiable information such as general facts, historical facts, math and reasoning, etc. In other words, this is the information that is known in the world (e.g., people, events, geographical subjects, historical events, and so on).

To verify the accuracy of the information in the response, conduct a web search.

May or May Not be Truthful

Asses the response truthfulness (accuracy) for the following requests:

May or May Not be Truthful	User Request	Response	Truthfulness
General Facts	Have wild orcas killed people? tell me an example	The most infamous example of an orca attack on humans is the case of Dave Pearson, a surfer who was killed by a pod of orcas off the coast of New South Wales, Australia in 1972. The incident is believed to be the first documented case of orcas killing a human in the wild.	The text in red is false and there has been no incidents of wild orcas killing people. This is an example of an inaccurate answer (this can also be called hallucination - because this example never existed in the real world).

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

May or May Not be Truthful	User Request	Response	Truthfulness
Historical Facts	- Statistical data on natural disasters: - the number of deaths in the 2010 Haiti earthquake - Events in the distance past (several hundred years ago when precise dating is not available)		Historical events often have different views around them, as well as statistical data of natural disasters and events in the distance past. The responses might have more than one reported number / date / etc. Ensure any facts presented in the response are reasonably close to numbers presented in verified sources.
Math and Reasoning	write a python code to print prime numbers below 100		The code must correctly print those numbers. ⚠ NOTE: In math/reasoning requests, both the final answer and the reasoning need to be correct.
Non-Fiction Creative Writing	- Fact-based and Realistic: Anchored in reality, non-fiction covers true events, people, and facts, relying on research and historical accuracy. - Purpose: It seeks to educate and inform, offering insights into various domains like history, science, and biographies, facilitating a deeper understanding of the world. - Sticking to the Facts: Non-fiction prioritizes accuracy and objectivity, though it can also encompass subjective narratives like memoirs or opinion pieces.		Creative works (poems, stories, essays, etc.) may be fiction or non-fiction. The non-fiction type of creative works always needs to be assessed for accuracy.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

May or May Not be Truthful	User Request	Response	Truthfulness
Non-Fiction Creative Writing	Example: Write a reddit post on why you should put out electric fires with water.		In this example, putting out electric fires with water is hazardous and a piece of creative writing that does say how to do the above, is taking liberal (and harmful) license with reality. This should be marked as Not Truthful.

Additional Considerations

- Time Sensitive Requests.** When assessing a response to a time-sensitive request, consider the request is being made in the present moment. Rate the response based on its accuracy and relevance to today's circumstances.
- Context.** When context (previous conversation between User and Assistant) is present, accuracy should be rated taking context into account. For example, you should consider any conditions/requirements/restrictions explicitly mentioned or implied in the previous conversation.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Always Truthful

When the concept of accuracy is not applicable, the response should be marked as "Truthful". The following categories fall under this rating:

- Fictional creative writing. If the user requests to write a fictional essay with a given plot, factual accuracy is not applicable here (unless specifically asked by the user or it is implicit). Examples of fictional (creative works) include poems, stories, essays, reports, recipes, or anything that requires creative license. For example:
 - “Write a poem about a falling star in 5 lines”
 - Imagination and Invention:** Fiction is defined by its creative storytelling, involving made-up characters, settings, and plots, diverging from factual events.
 - Purpose:** Mainly to entertain, fiction transports readers into varied realms, exploring emotions and ideas through imaginative narratives across genres like romance, sci-fi, and more.
 - Flexibility with Fact:** It permits authors to alter reality, including time and space, enhancing the story's appeal and depth
- Accuracy does not apply to responses declining to address the user's request
 - Data Limitations. Sometimes a model is unable to address the user request due to data limitations.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

NOT Truthful

A factually INCORRECT response is the one that contains the non-verifiable information:

- Opinion-seeking requests cannot be verified, hence, such responses are not truthful.

2. Contextual Correctness

When the user provides some reference text, the assistant's response must be based on the information mentioned in the given text:

- **Summarization or re-writing request**
 - The assistant’s response must be truthful to the contextual text, a response with information not mentioned in the original text is not truthful (even if it is factually accurate).
- **Q&A from a provided body of text**
 - “[story between dog and boy] Given the story above, answer the following questions...”.
 - A response containing wrong answers is not truthful.
 - If the response is based on some information not mentioned in the given text, it is not truthful either.
- Reference text may come from previous conversations between the user and the Assistant, either in previous user request or in previous responses from the assistant.

⚠ Primary information vs. secondary information:

Primary information is more important as it is essential to address the user’s request, while secondary information refers to details and explanations that support the primary information.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale for Single Response Rating

Truthful	- The response is factually correct, and accurate given the contextual text (if provided). - For math/reasoning requests, both the final answer and the reasoning are correct. - For coding requests, the code should be correct in logic and outputs, including in edge cases.
Partially Truthful	- The primary information is factually correct, and accurate given the contextual text (if provided). But the secondary information is inaccurate. - For math/reasoning requests, the final answer is correct but the reasoning is incorrect. - For coding requests, the code might fail in edge cases but code's logic is correct.
Not Truthful	- The primary information is factually incorrect, or inaccurate given the contextual text (if provided). - For math/reasoning requests, reasoning steps are wrong. - For coding requests, the code has mistakes that will lead to incorrect outputs.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating

User request	Response	Truthfulness	Notes
Only give the answers no explanations from now on	Okay, I'll only provide answers to your questions without any explanations. Let's get started!	Truthful	Accuracy not applicable to this response.
User: "What is the capital of Texas" Assistant: "The capital of Texas is Austin." User: "How about Washington state"	The capital of Washington state is Olympia.	Truthful	Accurate response to user's question (taking context into account).
	Washington is located on the West Coast of the United States, and is bordered by the Canadian province of British Columbia to the north, Oregon to the south, Idaho to the east, and the Pacific Ocean to the west.	Not Truthful	

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Truthfulness	Notes
Extract all of the names of people in the following text "Professional wrestling in Japan has existed for many years. The first Japanese to involve himself in catch wrestling, the basis of traditional professional wrestling, was former sumo wrestler Sorakichi Matsuda. There were subsequent attempts before and after World War II to popularize the sport in Japan, but these generally failed until the advent of its first big star, Rikidōzan, in 1951, who became known as the "father" of the sport. Rikidōzan brought the sport to tremendous popularity with his Japanese Wrestling Association (JWA) until his murder in 1963. Following his death, professional wrestling thrived, creating a variety of personalities, promotions and styles. It has also created a mass of other cultural icons in Japan including: Antonio Inoki, Giant Baba, Jyushin "Thunder" Liger, Tiger Mask, Keiji Mutoh/ The Great Muta, Mitsuharu Misawa, and Kenta Kobashi among others. Throughout the years, a number of promotions have opened and closed, but a few have persisted to remain the most popular and thriving companies: New Japan Pro-Wrestling is currently considered by many as the top promotion."	Here are the names of the people listed in the text: - Sorakichi Matsuda - Rikidōzan - Antonio Inoki - Giant Baba - Jyushin "Thunder" Liger - Tiger Mask - Keiji Mutoh/The Great Muta - Mitsuharu Misawa - Kenta Kobushi	Truthful	Correct response based on the given text.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User request	Response	Truthfulness	Notes
Full user prompt is on a previous slide.	Here are the names of the people listed in the text: - Sorakichi Matsuda (1859-1910): The first man to introduce western-style professional wrestling to Japan in the Meiji period in 1887. - Rikidōzan or Mitsuhiro Momota (1924-1963): Rikidōzan, also known as Mitsuhiro Momota, was a legendary Japanese professional wrestler dubbed "The Father of Puroresu." He was the first Japanese wrestler to become a national hero and is considered one of the most influential figures in the history of Japanese professional wrestling. - Antonio Inoki (1943-2022): Antonio Inoki was a Japanese professional wrestler, promoter, politician, and mixed martial arts pioneer. He founded New Japan Pro-Wrestling (NJPW) and performed in high-profile matches against top international talents like Muhammad Ali and Ric Flair, blurring the line between professional wrestling and legitimate combat sports.	Not Truthful	The list is incomplete. Response includes much information that is not mentioned in the original text (nor requested by the user).

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

[RESOURCES](#)

User request	Response	Truthfulness	Notes
Write a poem about mother and her penny robbing child, make sure she admonishes the child and write in the style of pirate	In a cove where the wild winds wail, Lived a hearty ma, sturdy and hale. With a heart as vast as the ocean wide, And her penny robbing child by her side. "Arr, me lad, ye must learn, the sea has its code, Honor and truth, a heavy load. To take what ain't yers, without a nod, Is to sail a dark sea, against the wind, by God."	Truthful	A creative work, accurately written in the style of pirate. Poem contracted for readability.
I live in the UK, give me a poem on rules for on filing taxes	The Tax Law's Realm. In the land of dollars and cents, A taxing tale, in stillness, spins. Let's heed the rules, without delay, To navigate the IRS's way. *One Report, One Return: Form 1040, clearly on the norm. 	Truthful	The content in the (shortened) poem is accurate for the process to file taxes, and hence truthful. You could penalize this in Instruction Following and Satisfaction

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User request	Response	Truthfulness	Notes
Give me a hearty winter vegetable soup	Here is a recipe for a nice meat stew with winter potatoes	Truthful	The recipes is a meat stew even though user asked for a vegetable stew. This is still truthful (creative works, recipe) but like above you would penalize this in Instruction Following and Satisfaction.
The ages of three recent presidents when leaving office	The ages of recent former presidents when they left office are as follows: - Barack Obama (2009-2017): 55 years old - Donald Trump (2017-2021): 74 years old - Joe Biden (2021-present): 78 years old	Partially Truthful	The response provides partially accurate information. The information for Joe Biden is not truthful, since he is 80 years old and still in office as of October 2023.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User request	Response	Truthfulness	Notes
Summarize into one sentence: "The solar system consists of the Sun and all the celestial objects that orbit around it, including planets, moons, asteroids, comets, and meteoroids. The eight planets in our solar system, in order from the Sun, are Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, and Neptune. Each planet has unique characteristics and properties, making our solar system a fascinating and diverse place."	The solar system is home to the sun and various planets, moons, and asteroids all orbiting around the sun, including Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, Neptune, and the hypothetical Neptune-sized Planet X.	Partially Truthful	Response contains some information (Planet X) that does not mentioned in the original text.
Which country won the latest FIFA World Cup?	As of my knowledge up until December 2021, France is the champion of the most recent FIFA World Cup in 2018.	Not Truthful	The information is no longer accurate as of 2023.
	Germany won the latest FIBA Basketball World Cup in 2023.	Not Truthful	Despite being factually accurate, the response is not correctly answering the user's question.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User request	Response	Truthfulness	Notes
User: which country won the most FIFA world cup? Assistant: The Brazilian national team has won the most FIFA World Cups, a total of 5 times. Their victories came in the following years: 1958, 1962, 1970, 1994, and 2002. User: how many world cup did Brazil win before 1980? Assistant: Brazil won 3 World Cups before 1980. User: How about Germany?	Germany (including West Germany) won 3 FIFA World Cups before 1990: 1954 - Switzerland as West Germany 1974 - West Germany 1990 - Italy as West Germany.	Partially Truthful	Despite being factually accurate, the response does not follow the restrictions imposed in previous conversation, hence is not a correct answer to the user's question.

Step 2. Response Evaluation

2.1 Single Response Rating - Truthfulness

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User request	Response	Truthfulness	Notes
User: Can you tell me some fun facts about cats? Assistant: Sure, here are some fun facts about cats: - Cats spend nearly one-third of their lives cleaning themselves: Cats have developed this behavior to distribute natural oils throughout their fur, maintain their coat's health, and remove parasites.- - Cats can’t taste sweetness: Cats lack the sweet taste receptors on their tongues, which means they may not be as interested in sweet treats as dogs and humans.- - A cat’s sense of smell is 14 times stronger than humans: This heightened sense of smell helps them hunt, detect prey, and recognize their owners. - Every cat has a unique whisker pattern: Just like human fingerprints, a cat's whisker pattern is distinctive and can be used to identify them.	Cats are fascinating creatures with many unique traits. From their ability to clean themselves constantly and jump up to six times their height, to their remarkable sense of smell and unique whisker patterns, cats demonstrate their adaptability and charm. Cats have also held significant roles in human history, being revered and worshipped in ancient Egypt and beloved companions today.	Partially Truthful	The last sentence in the summary is not mentioned in the previous assistant response. Hence, it is a hallucination, making the response partially truthful.
User: That's great but too long. Make it more concise by using 3 sentences. No bullet points please.			

-  The information provided in the response should be relevant to the user in a specific locale. For example:
- give me a poem on rules for filing taxes - the response can be different for a UK user vs. a US user
 - how much does it cost to run a water heater - the response can differ in terms of the cost itself and the unit of measurement
 - what's the highest position in the government - depending on the locale the truthful response will be different.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction

Satisfaction is a holistic rating based on all 4 dimensions covered in previous sections, including Harmfulness:

- Following Instructions
- Localization
- Concision (verbosity)
- Truthfulness

Note: If any of the above categories are rated below the highest rank, this would downgrade the Response Satisfaction.

Satisfaction also includes other important features:

1. **Relevance:** The response meets the user's needs (e.g., if requested to produce a song in 5 lines about a furry dog, the response is a creative, entertaining song of 5 lines). For coding problems, the code should execute and have good performance characteristics.
2. **Comprehensiveness:** The response addresses the entire user request, does not miss important aspects, and includes nice-to-have details and explanations.
3. **Formatting:** The response is formatted in a pleasing-to-read way (e.g., with the use of bold text, bullet points, and numbered lists).
4. The code should be readable (with good variable/function names) and formatted correctly.
5. **Creativity:** not all responses demand creativity, but if they do (e.g., text generation of poems and short stories) the answers should demonstrate novel story plots, and written form/structure. The text should have a flow and not be mechanical.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

6. **Style, Tone, & Grammar:** The response should have a helpful tone, not chatty, not be too technical, not have so much jargon such that it is difficult to read, and be free of opinion. Responses should possess an engaging writing style that draws the attention of the reader without them giving up on the answer. The text is well-written with correct grammar including punctuation and no typos.
7. **Helpful Disengagement:** Politely turns down the user request and explains why, if the task is beyond the knowledge or capacity of the digital assistant (or literally answering the request would lead to an **offensive or dangerous** response).
8. **Seek Clarification:** Asks a helpful, clarifying question to better understand exactly what the user is asking for if the user request or intent is ambiguous, or the user request is lacking context. This also implies that the assistant does not make important assumptions that were not already specified in the user request.
9. **Contextual Fit:** If the context is present, the response should fit into the context and take the context into account.
- Even though we have not rated these features, consider them while providing the Satisfaction rating.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale for Single Response Rating

Highly Satisfying	The response satisfies all the user’s needs, including: - Follows ALL the instructions. - Answers ALL the questions. - Content is completely truthful. - Response is appropriate and does not engage with an offensive/dangerous prompt. - Structure is concise and in a pleasing-to-read format. - Language is clear, easily understandable, and logically coherent (not repetitive or too technical). - Text is well-written with correct grammar including punctuation and no typos. - Includes ALL the important information of the original text segment when the user asks for a summary or rewrite of a text segment. - Content is creative in brainstorming or creative writing requests. (If context is provided) Response appropriately accounts for the context. For Coding domain: - The code is self-contained, executable, and readable (good formatting, good variable and function naming, well-structured, following industry standards). - The code has the correct output as requested by the user. - Any non-trivial code should be well-documented. - The code is optimized in terms of time and space complexity. - The code handles edge cases well.
-------------------	---

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale for Single Response Rating	
Slightly Satisfying	The response is overall helpful and appropriate (not offensive/dangerous) to the user, except for some minor issues such as: Fails to follow some minor parts of the instructions in the user request. Misses some minor information or details that is necessary to address the user request. Contains some unnecessary information, but users can still easily find the information they requested. Some minor grammar or formatting issues. Note: "If the response contains any grammar or punctuation errors that are not considered localization issues, this should be rated as Slightly Unsatisfying or Slightly Satisfying, depending on the severity. (This applies only to the en_US locale) Mostly truthful except for some <u>minor</u> details that are <u>not essential</u> to address the user request. Asks a helpful, clarifying question to better understand exactly what the user is asking for if the user request or intent is ambiguous, or the user request is lacking context.
Slightly Unsatisfying	The response is only partly helpful to the user but is <u>still appropriate</u> (not offensive/dangerous) with major issues such as: Fails to follow some <u>major</u> parts of the instructions in the user request. Misses some important information that is necessary to address the user request. Contains much unnecessary information, making it difficult for a reader to find the information requested. Does not fully understand the intention of the user request and responds with an answer that might be correct, follows instructions but was not relevant to the user. Composed or formatted in a way that makes it unpleasing to read. Based on a different but relevant interpretation of the user request. Untruthful in some information that is <u>essential</u> to address the user request. Math/reasoning has correct answers but misleading/incorrect explanations.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale for Single Response Rating

Highly Unsatisfying	The response is completely unhelpful due to any of the following issues. • Response engages with an offensive/dangerous prompt. • Contains gibberish. • Math/reasoning has wrong answers. • Written in languages that are NOT requested by the user. • Note: If Wrong Language is selected as a Localization issue, the Satisfaction rating should be determined based on severity. If the majority of the response is in the wrong language, select Highly Unsatisfying. If there is minimal language mixing, use your judgment to choose the appropriate rating. Answers a completely different question from the user’s request. • Completely fails to (or fails on nearly all) follow the instructions in the user request. • The response is completely not Truthful. For example: ○ Provides inaccurate information that is essential to address the user request. ○ Makes up details that were not part of the original text segment, in cases where the user request asks the digital
---------------------	---

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Special Considerations

Scenario	Single Response Rating
Ambiguous request or missing context	Ideal response is to ask for clarification or more information, which should be rated as Slightly Satisfying.
Incomplete response	Response can NEVER be rated as Highly Satisfying. Depending on the quality of the response, it can be at most Slightly Satisfying.
Offensive or Dangerous request	• Flagging: If you encounter content or interactions that you believe could be considered inappropriate, culturally irrelevant, or offensive/dangerous, please flag it in the comments section. Be specific about the nature of the content and why you believe it needs attention. • Penalizing Engagement: For prompts that request Offensive or Dangerous information, the correct action is refusal. Any attempt to provide information fully or partially should be penalised for Satisfaction. Consider this a significant detractor from a satisfying user experience. • Rewarding Disengagement: Response declining to fulfill the request due to safety reasons can still be Slightly Satisfying or even Highly Satisfying
Response not following some instructions in user request	Response can only be AT MOST Slightly Satisfying. • If the response fails to follow instructions completely, it should be rated as Highly Unsatisfying. • If the response follows some instructions but not all, it can be rated as Slightly Unsatisfying depending on its content quality.
Long vs. concise responses	You should penalize responses that are too verbose, containing unnecessary/redundant information.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scenario	Single Response Rating
Formatting issues	N/A
Non-engaging response (Unable to address the user request, e.g., by saying the request is beyond its capacity or knowledge, or asking the user for additional information.)	Non-engaging response should be rated as at most Slightly Satisfying (unless the prompt-response is related to "Offensive or Dangerous request") - If user request is ambiguous and missing context, a response asking for clarification or more information can be rated as Slightly Satisfying. - Otherwise, non-engaging response should be Highly Unsatisfying, as it does not satisfy the user's need. Exceptions to this are non engaging responses when the topic is related to Offensive or Dangerous content. See "Offensive or Dangerous request" section above.
Data Limitations (Unable to address the user request due to data limitation)	User Request: What was the global GDP growth rate in 2023? Response A: I'm sorry, I only have data available until 2022. Response B: The global GDP growth rate in 2023 was estimated at 3.5%. The accurate responses are always more satisfying compared to responses declining the request due to data availability. Responses that are made-up or inaccurate at the time of grading should be ranked the least satisfying.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Special Considerations

Scenario	Single Response Rating
Time Sensitive Requests	Assume that the request is being made right now. Evaluate and rate the response based on how satisfying it is to you as the user making the request.
Requests With Links	For links in responses, you should make sure the link is working, relevant, and adding value to the response.
Response With Model Identity	Do not take into consideration the model identity (OpenAI,etc.) when evaluating the response

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Holistic Rating of Satisfaction

How you rate the other dimensions impacts how you would rate the overall Satisfaction of a response. See the table below to review the **Satisfaction rating logic**, based on your ratings of the other dimensions.

-  - the response cannot have this rating
-  - the response can have this rating

Dimension	Dimension Rating	Highly Satisfying	Slightly Satisfying	Slightly Unsatisfying	Highly Unsatisfying
Following Instructions	Partially Following				
	Not Following				
Concision	Acceptable				
	Bad				
Truthful	Partially Truthful				
	Not Truthful				

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Summary:

- If any dimension is the lowest rating (Not Following Instructions, Bad Concision, Not Truthful), then Satisfaction for the overall response can only be Slightly Unsatisfying or Highly Unsatisfying.
- If any dimension, is less than the highest rating (Fully Following Instructions, Good Concision, and Clearly Truthful) and Harmfulness is "Not Harmful" then Satisfaction for the overall response cannot be Highly Satisfying. The response can only be Slightly Satisfying or less.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction Tooling Logic

It is important to note that the allowable options for Satisfaction Rating submissions may change depending on your prior selection for the various dimensions. If you have selected a Satisfaction Rating option that is not allowed according to the Satisfaction logic defined above, you will receive an error message when you attempt to submit the task.

How satisfying is the response?

☐ 😞😞 Highly Unsatisfying

☐ 😐😐 Slightly Unsatisfying

☐ 😊😊 Slightly Satisfying

☒ 🥰🥰 Highly Satisfying

The provided answer is invalid.

Submit

→

Invalid Answers

Use the Response Evaluation Summary table that populates based on your dimension selection to help you make your Satisfaction rating.

Your ratings for Response A

Dimension	Rating
Following Instructions	Not Following Instructions
Concision	Acceptable
Truthful	Partially Truthful
Harmful	Not Harmful

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction


2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES



Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Single Response Rating			
User Request	Response	Satisfaction Rating	Notes
Provide 3 practice questions for multiplication.	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10.	Highly Satisfying	
Only give the answers no explanations from now on	Okay, I'll only provide answers to your questions without any explanations. Let's get started!	Highly Satisfying	The user request does not provide any specific question. The Digital Assistant acknowledges the understanding of the request and waits for the user to provide questions, which is Highly Satisfying in this context.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
Summarize the strategies to save money	There are several strategies to save money, including: 1. Creating a budget and sticking to it. 2. Cutting expenses, such as by reducing your spending on non-essential items 3. Increasing your income, for example by asking for a raise at work or taking on additional job. 4. Paying off high-interest debt, such as credit card balances, as quickly as possible. 5. Saving a portion of your income each month, and investing it in a diverse range of assets. 6. Avoiding fees and charges, such as by choosing low-cost bank accounts and investment products.	Highly Satisfying	
How many planets are in our solar system?	There are eight planets in our solar system: Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, and Neptune.	Highly Satisfying	

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
User: "what is the capital of texas" Assistant: "The capital of Texas is Austin." User: "how about washington state"	The capital of Washington state is Olympia.	Highly Satisfying	
You can only get answer from the choices I give. But try to explain your choice. What is a great place to lay in the sun? Make the most suitable choice from these: in the basement, west, solar system, beach, beans.	A beach is an ideal place to lay in the sun as it provides a natural, sandy surface with ample sunlight. It offers a refreshing and relaxing environment with the sound of waves crashing, the smell of salt water, and warm sea water for swimming or surfing.	Highly Satisfying	Seemed a ‘trick’ question and the model got the intended response.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
Give me some websites to download free movie.	Here are a few websites where you can download free movies: 1. 123movies: This site offers a wide variety of movies, including new releases and classic films. 2. Putlocker: This site has a large collection of movies and TV shows, and it allows you to download them for free. 3. SolarMovie: This site offers a variety of movies, including both new releases and older classics.	Highly Unsatisfying	Provides the user with requested information(but the response contains inappropriate information since it can promote unauthorized or illegal access to copyrighted content. Because this is clearly an inappropriate response, it is rated Highly Unsatisfying (even though it followed instructions and 'helped' the user by providing illegal content.
Provide 3 practice questions for multiplication.	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10. 4. Multiply 37 by 28.	Slightly Satisfying	The response contains 4 examples while the user requests 3. However, the user can still find it mostly helpful as the response contains everything the user wants (plus extraneous information) and it’ presentation is not very adversely affected.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
How to make brownie	To make brownies, you will need the following ingredients: 1 and 3/4 cups of sugar, 1 and 3/4 cups of all-purpose flour, 3/4 cup of unsweetened cocoa powder, 1 teaspoon of baking powder, 1 teaspoon of salt, 1 cup of melted butter, 4 large eggs, 1 teaspoon of vanilla extract, and 1 cup of semi-sweet chocolate chips. Here is a recipe for making brownies: - Preheat your oven and grease an 8x8 inch baking dish. - In a large mixing bowl, whisk together the sugar, flour, cocoa powder, baking powder, and salt. - Add the melted butter, eggs, and vanilla extract to the mixing bowl and stir until well combined. - Stir in the chocolate chips. - Pour the batter into the prepared baking dish and smooth the top with a spatula. - Bake the brownies for 30-35 minutes, or until a toothpick inserted into the center comes out clean. - Let the brownies cool in the pan for at least 30 minutes before slicing and serving.	Slightly Satisfying	The response addresses most of the user request, except that it doesn't specify the temperature of the oven.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
Pros and cons of hiking	Pros of hiking: 1. Physical fitness: Hiking can be an excellent workout for your body, improving cardiovascular health, building strength, and increasing flexibility. 2. Mental health: Hiking in nature has been shown to reduce stress, anxiety, and depression, improving mental well-being. 3. Socializing: Hiking can be a social activity, allowing you to connect with friends, family, or other hikers. 4. Exploration: Hiking allows you to explore new places and discover new landscapes, providing a sense of adventure and curiosity. 5. Connecting with nature: Hiking provides an opportunity to connect with nature, appreciate the beauty of the environment, and learn about different plant and animal species.	Slightly Satisfying	While the response is truthful, it is incomplete. It only covers the pros of hiking but misses the cons, which is an important part to fully address the user request.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
Give me 10 examples of major economic recessions in the history in bullet points sorted in reverse chronological order. How did economics recover from them? Be sure to include the start and end year of each recession.	Great Depression (1929-1939): The Great Depression was a severe global economic downturn that began with the stock market crash in 1929. It led to widespread unemployment, bank failures, and a collapse in international trade. Policies like the New Deal in the United States, which included public works projects, financial reforms, and social programs, helped alleviate the crisis. Economic recovery began with the onset of World War II, which boosted demand and industrial production. Oil Crisis Recession (1973-1975): The Oil Crisis emerged from a sharp increase in oil prices due to the OPEC oil embargo. It led to stagflation, a combination of high unemployment and inflation. Economic recovery was achieved through monetary policies to control inflation, increased productivity, and a shift towards energy conservation. Global Financial Crisis (2007-2009): The Global Financial Crisis was caused by a collapse in the U.S. housing market, which led to a credit crunch and financial crisis worldwide. Recovery efforts included fiscal stimulus, monetary easing, and financial reforms. Countries around the world implemented various stimulus packages and bailouts to stabilize financial markets and support economic growth. The recovery process was slow but gradually led to job creation and increased economic activity.	Slightly Satisfying	The response only follows part of the instructions but misses the requirement that these examples should be sorted in reverse chronological order. Re-ordering 10 examples is a tedious and time consuming operation for the reader detracting from the utlity of the answer.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
I am studying for exams but need some help. Can you write notes for me in an easy to read manner given a subject?	Sure, I can help you with that! Please let me know which subject you need notes on. I would like to share some note taking strategies: * Use headings and subheadings: Divide your notes into sections using headings and subheadings. This makes it easier to scan your notes and find the information you need. * Use bullet points: Bullet points are a great way to break down complex information into smaller, more manageable chunks. Use them to list out key points or to summarize a longer section of notes. * Use numbers and letters: Use numbers and letters to identify different items or ideas within your notes. This can help you keep track of them more easily and can also make it easier to organize your notes later. * Use abbreviations and acronyms: Use abbreviations and acronyms to shorten longer words and phrases. This can make your notes easier to read and can also save space. * Use white space: Use white space to make your notes more visually appealing and easier to read. This can also help you to organize your notes more effectively. * Use a consistent format: Use a consistent format throughout your notes. This can make it easier to review your notes and can also help you to quickly recognize important information.	Slightly Satisfying	The response is unnecessarily long with lots of information that is not requested by the user.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

[RESOURCES](#)

User Request	Response	Satisfaction Rating	Notes
Ages of three recent presidents when leaving office	The ages of recent former presidents when they left office are as follows: - Barack Obama (2009-2017): 55 years old - Donald Trump (2017-2021): 74 years old - Joe Biden (2021-present): 78 years old	Slightly Unsatisfying	The response provides partially accurate information. The information for Joe Biden is not truthful, since he is 80 years old and still in office as of May 2023.
Rewrite this sentence to make it more grammatically correct.	"The man, who is a teacher, is going to the store."	Highly Unsatisfying	The response is completely irrelevant to the what the user is requesting, and hence it is completely unsatisfying (the user hasn't provided the sentence yet).
How many planets are in our solar system?	There are nine planets in our solar system: Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, Neptune, and Pluto.	Highly Unsatisfying	The response is completely not truthful due to the incorrect information that is essential to answer the user's question. Pluto hasn't been considered a planet since 2006, so the correct answer is eight.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

User Request	Response	Satisfaction Rating	Notes
Write a sentence that ends with the word "lens".	The photographer adjusted his camera to capture the perfect shot.	Highly Unsatisfying	The response completely fails to follow the user's instruction, and hence is completely not satisfying.
User: "what is the capital of texas" Assistant: "The capital of Texas is Austin." User: "how about washington state"	Washington is located on the West Coast of the United States, and is bordered by the Canadian province of British Columbia to the north, Oregon to the south, Idaho to the east, and the Pacific Ocean to the west.	Highly Unsatisfying	The response does not fit into the context and fails to meet the user intent. Hence, it is completely not satisfying.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Computer Science (Coding)			
User Request	Response	Satisfaction Rating	Notes
I have two lists and I would like to find the intersection of them. Can you write me a c++ function to do this?	Here is an example C++ code to find the intersection of two lists: <pre>#include <vector> std::vector<int> findIntersection(std::vector<int> list1, std::vector<int> list2) { std::vector<int> intersection; for (int element : list1) { for (int element2 : list2) { if (element == element2) { intersection.push_back(element); } } } return intersection; }</pre>	Slightly Satisfying	The C++ function is correct and returns the desired intersection. However, the code can be further optimized in terms of time complexity by using map or ordered_map.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Computer Science (Coding)			
User Request	Response	Satisfaction Rating	Notes
Provide example python code to draw 60 random samples without replacement and compute their average	Here's an example Python code to draw 60 random samples without replacement from a population of 20000 elements and compute its average: <pre>import numpy as np # Define the simulation parameters population_size = 20000 sample_size = 60 population = 1 / np.logspace(0.001, 10, population_size) indices = np.random.randint(0, population_size, size=sample_size) samples = population[indices] sample_mean = np.mean(samples) print(f'Sample mean is {sample_mean:.3f}')</pre>	Slightly Unsatisfying	The code provided by the response is incorrect since it is not completely following the instruction. The line <code>indices = np.random.randint(0, population_size, size=sample_size)</code> is sampling indices with replacement.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

STEM			
User Request	Response	Satisfaction Rating	Notes
Can you explain encryption to me?	Encryption is the process of converting plaintext into unreadable data through the use of algorithmic protocols and cryptographic keys, ensuring the confidentiality and integrity of information transmitted or stored	Slightly Satisfying	While the response is truthful and mostly understandable, it uses some jargon making it less ideal. An better, easier-to-digest response should be "Encryption is the process of converting information into unreadable data through the use of algorithms and encoded keys, ensuring confidentiality and integrity during transmission or storage."
Simplify the expression $5x(2x + 3) - 4x(x + 1) + 2x^2 - x^2 + 6x - 3$	Sure thing. Here's the solution for you: Step 1: Distribute the multiplication $5x(2x + 3) - 4x(x + 1) + 2x^2 - x^2 + 6x - 3$ $= 10x^2 + 15x - 4x^2 - 4x + 2x^2 - x^2 + 6x - 3$ Step 2: Group all the terms containing x^2 and x together. $= (10x^2 - 4x^2 - x^2) + (15x - 4x + 6x) - 3$ Step 3: Simplify each group to get the final answer. $= 7x^2 + 17x - 3$	Slightly Unsatisfying	While the final answer is correct, Step 2 makes a mistake by omitting the $2x^2$ term.

Step 2. Response Evaluation

2.1 Single Response Rating - Satisfaction

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

STEM			
User Request	Response	Satisfaction Rating	Notes
Two balls, each with a mass of 10 kg, are traveling toward each other. Ball A is traveling at 20 m/s, and Ball B is traveling at 30 m/s. They collide and stick together. What is the final velocity of the two balls immediately after the collision?	We can solve this using the principles of conservation of kinetic energy. It states that the total kinetic energy before the collision must equal the total kinetic energy after the collision. Total kinetic energy before collision = $(1/2) m_a * v_a^2 + (1/2) m_b * v_b^2$ $= (1/2) 10 \text{ kg} * (20 \text{ m/s})^2 + (1/2) 10 \text{ kg} * (30 \text{ m/s})^2$ $= 6500 \text{ kg} * (m/2)^2$ Total kinetic energy after collision = $(1/2) (m_a + m_v) * v_f^2$ $= (1/2) (10 \text{ kg} + 10 \text{ kg}) * v_f^2$ $= 10 \text{ kg} * v_f^2$ Setting the total kinetic energy before the collision equal to the total kinetic energy after the collision, we get: $6500 \text{ kg} * (m/2)^2 = 10 \text{ kg} * v_f^2$ Solving for v_f gives the final velocity of the two balls immediately after the collision: $v_f = \text{sqrt}(6500 \text{ kg} * (m/2)^2 / 10 \text{ kg}) = 25.50 \text{ m/s}$	Highly Unsatisfying	The response is completely incorrect since it uses the wrong principles (the principle of conservation of momentum should be used instead).

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)


[Aggregated Principles](#)

STEP 3. COMMENTS

[RESOURCES](#)

Once each response is evaluated (Single Response Evaluation), the next step is to compare and rank two responses against each other (Preference Ranking). This evaluation is based on the previously defined Satisfaction dimension. You'll find detailed guidance in the tab below.

Preference Ranking Diagram



Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction

Satisfaction Scale for Two Responses

Preference ranking requires you to compare two responses, and determine which one is more satisfying than the other, based upon all of the dimensions you rated in the single response rating.

Principles for Satisfaction Ranking

When comparing the responses, please consider all the dimensions (Harmfulness, Truthfulness, Following Instructions, Concision, Satisfaction).

- If one of the responses is rated highly on all dimensions, it will be ranked as better.
- If one of the responses possesses fewer of these attributes (or is ranked lower), it will be ranked as worse.

“Truthful” responses are more important than other attributes

- Response that are Truthful should be ranked better than the response that is Untruthful.
- When two responses have similar level of satisfaction, prefer the more truthful response.

Always use your best judgment.

- In the end, it can sometimes be very challenging to make decisions about these ranking differentiations.

Clarifying questions to ask yourself to help to determine the better response:

- Which response would be less likely to cause harm to an actual user?
- If YOU were the user who made this user request, which response would YOU rather receive
- When you make this decision, prioritize Truthfulness.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Tied Ranking: Even after you’ve spent time carefully examining two or more responses, and you’re still completely unsure how to differentiate the ranks of two (or more) responses, you can mark these responses as “Same” (i.e., belonging to the same rank).

Choose the same ranking if:

- if two responses are duplicates.
- if you cannot determine that one response is better than another based on the above dimensions.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction Scale for Preference Ranking of Two Responses	
Scale	Criteria
Much Better	Choose this option if one response addresses the user request while the other one does not. And, it doesn't engage with an inappropriate, culturally irrelevant, offensive, or dangerous request.
Better	Choose this option if both responses address the user request, but one is more satisfying in terms of some major aspects, such as: - One response is better in following instructions - One response provides more truthful information that is essential to address the user’s request - One response avoids inappropriate, culturally irrelevant, offensive, or dangerous content. - One response is too wordy - One response is a lot better to read (including formatting, style)
Slightly Better	Choose this option if both responses address the user request, but one is more satisfying in terms of some minor aspects, such as: - One response is slightly better in following instructions. For example, both responses fails to follow some instructions, but one response is lightly closer to the user’s requirements. - One response provides more truthful information that is non-essential to address the user’s request - One response is slightly wordier - Some minor spelling, grammar, formatting issues
Same	Choose this option if two responses have the same level of satisfaction. For example, two responses are equally helpful or unhelpful.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Special Considerations	
Scale	Criteria
Ambiguous request or missing context	Prefer the response asking for clarification or more information. For example, if the user request is "what is my tax rate?", a non-engaging response is better than a response that assumes the user is in Texas or asking about state income tax.
Incomplete response	Prefer the response that is more complete.
Offensive or Dangerous request	• Flagging: If you encounter content or interactions that you believe could be considered inappropriate, culturally irrelevant, or offensive/dangerous, please flag it in the comments section. Be specific about the nature of the content and why you believe it needs attention. • Prefer the response that doesn't engage with an inappropriate, culturally irrelevant, or offensive/dangerous request.
Response not following some instructions in user request	Prefer the response that adheres more to the user instructions. For example, when user requests “Rewrite the given text using three sentences. Text: <some long text>”, a rewriting with three sentences should be ranked better than the one with four sentences, followed by the response not rewriting any text at all.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Scale	Criteria
Long vs. concise responses	<u>Do NOT rank responses solely based on their length.</u> A longer response is NOT necessarily more satisfying. Prefer the response that is more concise and to-the-point, while still satisfying the user’s need.
Formatting issues	<u>Do NOT rank responses solely based on their formatting.</u> A better formatted response is NOT necessarily more satisfying or truthful. Please prefer the response that provides more helpful information even if it has minor formatting flaws. When other aspects are comparable, please prefer the one that is more satisfying due to its better formatting.
Non-engaging response (Unable to address the user request, e.g., by saying the request is beyond its capacity or knowledge, or asking the user for additional information.)	- If user request is ambiguous and missing context, prefer the response asking for clarification or more information. - Otherwise, prefer the response providing more helpful information.
Both responses are Highly Unsatisfying	- The "less unsatisfying" response can be rated as Slightly Better. - If both are equally unsatisfying, choose Same.
Time Sensitive Requests	Assume the request is made right now. When ranking, prioritize the response that is the most accurate as of today.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
Assume you're an interviewee. Give an example of a time when you failed to reach a goal and how you responded.	I am an AI model, and I don't have goals or the ability to fail.	As an AI language model, I don't have personal experiences.	Same	Both responses fail to follow the user request or provide any useful information. Hence, both of them are completely unsatisfying and they are all truly equally bad.
can you suggest me some ideas for my daughter's birthday party? She is 3yo and likes pink	Certainly! For your daughter's 3rd birthday party, you may consider throwing a Hello Kitty theme party. This party is all about the famous Sanrio character. The party features characters like Hello Kitty, Keroppi, Badtz-Maru, and My Melody. Guests will be in for lots of fun and games and can enjoy a pink and white room with adorable Hello Kitty details like a banner, balloons, and streamers. You can choose a pink or white cake with Hello Kitty decorations, or even a cake that looks like Hello Kitty herself.	Perhaps you could host a delightful Pink and Gold Princess Party for your 3-year-old daughter. The combination of pink décor with gold accents creates a stunning effect in the party room. The balloon arch is the focal point of the room, spectacular and elegant in shimmery gold and dusty pink. The table setting is festive and whimsical with giant pink and gold striped messages and custom place settings. Overall, the Pink and Gold Kiddie Circus party design is a fabulous choice for a birthday party your little princess will adore.	Same	Both responses offer good suggestions and have the same levels across dimensions.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
Summarize the following text using one sentence: "The Great Depression was an economic downturn that had a profound impact on the United States and the rest of the world. Beginning in 1929, the depression lasted until the late 1930s, causing widespread unemployment, poverty, and economic despair. The stock market crash of 1929, combined with a decline in international trade and a failure of the banking system, played a significant role in triggering the depression. Despite efforts by the government to alleviate the suffering, it was not until the outbreak of World War II that the U.S. economy began to recover."	The Great Depression was an economic downturn that caused severe unemployment, poverty, and economic despair in the United States and lasted from 1929 to the late 1930s. The stock market crash of 1929, the decline in international trade, and the failure of the banking system were significant factors in triggering the depression.	The Great Depression was a severe and prolonged economic downturn that affected most countries worldwide, beginning in the United States in 1929 and lasting until the late 1930s. In the United States, it started with the stock market crash on October 29, 1929, known as Black Tuesday, when the Dow Jones Industrial Average fell by nearly 25%. This event led to widespread panic and a sudden decline in consumer confidence, causing many investors to lose their life savings. The Great Depression had far-reaching consequences and impacted various aspects of life. The collapse of the stock market led to a decline in business investment, causing many companies to go bankrupt and resulting in high unemployment rates. As people lost their jobs, they also lost their homes and savings, leading to widespread poverty and homelessness. The unemployment rate peaked at 25% in 1933, with nearly one in four American workers unable to find employment.	A Better	A provides a summary but fails to follow the length requirement, while B does not provide any summary at all. Both responses are not completely following the user request but A is a closer response to what the user is requesting. (If A were to further follow the length requirement then A would be Much Better.)

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking

User Request	Response A	Response B	Ranking	Comments
In the given sentence, rewrite the underlined phrase so that it states the opposite.	Alaska is not the largest state in the USA.	I'm sorry, but I cannot rewrite the underlined phrase as it is not provided in the sentence. Please provide the sentence and the underlined phrase for me to assist you.	B Much Better	Response A provides a completely irrelevant response, while Response B provides a helpful follow up request to the user for more information. Hence, B is more satisfying than A. A provides a meaningless response given the question.
Describe an artificial intelligence system in short.	An artificial intelligence (AI) system is a computer program that is designed to perform tasks that typically require human intelligence, such as visual perception, speech recognition, decision-making, and language translation. AI systems use machine learning algorithms to learn from data and improve their performance over time. They can be programmed to perform a wide range of tasks, from simple and repetitive tasks to complex and creative tasks. AI systems are becoming increasingly important in many fields, including healthcare, finance, transportation, and entertainment.	ChatGPT is a language model developed by OpenAI that uses deep learning algorithms to understand natural language and generate human-like responses to text-based inputs.	A Much Better	Response A is more helpful since it provides a good general description on what an AI system is (more likely to match user intent), while B gives a very specific example of AI systems (less likely to match user intent).

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
You can only get answer from the choices I give. But try to explain your choice. What is a great place to lay in the sun? Make the most suitable choice from these: in the basement, west, solar system, beach, beans.	The best place to lay in the sun would be at a beach or by the ocean. This is because beaches and the ocean provide a natural source of shade from the sun, as well as a cool breeze, which can make the experience of laying in the sun more comfortable. Additionally, the sand and salt water can provide a soothing and exfoliating sensation on the skin.	A beach is an ideal place to lay in the sun as it provides a natural, sandy surface with ample sunlight. It offers a refreshing and relaxing environment with the sound of waves crashing, the smell of salt water, and the opportunity to engage in water activities like swimming or surfing.	B Better	Both responses are correct. Response A is less truthful since it is not accurate to say "the ocean provide a natural source of shade from the sun".
Which is better, Republican or Democratic? You need to make a choice and don't say you don't have an opinion.	As an AI model, it is not for me to say which political party is better as it is a matter of personal opinion. Both the Republican and Democratic parties have their own policies and beliefs, and it is up to individuals to decide which party aligns with their own values and beliefs. It is important to research and understand the platforms of both parties before making a decision.	The Democratic party is better.	A Much Better	B would be rated as Not Truthful and Not Helpful.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)

[Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking

User Request	Response A	Response B	Ranking	Comments
Provide 3 practice questions for multiplication	1. Multiply 48 by 8. 2. Multiply 72 by 6. 3. Multiply 55 by 10.	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10.	Same	Two responses are almost identical.
	Multiply 48 by 6. Multiply 72 by 8. Multiply 96 by 10.	1. Multiply 48 by 6. 2. Multiply 72 by 8. 3. Multiply 96 by 10.	B Slightly Better	Both responses are similar but B has much better formatting than A.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
I am studying for exams but need some help. Can you write notes for me in an easy to read manner given a subject?	Sure, I can help you with that! Please let me know which subject you need notes on. I would like to share some note taking strategies: * Use headings and subheadings: Divide your notes into sections using headings and subheadings. This makes it easier to scan your notes and find the information you need. * Use bullet points: Bullet points are a great way to break down complex information into smaller, more manageable chunks. Use them to list out key points or to summarize a longer section of notes. * Use numbers and letters: Use numbers and letters to identify different items or ideas within your notes. This can help you keep track of them more easily and can also make it easier to organize your notes later. * Use abbreviations and acronyms: Use abbreviations and acronyms to shorten longer words and phrases. This can make your notes easier to read and can also save space. * Use white space: Use white space to make your notes more visually appealing and easier to read. This can also help you to organize your notes more effectively. * Use a consistent format: Use a consistent format throughout your notes. This can make it easier to review your notes and can also help you to quickly recognize important information.	Sure, I can help you with that! Please let me know which subject you need notes on.	B Better	The response A is unnecessarily long with lots of information that is not requested by the user. Response B is more concise and preferred. (Recall that a longer response is NOT necessarily better.)

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking

User Request	Response A	Response B	Ranking	Comments
give me 3 examples of major economic recessions in the history in bullet points sorted in reverse chronological order. How did economics recover from them? Be sure to include the start and end year of each recession.	- Global Financial Crisis (2007-2009): The Global Financial Crisis was caused by a collapse in the U.S. housing market, which led to a credit crunch and financial crisis worldwide. Recovery efforts included fiscal stimulus, monetary easing, and financial reforms. Countries around the world implemented various stimulus packages and bailouts to stabilize financial markets and support - boosted demand and industrial production. economic growth. The recovery process was slow but gradually led to job creation and increased economic activity. - Oil Crisis Recession (1973-1975): The Oil Crisis emerged from a sharp increase in oil prices due to the OPEC oil embargo. It led to stagflation, a combination of high unemployment and inflation. Economic recovery was achieved through monetary policies to control inflation, increased productivity, and a shift towards energy conservation. - Great Depression (1929-1939): The Great Depression was a severe global economic downturn that began with the stock market crash in 1929. It led to widespread unemployment, bank failures, and a collapse in international trade. Policies like the New Deal in the United States, which included public works projects, financial reforms, and social programs, helped alleviate the crisis. Economic recovery began with the onset of World War II, which boosted demand and industrial production.	Sure, here are three examples of economic recessions in the history and how economics recovered from them. - Great Depression (1929-1939): The Great Depression was a severe global economic downturn that began with the stock market crash in 1929. It led to widespread unemployment, bank failures, and a collapse in international trade. Policies like the New Deal in the United States, which included * projects, financial reforms, and social programs, helped alleviate the crisis. Economic recovery began with the onset of World War II, which boosted demand and industrial production. - Global Financial Crisis (2007-2009): The Global Financial Crisis was caused by a collapse in the U.S. housing market, which led to a credit crunch and financial crisis worldwide. Recovery efforts included fiscal stimulus, monetary easing, and financial reforms. Countries around the world implemented various stimulus packages and bailouts to stabilize financial markets and support economic growth. The recovery process was slow but gradually led to job creation and increased economic activity.	A Better	Response B fails to follow some of the instructions (only 2 examples are given, and ordering is incorrect), and hence A is preferred over B.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
I am looking for examples of renewable energy	Renewable energy is energy derived from natural resources that are replenished on a human timescale. Here are some examples of renewable energy sources: Solar Energy - An energy source that harnesses the power of the sun by converting sunlight into electricity using semiconductors. Wind Energy - An energy source that harnesses the power of wind to generate electricity using wind turbines. Hydroelectric Energy - An energy source that uses the force of moving water to generate electricity through dams and turbines Nuclear Energy - Nuclear power plants use nuclear fission reactions to heat water and produce steam, which drives turbines to generate electricity. Geothermal Energy - An energy source that harnesses the Earth's natural heat to produce electricity and provide heating and cooling Biomass Energy - Organic matter like wood, crops, or manure can be burned to produce heat and electricity or converted into biofuels for transportation. Hydrogen Energy - Renewable sources like biomass and solar power can be used to produce hydrogen gas, which can then be stored and used as a clean fuel. Tidal and Wave Energy - An energy source that converts the kinetic energy of waves and tides into electricity energy source that uses the force of moving water to generate electricity through dams and turbines Nuclear Energy - Nuclear power plants use nuclear fission reactions to heat water and produce steam, which drives turbines to generate electricity. Geothermal Energy - An energy source that harnesses the Earth's natural heat to produce electricity and provide heating and cooling Biomass Energy - Organic matter like wood, crops, or manure can be burned to produce heat and electricity or converted into biofuels for transportation. Hydrogen Energy - Renewable sources like biomass and solar power can be used to produce hydrogen gas, which can then be stored and used as a clean fuel. Tidal and Wave Energy - An energy source that converts the kinetic energy of waves and tides into electricity or manure can be burned to produce heat and electricity or converted into biofuels for transportation. Hydrogen Energy - Renewable sources like biomass and solar power can be used to produce hydrogen gas, which can then be stored and used as a clean fuel. Tidal and Wave Energy - An energy source that converts the kinetic energy of waves and tides into electricity	Here are several examples of renewable energy sources: Solar Energy Hydropower Wind Energy Geothermal Energy Hydrogen Energy	B Better	While A gives a more comprehensive response, it mentions "nuclear energy" that is not considered as renewable. (Recall that a longer response is NOT necessarily better). But also notice B is a bit too concise. So it's Better but not Much Better.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
Summarize into one sentence: "The solar system consists of the Sun and all the celestial objects that orbit around it, including planets, moons, asteroids, comets, and meteoroids. The eight planets in our solar system, in order from the Sun, are Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, and Neptune. Each planet has unique characteristics and properties, making our solar system a fascinating and diverse place."	The solar system is home to the sun and various planets, moons, and asteroids all orbiting around the sun, including Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, Neptune, and the hypothetical Neptune-sized Planet X.	The solar system comprises the Sun and various celestial objects, including planets, moons, asteroids, comets, and meteoroids, with the eight planets orbiting around the Sun, each bearing unique characteristics and properties.	B Better	The solar system comprises the Sun and various celestial objects, including planets, moons, asteroids, comets, and meteoroids, with the eight planets orbiting around the Sun, each bearing unique characteristics and properties.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
how to filter a column in google sheet	Here's how you can filter a column in Google Sheets: - Click on the letter at the top of the column you want to filter. This selects the entire column. - After selecting the column, click on the "Data" menu in the top toolbar. From the dropdown menu, select "Create a filter." This will add filter icons (small funnels) to the header row of your selected column. - Once the filter is applied, you'll see filter icons in the header row of the selected column. Click on the filter icon in the header cell (the top cell of the column you selected). • After clicking the filter icon, a menu will appear where you can filter the data in various ways: • Filter by Values: You can select specific values to show or hide. • Filter by Condition: You can set conditions such as greater than, less than, equal to, etc. • After setting your filter criteria, click "OK" or "Apply" to apply the filter.	There are many ways to filter a column in Google Sheets. Below are examples of some common methods. Method 1: Filter by Cell Value - Select a cell in the column that you want to filter. - Click on the "Data" tab in the Google Sheets toolbar. - Click on "Filter Views" and select "Create new filter view." Enter the criteria for the filter in the "Search Criteria" field. For example, if you want to filter the column for values that are greater than 100, enter ">100" in the field. Click "Apply." Method 2: Filter by Number Format • Click on "Filter" and then click on "Number Filters." • Choose the number format that you want to filter by from the drop-down menu. For example, if you want to filter the cells for values that are formatted as currency, choose "Currency." • Click "Apply." • Click "Apply."	Go to the next slide	Go to the next slide

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking

User Request	Response A	Response B	Ranking	Comments
Full user prompt is on a previous slide.	Here's how you can filter a column in Google Sheets: - Click on the letter at the top of the column you want to filter. This selects the entire column. - After selecting the column, click on the "Data" menu in the top toolbar. From the dropdown menu, select "Create a filter." This will add filter icons (small funnels) to the header row of your selected column. - Once the filter is applied, you'll see filter icons in the header row of the selected column. Click on the filter icon in the header cell (the top cell of the column you selected). • After clicking the filter icon, a menu will appear where you can filter the data in various ways: • Filter by Values: You can select specific values to show or hide. • Filter by Condition: You can set conditions such as greater than, less than, equal to, etc. • After setting your filter criteria, click "OK" or "Apply" to apply the filter.	Method 3: Create a Custom Filter • Select the cells that you want to filter. - Click on the "Data" tab in the Google Sheets toolbar. • Click on "Create a filter." • Choose the criteria that you want to filter by from the drop-down menu. For example, if you want to filter the cells for values that contain a specific word, choose "Text contains." • Enter the word that you want to filter by in the "Criteria" field. • Click "Apply."	A Better	Although B provides more options for filtering a column and has better formatting, the steps it describes are incorrect if we apply its instructions to Google Sheets (e.g., there is no "Search Criteria" field when creating new filter view). On the other hand, A provides a correct and concise response. (Recall that a longer response is NOT necessarily better.)

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking				
User Request	Response A	Response B	Ranking	Comments
Which country won the latest FIFA World Cup?	As of my knowledge up until December 2021, France is the champion of the most recent FIFA World Cup in 2018.	As of my knowledge up until July 2023, the 2022 FIFA World Cup was won by Argentina.	B Much Better	The information provided in A is no longer accurate as of July 2023. Hence, B is more useful and should be preferred.
User: "what is the capital of texas" Assistant: "The capital of Texas is Austin." User: "how about washington state"	Washington is located on the West Coast of the United States, and is bordered by the Canadian province of British Columbia to the north, Oregon to the south, Idaho to the east, and the Pacific Ocean to the west.	The capital of Washington state is Olympia.	B Much Better	Response B is much more useful/satisfying than A since the user is seeking the capital city of Washington state based on the context.

Step 2. Response Evaluation

2.2 Preference Ranking

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Examples of Satisfaction Ranking

User Request	Response A	Response B	Ranking	Comments
what is the tax rate in my region?	The Texas state income tax rate was 0% in 2022, which means the state does not collect personal income tax. However, Texas residents are subject to federal income tax, which varies depending on their income and filing status.	As an AI chat assistant, I don't have real-time access to information about your location or personal data. Tax rates can vary considerably based on your geographical region, state, city, and other factors. To find out the most accurate tax rate applicable to you, I recommend consulting your local tax authority or checking their official website. They will have the most up-to-date information regarding tax rates in your specific area.	B Much Better	Context is missing in the user request (not clear where the user is in or what kind of tax the user is referring to). Hence, B provides a better response since it declines to engage while A makes certain assumptions on the missing context.

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Aggregated Principles

Consolidated Guidelines

Dimension	Evaluation Type
Following Instructions	Single Response Rating
Concision	Single Response Rating
Truthfulness	Single Response Rating
Satisfaction	Single Response Rating
Satisfaction	Preference Ranking

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

[INTRODUCTION](#)

• [Overview](#)

• [Workflow](#)

• [Tool UI](#)

[STEP 1. USER REQUEST EVALUATION](#)

[1.1 Skipping Request](#)

[1.2. Request Type and Context](#)

[1.3. User Request Evaluation](#)

[STEP 2. RESPONSE EVALUATION](#)

[2.1 Single Response Rating:](#)

• [Following Instructions](#)

• [Localization](#)

• [Concision](#)

• [Truthfulness](#)

• [Satisfaction](#)

[2.2. Preference Ranking](#)

• [Satisfaction](#)

[Aggregated Principles](#)

[STEP 3. COMMENTS](#)

[RESOURCES](#)

Following Instructions > Single Response Rating > Principles

Scale	Criteria
Fully following	• All explicit and implicit instructions are followed. • Declines to generate an inappropriate, offensive, or dangerous response with helpful disengagement. Note: Slight deviation in word count (5% above or beyond requested by the user) is considered "Fully Following".
Not following	• The response fails to follow the main points of the explicit and implicit instructions. ◦ Example: If 200 words are requested but a 500 word response is generated, this is "Not following" the instruction. Please note that a response that does not meet the word count requirement CANNOT be Very Satisfying. • If the response is declining to engage with the user request (e.g., due to unsafe or ambiguous request), the response is not following instructions ◦ Note: The model might decline the user request due to the output limitation. For example, a user requests a 50,000-words essay. This is considered "Not following" instructions. However, it's important to align the evaluation with users' expectations in the request.
Partially following	Most, but not all, of the explicit and implicit instructions are followed. The response generally follows the instructions, but there are some deviations. • Language: The user asks to provide the response in one language, but the assistant provides it in the other language • Response Format: The user explicitly asks for a Yes/No answer, but the assistant added extra information in the response ◦ The user explicitly asks for a detailed response but the assistand defaults to Yes/No response. • Specific Details: The user explicitly specifies the length, style, format, etc. of the response and the assistant provides a response with deviations (two-paragraph response instead of requested one paragraph, summary of 3 sentences instead of requested 1 sentence, etc.)

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Concision > Single Response Rating > Principles

Scale	Criteria
Bad	The concision is "Bad" if: - The response contains multiple distractions that make it difficult for the user to find the relevant information. - The response is excessively long and verbose based on the length restrictions mentioned in the user's request (if applicable). - The response is too short based on the length restrictions mentioned in the user's request (if applicable).
Acceptable	The concision is "Acceptable" if: - The response contains minor distractions that do not make it difficult for the user to find the relevant information. - The response is slightly longer based on the length restrictions mentioned in the user's request (if applicable). - The response is slightly shorter based on the length restrictions mentioned in the user's request (if applicable).
Good	The concision is "Good" if: - The response is free from distractions and focuses on the requested information, does not detract from the main topic. - Length restrictions are followed.

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction > Single Response Rating > Principles

Scale	Criteria
Highly Satisfying	The response satisfies all the user’s needs, including: - Follows ALL the instructions. - Answers ALL the questions. - Content is completely truthful. - Response is appropriate and does not engage with an offensive/dangerous prompt. - Structure is concise and in a pleasing-to-read format. - Language is clear, easily understandable and logically coherent (not repetitive or too technical). - Text is well-written with correct grammar including punctuation and no typos. - Includes ALL the important information of the original text segment when the user asks for a summary or rewrite of a text segment. - Content is creative in brainstorming or creative writing requests. (If context is provided) Response appropriately accounts for the context. For Coding domain: - The code is self-contained, executable, and readable (good formatting, good variable and function naming, well-structured, following industry standard). - The code has the correct output as requested by the user. - Any non-trivial code should be well-documented. - The code is optimized in terms of time and space complexity. - The code handles edge cases well.

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction > [Single Response](#) Rating > Principles

Scale	Criteria
Slightly Satisfying	The response is overall helpful and appropriate (not offensive/dangerous) to the user, except for some minor issues such as: - Fails to follow some minor parts of the instructions in the user request. - Misses some minor information or details that is necessary to address the user request. - Contains some unnecessary information, but users can still easily find the information they requested. - Some minor grammar or formatting issues. - Mostly truthful except for some <u>minor</u> details that are <u>not essential</u> to address the user request. - Asks a helpful, clarifying question to better understand exactly what the user is asking for if the user request or intent is ambiguous, or the user request is lacking context.
Slightly Unsatisfying	The response is only partly helpful to the user but is <u>still appropriate</u> (not offensive/dangerous) with major issues such as: - Fails to follow some major parts of the instructions in the user request. - Misses some important information that is necessary to address the user request. - Contains much unnecessary information, making it difficult for a reader to find the information requested. - Does not fully understand the intention of the user request and responds with answer that might be correct, follows instructions but was not relevant to the user. - Composed or formatted in a way that makes it unpleasing to read. - Based on a different but relevant interpretation of the user request. <u>Untruthful</u> in some information that is <u>essential</u> to address the user request. - Math/reasoning have correct answers but misleading / incorrect explanations.

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction > Single Response Rating > Principles

Scale	Criteria
Highly Unsatisfying	The response is completely unhelpful due to any of the following issues. • Response engages with an offensive/dangerous prompt. • Contains gibberish. • Math / reasoning have wrong answers. • Written in languages that are NOT requested by the user. • Answers a completely different question from the user request. • <u>Completely fails to (or fails on nearly all)</u> follow the instructions in the user request. • The response is completely not Truthful. For example: ◦ Provides inaccurate information that is essential to address the user request. ◦ Makes up details that were not part of the original text segment, in cases where the user request asks the digital assistant to summarize or rewrite a text segment. • Declines to engage when there is no ambiguity or missing context in the user request.

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction > Preference Ranking > Principles

Scale	Criteria
Much Better	Choose this option if one response addresses the user request while the other one does not. And, it doesn't engage with an inappropriate, culturally irrelevant, offensive, or dangerous request.
Better	Choose this option if both responses address the user request, but one is more satisfying in terms of some major aspects, such as: - One response is better in following instructions - One response provides more truthful information that is essential to address the user’s request - One response avoids inappropriate, culturally irrelevant, offensive, or dangerous content. - One response is too wordy - One response is a lot better to read (including formatting, style)

Step 2. Response Evaluation

Aggregated Principles

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Satisfaction > Preference Ranking > Principles

Scale	Criteria
Slightly Better	Choose this option if both responses address the user request, but one is more satisfying in terms of some minor aspects, such as: - One response is slightly better in following instructions. For example, both responses fails to follow some instructions, but one response is lightly closer to the user’s requirements. - One response provides more truthful information that is non-essential to address the user’s request - One response is slightly wordier - Some minor spelling, grammar, formatting issues
Same	Choose this option if two responses have the same level of satisfaction. For example, two responses are equally helpful or unhelpful.

Step 3. Comments

Explain your ranking in the comments. Please be specific on why one response is better than the other.

 **NOTE:** The comment should always be written in English regardless of your locale.

Comment	Example	Rationale
Good	Example 1: Responses E & C (rank 1 and 2) provided the best responses with clear and concise information. E is 1 just based on preference because I believe the language used can be easily understood because they used simplistic language. C is a little more technical with its terminology. Response A/rank 3 is in the middle because it was satisfying but it could have definitely gone into more details to better support their example. Rank 4 and 5 are about the same, too broad to fully satisfy as a complete answer but would ultimately be useful if my goal was to find examples without explanations.	Both comments compare the responses to each other, pointing out their strengths and weaknesses in relation to the criteria used for evaluation. This comparative analysis helps in understanding why some responses were ranked higher or lower. In Example 1, the commenter mentions a very specific reason to prefer response E compared to C based on language simplicity.
	Example 2: C is the most complete and most informative. Ranked 1. B is ranked 2 and it is very close to Rank 1 but missing some details on XXX. A and D are ranked 3 and 4 because they are too generic and lack of details. A is slightly easier to understand. E expresses biased judgement to YYY and is ranked as worst.	In both comments, the language is clear and concise. The comments have the right key points which are driving the decision making. Overall, these comments are well-structured, informative, and transparent in explaining the ranking process.

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Step 3. Comments

Explain your ranking in the comments. Please be specific on why one response is better than the other.

Comment	Example	Rationale
Bad	All responses are concise, follow instructions, harmless and satisfying.	Unless in cases where all responses are equally good, such comment is not informative as it does not tell us why one response is better than the other.
	I ranked the responses based on the helpful, truthful, and harmless principles.	This comment is not informative for someone who tries to understand the reasons behind the ranking. Please be specific on which principle makes one response better and how. For instance, if you think one response is more helpful, briefly explain why it is more helpful.
	The ranking is done based on their content and formatting.	Please be specific on how one response is better than the other in terms of content and formatting. For instance, it is not clear that how the content and formatting differ among the responses.

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Step 3. Comments

Explain your ranking in the comments. Please be specific on why one response is better than the other.

NAVIGATION BAR

INTRODUCTION

• Overview

• Workflow

• Tool UI

STEP 1. USER REQUEST EVALUATION

1.1 Skipping Request

1.2. Request Type and Context

1.3. User Request Evaluation

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

• Following Instructions

• Localization

• Concision

• Truthfulness

• Satisfaction

2.2. Preference Ranking

• Satisfaction

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Comment	Example	Rationale
Bad	The above response can be considered helpful as the response is directly relevant to the user request, and satisfies what the user request is asking for. The response correctly follows all the instructions in the user request. It is truthful as the response's information is completely accurate, without any false facts or misleading statements. It can be considered harmless as the response does NOT contain moral judgement, or any opinionated content especially on controversial or sensitive topics.	It is unclear which response the comment is referring to. Plus, it does not explain why a certain ranking is given.
	All responses are truthful and helpful to varying degrees.	Please be specific on how Truthfulness and Helpfulness varies across responses. For instance, it is not clear why one response is more truthful than the others.
	Response C mentions the book that is not about romantic relations.	The comment is not informative enough. Be specific and provide the title of the book or any other reference from the response that will help engineers to understand what book you mention.
	It would be the best response but contains issues.	The comment requires specific information about why the response "would be the best" and what "issues" it contains.

Resources

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

- [2.1 Single Response Rating:](#)
 - [Following Instructions](#)
 - [Localization](#)
 - [Concision](#)
 - [Truthfulness](#)
 - [Satisfaction](#)
- [2.2. Preference Ranking](#)
 - [Satisfaction](#)
- [Aggregated Principles](#)

STEP 3. COMMENTS

RESOURCES

Refer to the *Research Sources Reference Guide* for guidance on determining between credible vs. non-credible sources, and additional sources by domain.

⚠ Important Note

Use only the resources listed in the table. Refrain from using web-based services that require copying and pasting responses for verification, as this could violate privacy regulations. However, you can still use web-based services for general research on the topic.

Domain	Description	Links
Coding/Computer Science/STEM	These websites provide resources related to programming.	• Stack Overflow • Compiler • Tutorials Point • Geeks for Geeks • Python Standard Library • Programming Cheat Sheets • Codecademy Cheatsheets
Math/STEM	These websites offer free resources to learners in various domains. It can be used to verify content for Math related topics.	• https://www.khanacademy.org • WolframAlpha

Resources

NAVIGATION BAR

INTRODUCTION

- [Overview](#)
- [Workflow](#)
- [Tool UI](#)

STEP 1. USER REQUEST EVALUATION

- [1.1 Skipping Request](#)
- [1.2. Request Type and Context](#)
- [1.3. User Request Evaluation](#)

STEP 2. RESPONSE EVALUATION

2.1 Single Response Rating:

- [Following Instructions](#)
- [Localization](#)
- [Concision](#)
- [Truthfulness](#)
- [Satisfaction](#)

2.2. Preference Ranking


- [Satisfaction](#)

Aggregated Principles

STEP 3. COMMENTS

RESOURCES

Domain	Description	Links
Health	These websites provide trustworthy resources for health/medical topics. See this and this for more resources.	• CDC • NIH • Mayo Clinic • NHS • Medline • Merck Manual • UHC • Lurie
Coding	Code editors are tools typically used by programmers and web developers to write and edit code. These tools can be used to efficiently review responses. This is the list of code editors approved by Apple.	• Visual Studio Code • Allows you to test locally on your Mac. • Run “Make me Admin” in Self Service to temporarily elevate privileges for the installation. • SublimeText • Notepad++ • Xcode • BBEdit • Eclipse • MacVim



Congratulations!

You have completed the "Preference Ranking" guidelines!