首页


OUR CUSTOMERS
JUNGHEINRICH
HELI
HANGCHA
DINGLI
HYSTER
Linde
CLARK
LGMG
XCMG
ZOOMLION
DOOSAN
SANY
NOBLELIFT
HYUNDAI FORKLIFT

箭头样式，参考下图

OUR CUSTOMERS
HYUNDAI FORKLIFT
SANY
JUNGHEINRICH
Linde
HYSTER
CLARK
NOBLELIFT
LONKING
HANGCHA
HELI
DINGLI
XCMG

首页

ABOUT US

1）上面的白线距离文字太远了，近一点
2）文字与上面的线条颜色互换，大标题文字白色，线条橙色

所有页

MOTIVE BATTERY

Forklift LiFePO4 Batteries
AWP LiFePO4 Batteries
Golf Cart LiFePO4 Batteries
Low-speed Vehicles LiFePO4 Batteries
Truck Parking LiFePO4 Batteries

ENERGY STORAGE

Energy Storage Pack
Energy Storage System Container
Energy Storage Cabinet

CONSTRUCTION MACHINERY

Loader Oil-to-Electric Conversion
Excavator Oil-to-Electric Conversion
Mining Truck Oil-to-Electric Conversion
Port Tractor Oil-to-Electric Conversion
Reach stacker Oil-to-Electric Conversion
Stacker Oil-to-Electric Conversion
Forklift Oil-to-Electric Conversion
Aerial Work Platform Oil-to-Electric Conversion
Tanker Truck Oil-to-Electric Conversion
Bulldozer Oil-to-Electric Conversion
Mobile Power Supply Vehicle

USE CASES

SUPPORT

Service
Warranty

DISCOVER

News
Blog

COMPANY

About us

Contact Us

Email:

Pre-sales & General Consulting：
sales@eneroc.com.cn
After-sales & Spare Parts：
service@enerocbattery.com
North America Sales & Customer Care：
sales@enerocusa.com
European Sales & Customer Care：
EU.sales@enerocbattery.com

Phone:

+86-400-079-2279

Follow Us

ENEROC

主标题与次标题区分不明显，其他同理，看看怎么调整一下

这个孤零零的放在这，布局看着别扭，调整一下



24V Forklift LiFePO4 Battery

Safety | Reliability | Multiple Scenarios | Intelligent Platform

- Real-time fire detection
- Pack-level precise protection
- Reserved water fire extinguishing interface

Get a Quote | Download | UN38.3

缺少矩形方框
参考下图

下方留白太多



Outdoor Integrated Liquid Cooling ESS

Safety | Reliability | Multiple Scenarios | Intelligent Platform

- Real-time fire detection
- Pack-level precise protection
- Reserved water fire extinguishing interface

Enquire Now | Download | UN38.3

Battery Pack Parameters

Item	Unit	Parameters
Cell Type	\	LFP 314Ah
Configuration	\	1P52S
Nominal Voltage	Vdc	166.4
Nominal Energy	kWh	52.25
Power Rate	Cp	≤0.5

Item	Unit	Parameters
Pack Qty.	Pcs	5
Working Voltage	Vdc	728~936
Nominal Voltage	Vdc	832
Nominal Energy	kWh	261.2
Power Rate	Cp	≤0.5

这个标题的字号与下面同级别的标题的字号没有统一

大标题居左放置，因为首页是居左的，要统一

MODULAR RESIDENTIAL STORAGE SYSTEM

Modular, Safe and Smart Energy Storage for Every Home

Modular Stackable Design

Capacity can be configured as needed, supporting system parallel expansion to adapt to different application scenarios

Reduces on-site construction and commissioning time

产品页

Battery Pack Parameters

Item	Unit	Parameters
Cell Type	\	LFP 314Ah
Configuration	\	1P52S
Nominal Voltage	Vdc	166.4
Nominal Energy	kWh	52.25
Power Rate	Cp	≤0.5

Item	Unit	Parameters
Pack Qty.	Pcs	5
Working Voltage	Vdc	728~936
Nominal Voltage	Vdc	832
Nominal Energy	kWh	261.2
Power Rate	Cp	≤0.5

配色有点奇怪，不太协调

下图配色仅作参考，如有更好的方案，也可

Item	Unit	Patameters
Cell Type	\	LFP 314Ah
Configuration	\	1P52S
Norminal Voltage	Vdc	166.4
Norminal Energy	kWh	52.25
Power Rate	Cp	≤0.5

产品页



筛选器 样式参见下图

新闻页



筛选器 样式参见下图

活动日历页

公司介绍页

尽量与原来官网样式内容样式保持一致，

目前与原样式差异有点大，不如原样式美观

链接如下：

https://www.enerocbattery.com/zh/about-us/