所有页面

网页打开，图片显示比较慢
页面之间跳转显示比较慢



类似于左图，一张图好久才能显示完全

首页

显示为：ENEROC New Energy Technology Co., Ltd.



首页



导航栏”Support”下缺少”Download”这一块
”Download”放在“Service”和“Warranty”的前面



首页



导航栏"Solution"下的下一层级能否放置
动力电池、储能、工程机械这三个

首页

缺少轮播效果

OUR CUSTOMERS

ZOOMLION
DOOSAN
SANY
NOBLELIFT
HYUNDAI FORKLIFT
XCMG
CLARK
LGMG
HYSTER
Linde Material Handling Linde
DINGLI
HANGCHA
HELI
JUNGHEINRICH

首页



现有：中、英、韩、日、意大利语、西班牙语

缺少：德语、法语、俄语、阿拉伯语

一、技术架构与基础设施

序号	模块	功能点	详细说明
1	域名与服务器	域名管理	一个顶级域名，多语言通过区域子域名实现（如/cn、/us、/eu等）
2	域名与服务器	服务器部署	国内站与海外站分开部署，海外站部署在海外服务器，，确保访问速度与合规性
3	域名与服务器	服务器迁移	国内站服务器迁移
4	多语言支持	语言数量	支持十种语言切换，包括中、英、韩、日、意、德、法、西、俄、阿等，语言切换按钮位于导航栏
5	多语言支持	多语言配置表	中、英、韩、日、意大利语，五种语言有独立配置表，支持后台维护
6	多语言支持	语言生效机制	修改一处，其他语言网站同步生效，2小时内同步更新完成
7	SEO与集成	SEO设置功能	后台可独立设置每个页面的SEO标题、关键词、描述，支持自动生成sitemap，并提交至主流搜索引擎
8	CRM系统接入	CRM接口	预留API接口，支持与公司现有CRM系统对接，实现表单数据自动同步

首页

改为“Quality”

图片没显示全

ABOUT US



Global LiFePO4 Solution Leader For Industrial Vehicles.

CATL
Battery Cell

18GWH
Production Capacity

260+
Patents

250000
Delivered Units

30+ Countries
Presence

1185 Milliom USD
Order in 2024

Read more →

首页

两块栏目显示一大一小，有点奇怪

NEWS & EVENTS





TUES 02
Data Cloud World Con...
Cannes, France
Jun 02 – Jun 04

WED 27
Milan Data Center 2026
Milan, Italy
May 27 – May 27

THUR 03
Stockholm Data Cente...
Stockholm, Sweden
Dec 03 – Dec 03

Learn More

首页

次标题字号小一点，其他同

POWER BATTERY

- Forklift lithium battery
- High-altitude work platform lithium battery
- Golf cart lithium battery
- Low-speed vehicle lithium battery
- Parking lithium battery

ENERGY STORAGE

- Energy Storage Pack
- Energy storage system
- Energy storage cabinet

CONSTRUCTION MACHINERY

- Loader electrification
- Excavator Electrification with Lithium Batteries
- Mining Truck Electrification with Lithium Batteries
- Port Tractor Electrification with Lithium Batteries
- Front-end loader lithium electrification
- Lithium electrification of forklifts
- Forklift lithium battery conversion
- Lithium-ion electrification of aerial work platforms
- Tanker truck electrification
- Pump truck electrification with lithium batteries
- Bulldozer electrification with lithium batteries.
- Mobile power supply vehicle

SUPPORT

- Service
- Warranty

SOLUTION

- Solution

DISCOVER

- News
- Activity

COMPANY

- About Us
- Join US

Contact Us

Pre-sales & General Consulting :
sales@eneroc.com.cn

After-sales & Spare Parts :
service@enerocbattery.com

North America Sales & Customer Care :
sales@enerocusa.com

European Sales & Customer Care :
EU.sales@enerocbattery.com

Phone: +86-400-079-2279

Follow Us

产品总览页

字的内容是否可改?





产品总览页



样式层级跟前面两个不一致

产品详情页



24V forklift lithium battery

Safety | Reliability | Multiple Scenarios | Intelligent Platform

- Real-time fire detection
- Pack-level precise protection
- Reserved water fire extinguishing interface

Get a Quote | Download | UN38.3 | UN38.4

放置的是产品认证的图标（参考下图），不是文字

产品详情页

这一块能不能修改一下？
1. 点击上方不同方块时， 下方显示不同文字

24V forklift lithium battery

Safety | Reliability | Multiple Scenarios | Intelligent Platform

- Real-time fire detection
- Pack-level precise protection
- Reserved water fire extinguishing interface

Get a Quote | Download | UN38.3 | UN38.4

产品详情页

缺少一个“SYSTEM PARAMETERS”大标题，大标题的格式要和下面蓝框的标题一致
这个次标题，格式和下面黄框的标题一致
参考右下图

General

23	32	23
		322

Environment

Param	value
Nominal Voltage	222
Capacity	1
Energy	1
Cycle Life	1
Discharge Rate (C-rate)	1
Self-discharge Rate	1
Operating Temperature Range	1

MODULAR RESIDENTIAL STORAGE SYSTEM

Efficient, safe and scalable lithium battery solution

System Specification

Battery Pack Parameters

Item	Unit	Patameters
Cell Type	\	LFP 314Ah
Configuration	\	1P52S
Norminal Voltage	Vdc	166.4
Norminal Energy	kWh	52.25
Power Rate	Cp	≤0.5

Battery Pack Parameters

Item	Unit	Patameters
Pack Qty.	Pcs	5
Working Voltage	Vdc	728~936
Norminal Voltage	Vdc	832
Norminal Energy	kWh	261.2
Power Rate	Cp	≤0.5

产品详情页

产品详情页底部再增加

1. 关联产品一栏（解决方案详情页有这一栏，可参考）
2. 联系表单（参见首页的表单）





解决方案总览页

只需要动力电池、储能、工程机械三个分类



解决方案详情页



这里空太多了，两个板块之间

解决方案详情页

这里空太多了

Related Products

Related Products subtitle

24V forklift lithium battery

LiFePO41

View Details →

36V forklift lithium battery

LiFePO4

View Details →

48V forklift lithium battery

LiFePO4

View Details →

应用案例总览页



应用案列总览页，能否也弄一个**筛选器**，
筛选器的样式和**解决方案总览页的样式一致**
按照动力电池、储能、工程机械三个板块分类



应用案例详情页

上面这个板块和下面这个板块左右两边没对齐

- Grid Connection: 35kV step-up substation
- Operating Modes: Output smoothing + schedule tracking + frequency regulation

Project Results

Wind curtailment rate reduced by 12 percentage points, annual utilization hours increased by approximately 280 hours, annual revenue increased by over 15 million yuan.

Related Products

Related Products subtitle

应用案例详情页

所有案列详情页，下面这个全球布局板块**删去**
下图这个样式不太美观，跟整体风格不太搭，能否改成类似右下图这种

服务说明页（Support--Service）

服务说明页底部缺少公司全球布局



新闻详情页

ENEROC and CATL jointly launch Tectrans forklift-specific battery: a breakthrough in battery technology.

Mar 21, 2026

ENEROC, a globally leading supplier of lithium battery solutions for industrial vehicles, is proud to announce the launch of the Tectrans forklift-specific battery, developed in collaboration with CATL, a world-leading innovator in new energy technology. This new product is expected to address one of the most pressing issues in the material handling industry: the limited lifespan and significant performance degradation of forklift batteries.

应该是图片在最上面，大标题在图下面

图片的样式是下图这种占满的，两边不需要留白的这种