SUREN NETWORK
PLAY WITH TECHNOLOGIES

SNCNA

SUREN NETWORK CERTIFIED NETWORK ASSOCIATE

DEVICE TEST

1, Explain behaviour of hub device

-> HUB is a Broadcast Device. It is connect multiple Network Device. It is Layer 1 Device. HUB N/W connection -> PC - A, B, C and Port Number is A(1), B(2), C(3). to assign the IP Address of A, B, C. A to B Data sharing sent to Broadcast device Receive from the HUB. The data is can be broadcast to all PC, sent to PC(B) + PC(C) Receive the data PC(B) remaining PC directly drop data. PC(B) Reply Broadcast to HUB to PC(A). This Device Drawback is Broadcast + collision Heavy Traffic Because Data loss.

2, Explain behaviour of switch device

-> It is connect multiple Network Device. It contains mac table. It is work on Broadcast + unicast. PC-A, PC-B, PC-C + port A-1, B-2, C-3. All PC to assign the IP address and then share the data from PC(A), PC(B). PC(A) Initial stage Broadcast to Switch is Identify Destination mac PC(B) Receive and remaining PC drop the data. Receive and Store at mac table port Number and smac. communicate with in 5 mins automatically mac table Erase. manully delete option available. Receive at PC(B) after particular Target Info sent to unicast. This is called function of switch.



mac Table

Port	mac	
1	A smac	Address learn
2	B	

3, Explain behaviour of router device

-> It is Breaks Broadcast domain. It is 3 Layer Device. It is unicast device. It is contains Routing table. Routing table contains list of Route. It is use connect different Network.

-> we have 3 department HR, sales, production. department waise PC to switch connect and then all switch connect to Router.

The function of Router Device, one department sharing data. HR group sharing the data, PC A to all. PC to switch to router to breaks the broadcast because of Router is unicast so only Data HR department only unicast remaing data not sending. Router -> IP -> 3 Info



	Routing	
N/W ID	30.0.0.0/8 - e0	[directly connect NW]
prefix	128.210.0.0/16 - e1	
int name		