




View - Identification
Target - 5.00M
Resolution - 300PPM
Lens - 5-50mm




View - Recognition
Target - 7.00M
Resolution - 125PPM
Lens - 3-12mm



View - Observation
Target - 10.00M
Resolution - 63.5PPM
Lens - 3-12mm



View - Detection
Target - 30.00M
Resolution - 25PPM
Lens - 3-12mm



View - Monitoring
Target - 50.00M
Resolution - 12.5PPM
Lens - 3-12mm

Key Plan

General Notes

- Do not Scale The Drawings. Follow (The MM) Written Dimensions Unless Otherwise Mentioned.
- Each Drawing Shall be Read in Conjunction With all Other Drawings, Specification & the General Standard Details. In Case of Any Discrepancies Bring it to the Knowledge of Engineer and Same to be Resolved Prior to Execution of Work.
- Dimensions Shown on These Drawings are Structural Dimensions Unless Noted Otherwise.
- All Levels Indicated On These Drawings are Levels as per the the Survey Datum, Same Should be Verified at Site Prior to Execution of Work.
- All Levels Indicated On These Drawings are Based On Design Level, Which is Equivalent to Datum Level and Same Should be Verified at Site Prior to Execution of Work.

IES NOTE: CCTV + INTRUSION + ACCESS CONTROL

- THE LOCATIONS OF CCTV, ALARM, AND ACS COMPONENTS ARE INDICATED APPROXIMATELY ON THE DRAWINGS AND ARE SUBJECT TO ON-SITE VERIFICATION.
- EXACT LOCATIONS AND HEIGHTS OF COMPONENTS WILL BE FINALIZED IN COORDINATION WITH THE CONTRACTOR ON-SITE, CONSIDERING BUILDING LAYOUT, INTERIOR DESIGN, DECORATION, AND ANY OTHER RELEVANT SERVICES OR COMPONENTS.
- ON-SITE, COORDINATION WITH THE CONTRACTOR IS ESSENTIAL TO ADDRESS ANY POTENTIAL OBSTRUCTIONS TO THE CAMERA'S FIELD OF VIEW, IN COMPLIANCE WITH DUBAI LAW 12/2016, AS WELL AS TO MITIGATE ELECTROMAGNETIC INTERFERENCE (EMI) IMPACTING ELECTRONIC SECURITY COMPONENTS.
- THIS DESIGN WILL BECOME INVALID IF THERE ARE ANY MODIFICATIONS TO THE ARCHITECTURAL PLANS OR CHANGES IN LEGAL REQUIREMENTS.
- LOW/LIGHT AREAS SHOULD BE EQUIPPED WITH INFRARED (IR) OR NIGHT VISION CAMERAS TO ENSURE PROPER COVERAGE AND VISIBILITY.

SECURITY CAMERA SCHEDULE				
SYMBOL	DESCRIPTION	CAM. QTY.	NO. OF FLOOR.	TOTAL NO. OF CAM.
	120% IDENTIFICATION CAMERA	4	1	4
	50% RECOGNITION CAMERA	4	1	4
	25% OBSERVATION CAMERA	0	1	0
	10% DETECTION CAMERA	23	1	23
	5% MONITORING CAMERA	2	1	2
	20% ANPR CAMERA	0	1	0
OVERALL TOTAL CAMERA				33

FIELD OF VIEW (FOV) LEGEND			
	120% IDENTIFICATION VIEW		20% ANPR / NPR VIEW
	50% RECOGNITION VIEW		10% DETECTION VIEW
	25% OBSERVATION VIEW		5% MONITORING VIEW

LEGEND		
SYMBOL	DESCRIPTION	TOTAL NO.
	SECURITY POLE	3
	FULL-FLEDGED EDGE-BUILT AI AND ANALYTICS ENABLED	4
	JUNCTION BOX FOR SECURITY (300mm x 150mm x 150mm)	3
	15U SECURITY RACK (WALL MOUNTED)	1

GENERAL NOTE:

For SPC approval, Security Integrator/ Contractor must adhere to the SIRA standard camera tagging, (e.g., **R0_CH_FLOOR_LOCATION**)

No.	1003/2026	JP	TENDER SUBMISSION
Date		Initials	Description
REVISIONS / ISSUE			
THIS DRAWING MUST NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR APPROVAL OF ARIF & BINTOAK			
Status	TENDER SUBMISSION		
Client	EMAAR		
Lead Consultant	عارف وبن طوق Arif & BintOak consulting architects & engineers		
Security Consultant	INTERNATIONAL ELECTRONIC SECURITY TEL 04 397 0757, FAX 04 397 0754 P.O. BOX 12734 DUBAI - U.A.E ENQUIRIES@IESCONSULTING.AE AUDIT@IESCONSULTING.AE WWW.IESCONSULTING.AE		

DETAILED SECURITY CAMERA SCHEDULE - COMMUNITY CENTER (TH-01)											
SR. NO.	CAMERA NAME	CAMERA TAG	CAMERA TYPE	CAMERA HEIGHT	CAMERA LENS	TILT ANGLE	FOV	VSS (CAMERA) CERTIFICATE NUMBER	ANPR CONNECTIVITY CERTIFICATE NUMBER (IF REQUIRED)	GLASS FILM CERTIFICATE NUMBER (IF REQUIRED)	PAD LOCK CERTIFICATE (IF REQUIRED)
1	GAMES AREA	R0-CH-GFL-1	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
2	COMMUNITY HALL	R0-CH-GFL-2	INDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
3	COMMUNITY HALL ENTRY	R0-CH-GFL-3	INDOOR CAMERA	2600mm	3-12 MM	45°	50% RECOGNITION VIEW VIEW	XXX	XXX	XXX	XXX
4	COMMUNITY HALL ENTRY	R0-CH-GFL-4	INDOOR CAMERA	2600mm	3-12 MM	45°	50% RECOGNITION VIEW VIEW	XXX	XXX	XXX	XXX
5	PERIMETER	R0-CH-GFL-5	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
6	PERIMETER	R0-CH-GFL-6	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
7	LAWN / WALKWAY	R0-CH-GFL-7	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
8	PERIMETER	R0-CH-GFL-8	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
9	FENCE GATE ENTRY	R0-CH-GFL-9	WDR CAMERA	3000mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX
10	GYM ENTRY	R0-CH-GFL-10	INDOOR CAMERA	2600mm	3-12 MM	45°	50% RECOGNITION VIEW VIEW	XXX	XXX	XXX	XXX
11	GYM	R0-CH-GFL-11	INDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
12	WALKWAY	R0-CH-GFL-12	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
13	LAWN / WALKWAY	R0-CH-GFL-13	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
14	YOGA	R0-CH-GFL-14	INDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
15	YOGA ENTRY	R0-CH-GFL-15	WDR CAMERA	2600mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX
16	WALKWAY	R0-CH-GFL-16	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
17	FENCE GATE ENTRY	R0-CH-GFL-17	WDR CAMERA	3000mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX

DETAILED SECURITY CAMERA SCHEDULE - COMMUNITY CENTER (TH-01)													
SR. NO.	CAMERA NAME	CAMERA TAG	CAMERA TYPE	CAMERA HEIGHT	CAMERA LENS	TILT ANGLE	FOV	VSS (CAMERA) CERTIFICATE NUMBER	ANPR CONNECTIVITY CERTIFICATE NUMBER (IF REQUIRED)	GLASS FILM CERTIFICATE NUMBER (IF REQUIRED)	PAD LOCK CERTIFICATE (IF REQUIRED)		
18	PERIMETER / WALKWAY	R0-CH-GFL-18	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
19	PERIMETER / WALKWAY	R0-CH-GFL-19	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
20	PERIMETER / WALKWAY	R0-CH-GFL-20	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
21	IT ROOM	R0-CH-GFL-21	INDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
22	TOILET CORRIDOR	R0-CH-GFL-22	OUTDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
23	WALKWAY	R0-CH-GFL-23	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
24	KID'S POOL / SPLASH PAD	R0-CH-GFL-24	OUTDOOR CAMERA	3000mm	3-12 MM	75°	5% MONITORING VIEW	XXX	XXX	XXX	XXX		
25	FENCE GATE ENTRY	R0-CH-GFL-25	WDR CAMERA	3000mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX		
26	PERIMETER / WALKWAY	R0-CH-GFL-26	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
27	PICNIC LAWN / WALKWAY	R0-CH-GFL-27	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
28	PERIMETER / WALKWAY	R0-CH-GFL-28	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
29	PERIMETER / WALKWAY	R0-CH-GFL-29	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
30	WALKWAY	R0-CH-GFL-30	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
31	WALKWAY	R0-CH-GFL-31	OUTDOOR CAMERA	3000mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX		
32	FENCE GATE ENTRY	R0-CH-GFL-32	WDR CAMERA	3000mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX		
33	ADULT'S POOL	R0-CH-GFL-33	OUTDOOR CAMERA	3000mm	3-12 MM	75°	5% MONITORING VIEW	XXX	XXX	XXX	XXX		

Project Title:

Proposed Residential Townhouses and Standalone Villas TH-1, TH-2, and TH-3 at Grand Polo Club & Resort, Dubai, UAE

Discipline :			SECURITY
Drawing title:			OVERALL GROUND FLOOR PLAN CCTV SYSTEM LAYOUT COMMUNITY CENTER - TH-01
Architectural Engineer	Electrical Engineer	Structural Engineer	
MUSTAFA ABID	MARWAN MOHD.	RIHAM RAMADAN	
Registration # 5847	Registration # 80102	Registration # 105092	
Scale(s):	Date drawn:	Project no:	
1 : 150	10/03/2026	1857	
Drawn by:	Checked:	Approved:	
JP	MM	JR	
Drawing Number :		GPCR-TH01-IES-PL-CC1-SEC-VSS-0001-00	

© AB | A1 Title Block - BIM Standard Ver. 2.0