




View - Identification
Target: - 5.00M
Resolution - 300PPM
Lens - 5-50mm






View - Recognition
Target: - 7.00M
Resolution - 125PPM
Lens - 3-12mm







View - Observation
Target: - 10.00M
Resolution - 63.5PPM
Lens - 3-12mm







View - Detection
Target: - 30.00M
Resolution - 25PPM
Lens - 3-12mm





View - Monitoring
Target: - 50.00M
Resolution - 12.5PPM
Lens - 3-12mm





- General Notes :
01. Do not Scale The Drawings. Follow (The MM) Written Dimensions Unless Otherwise Mentioned.
 02. Each Drawing Shall be Read in Conjunction With all Other Drawings, Specification & the General Standard Details. In Case of Any Discrepancies Bring it to the Knowledge of Engineer and Same to be Resolved Prior to Execution of Work.
 03. Dimensions Shown on These Drawings are Structural Dimensions Unless Noted Otherwise.
 04. All Levels Indicated On These Drawings are Levels as per the the Survey Datum, Same Should be Verified at Site Prior to Execution of Work.
 05. All Levels Indicated On These Drawings are Based On Design Level, Which is Equivalent to Datum Level and Same Should be Verified at Site Prior to Execution of Work.

- IES NOTE: CCTV + INTRUSION + ACCESS CONTROL**
1. THE LOCATIONS OF CCTV, ALARM, AND ACS COMPONENTS ARE INDICATED APPROXIMATELY ON THE DRAWINGS AND ARE SUBJECT TO ON-SITE VERIFICATION.
 2. EXACT LOCATIONS AND HEIGHTS OF COMPONENTS WILL BE FINALIZED IN COORDINATION WITH THE CONTRACTOR ON-SITE, CONSIDERING BUILDING LAYOUT, INTERIOR DESIGN, DECORATION, AND ANY OTHER RELEVANT SERVICES OR COMPONENTS.
 3. ON-SITE, COORDINATION WITH THE CONTRACTOR IS ESSENTIAL TO ADDRESS ANY POTENTIAL OBSTRUCTIONS TO THE CAMERA'S FIELD OF VIEW, IN COMPLIANCE WITH DUBAI LAW 12/2016, AS WELL AS TO MITIGATE ELECTROMAGNETIC INTERFERENCE (EMI) IMPACTING ELECTRONIC SECURITY COMPONENTS.
 4. THIS DESIGN WILL BECOME INVALID IF THERE ARE ANY MODIFICATIONS TO THE ARCHITECTURAL PLANS OR CHANGES IN LEGAL REQUIREMENTS.
 5. LOW/LIGHT AREAS SHOULD BE EQUIPPED WITH INFRARED (IR) OR NIGHT VISION CAMERAS TO ENSURE PROPER COVERAGE AND VISIBILITY.

SECURITY CAMERA SCHEDULE				
SYMBOL	DESCRIPTION	CAM. QTY.	NO. OF FLOOR.	TOTAL NO. OF CAM.
	120% IDENTIFICATION CAMERA	1	1	1
	50% RECOGNITION CAMERA	4	1	4
	25% OBSERVATION CAMERA	0	1	0
	10% DETECTION CAMERA	1	1	1
	5% MONITORING CAMERA	0	1	0
	20% ANPR CAMERA	4	1	4
OVERALL TOTAL CAMERA				10

FIELD OF VIEW (FOV) LEGEND			
	120% IDENTIFICATION VIEW		20% ANPR / NPR VIEW
	50% RECOGNITION VIEW		10% DETECTION VIEW
	25% OBSERVATION VIEW		5% MONITORING VIEW

LEGEND		
SYMBOL	DESCRIPTION	TOTAL NO.
	SECURITY POLE	4
	9U SECURITY RACK	1

GENERAL NOTE:

For SPC approval, Security Integrator/ Contractor must adhere to the SIRA standard camera tagging, (e.g., **R0_CH_FLOOR_LOCATION**)



00	10/03/2026	JP
No.	Date	Initials
Description		
TENDER SUBMISSION		
REVISIONS / ISSUE		
THIS DRAWING MUST NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR APPROVAL OF ARIF & BINTOAK		
Status		
TENDER SUBMISSION		
Client		
EMAAR		
Lead Consultant		
عارف وبن طوق Arif&Bintoak consulting architects & engineers POST BOX 3670 DUBAI UAE TEL: 84-3372868 FAX: 84-3379352 POST BOX 42961 ABU DHABI UAE TEL: 62-434669 arif@arifbintoak.net.ae		
Security Consultant		
INTERNATIONAL ELECTRONIC SECURITY TEL: 04 397 0757, FAX: 04 397 0754 P.O. BOX 12734 DUBAI - U.A.E ENQUIRIES@IESCONSULTING.AE AUDIT@IESCONSULTING.AE WWW.IESCONSULTING.AE		

Project Title:

Proposed Residential Townhouses and Standalone Villas TH-1, TH-2, and TH-3 at Grand Polo Club & Resort, Dubai, UAE

SECURITY		
Drawing title:		
GUARD HOUSE (TH-02) CCTV SYSTEM LAYOUT GUARD HOUSE - TH-02		
Architectural Engineer	Electrical Engineer	Structural Engineer
MUSTAFA ABID	MARWAN MOHD.	RIHAM RAMADAN
Registration # 5847	Registration # 80102	Registration # 105092
Scale(s):	Date drawn:	Project no:
1 : 50	10/03/2026	1857
Drawn by:	Checked:	Approved:
JP	MM	JR
Drawing Number:		
GPCR-TH02-IES-PL-GH2-SEC-VSS-0001-00		

DETAILED SECURITY CAMERA SCHEDULE - GUARD ROOM (TH-02)											
SR. NO.	CAMERA NAME	CAMERA TAG	CAMERA TYPE	CAMERA HEIGHT	CAMERA LENS	TILT ANGLE	FOV	VSS (CAMERA) CERTIFICATE NUMBER	ANPR CONNECTIVITY CERTIFICATE NUMBER (IF REQUIRED)	GLASS FILM CERTIFICATE NUMBER (IF REQUIRED)	PAD LOCK CERTIFICATE (IF REQUIRED)
1	GUARD ROOM ENTRY	R0-CH-GFL-1	WDR CAMERA	2600mm	5-50 MM	20°	120% IDENTIFICATION VIEW	XXX	XXX	XXX	XXX
2	GUARD ROOM	R0-CH-GFL-2	INDOOR CAMERA	2600mm	3-12 MM	75°	10% DETECTION VIEW	XXX	XXX	XXX	XXX
3	VEHICLE EXIT	R0-CH-GFL-3	INDOOR CAMERA	3000mm	3-12 MM	45°	50% RECOGNITION VIEW	XXX	XXX	XXX	XXX
4	VEHICLE EXIT	R0-CH-GFL-4	OUTDOOR CAMERA	3000mm	3-12 MM	45°	50% RECOGNITION VIEW	XXX	XXX	XXX	XXX
5	VEHICLE EXIT	R0-CH-GFL-5	ANPR CAMERA	3000mm	5-50 MM	30°	20% ANPR VIEW	XXX	XXX	XXX	XXX
6	VEHICLE EXIT	R0-CH-GFL-6	ANPR CAMERA	3000mm	5-50 MM	30°	20% ANPR VIEW	XXX	XXX	XXX	XXX
7	VEHICLE ENTRY	R0-CH-GFL-7	OUTDOOR CAMERA	3000mm	3-12 MM	45°	50% RECOGNITION VIEW	XXX	XXX	XXX	XXX
8	VEHICLE ENTRY	R0-CH-GFL-8	OUTDOOR CAMERA	3000mm	3-12 MM	45°	50% RECOGNITION VIEW	XXX	XXX	XXX	XXX
9	VEHICLE ENTRY	R0-CH-GFL-9	ANPR CAMERA	3000mm	5-50 MM	30°	20% ANPR VIEW	XXX	XXX	XXX	XXX
10	VEHICLE ENTRY	R0-CH-GFL-10	ANPR CAMERA	3000mm	5-50 MM	30°	20% ANPR VIEW	XXX	XXX	XXX	XXX

NOTE:
PROVIDE ROAD SEPARATION (ISLAND OR BOLLARDS) FOR TENANT AND VISITOR AREAS.

NOTE:
PROVIDE ROAD SEPARATION (ISLAND OR BOLLARDS) FOR TENANT AND VISITOR AREAS.