

# Untitled

Bennet Huebbe

28 1 2022

## R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
library(ggplot2)
```

```
## Warning in register(): Can't find generic 'scale_type' in package ggplot2 to
## register S3 method.
```


```
library(gganimate)
library(gifski)
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.1 --
```


```
## v tibble  3.1.6      v dplyr   1.0.7
## v tidyr   1.1.4      v stringr 1.4.0
## v readr   2.1.1      v forcats 0.5.1
## v purrr   0.3.4
```

```
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
```


```
my_static_art()
```




```
my_static_art(32)
```



```
my_static_art(2)
```



```
my_static_art(102)
```



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.