

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	account/signup	user_name : String user_birth : String user_gender : String("1" -> man, "0" -> woman) user_email : String user_phone : String user_address : String user_address_detail : String	<b>JSON</b> user_key : String  <b>STATUS</b> 200 : success 500 : server error	<b>사용하는 곳</b> login  데이터가 존재하지 않을 경우 : 빈 문자열 ""을 보내주세요.
POST	account/show	user_key : String	<b>JSON</b> { user_name : String user_birth.: String user_gender : String("1" -> man, "0" -> woman) user_email : String user_phone : String user_address : String user_address_detail : String }  <b>STATUS</b> 200 : success 500 : server error	<b>사용하는 곳</b> my_page
POST	accouny/modify	user_key : String user_name : String user_birth.: String user_gender : String("1" -> man, "0" -> woman) user_email : String user_phone : String user_address : String user_address_detail : String	<b>STATUS</b> 200 : success 500 : server error	<b>사용하는 곳</b> my_page
POST	account/signin	user_key : String	<b>Status Code</b> 200 : success 500 : server error	자동 로그인 때 사용
POST	main/funding/ category		<b>JSONARRAY</b> [ { user_category : String, }, { user_category : String, }, { user_category : String, } ... ]  <b>Status Code</b> 200 : success 500 : server error	<b>사용하는 곳</b> funding/f

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	main/funding/ banner		<b>JSONARRAY</b> [ { funding_key : String, funding_title : String, funding_intro : String funding_profile : String }, { funding_key : String, funding_title : String, funding_intro : String, funding_profile : String }, { funding_key : String, funding_title : String, funding_intro : String, funding_profile : String } ... ] <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/f
POST	main/funding/ list	funding_category : String	<b>JSONARRAY</b> [ { funding_key : String, funding_profile : String, funding_title : String, funding_context : String, funding_progress : String, funding_restoration : String, funding_supporternum : String, funding_period : String }, { funding_key : String, funding_profile : String, funding_title : String, funding_context : String, funding_progress : String, funding_restoration : String, funding_supporternum : String, funding_period : String }, ... ] <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/f

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	main/donation/category		<b>JSON + JSONARRAY</b> <pre>{   category_total : String   category_list :   [     {       category_name : String,       category_profile : String     },     {       category_name : String,       category_profile : String     },     {       category_name : String,       category_profile : String     }   ] }</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 donation
POST	main/donation/list	donation_category : String	<b>JSONARRAY</b> <pre>[   {     donation_title : String,     donatoin_context : String   },   {     donation_title : String,     donatoin_context : String   },   ... ]</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 donation

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	funding/detail	funding_key : String	<b>JSON + JSONARRAY</b> <pre>{   funding_title : String,   funding_company : String,   funding_context : String,   funding_likenum : String,   funding_commentnum : String,   funding_progress : String,   funding_restoration : String,   funding_supporternum : String,   funding_period : String,   funding_achieve : String,   funding_goal : String,   funding_schedule : String,   company_phone : String,   company_email : String,   company_address : String }</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/df
POST	funding/like	funding_key : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/df
POST	funding/reward/show	funding_key : String	<b>JSONARRAY</b> <pre>[   {     reward_key : String,     reward_name : String,     reward_price : String   },   {     reward_key : String,     reward_name : String,     reward_price : String   },   ... ]</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/gf  포인트 계산은 전 페이지 에서 보내준 환급 비율을 토대로 안드로이드에서 계산하세요.

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	funding/ reward/buy	user_key : String funding_key : String funding_add : String(추가 후원) [           {             reward_key : String, reward_num : String           }           ]	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/gf
POST	funding/ sponsor/ register	sponsor_name : String sponsor_birth : String sponsor_gender : String("1" -> man, "0" -> woman) sponsor_email : String sponsor_phone : String sponsor_address : String sponsor_address_detail : String sponsor_verifycode : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 sponsor_registration
POST	donation/detail	donation_key : String	<b>JSON + JSONARRAY</b> {             donation_title : String, donation_donator : String, donation_context : String, donation_likenum : String, donation_commentnum : String, donation_progress : String, donation_supportornum : String, donation_profile : String, donation_period : String, donation_achieve : String, donation_goal : String, donation_schedule : String, donator_phone : String, donator_email : String, donator_address : String [             {               subs_title : String, subs_photo : String, subs_context : String             }, {               subs_title : String, subs_photo : String, subs_context : String             }             ...             ]           }  <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 donation/df
POST	donation/like	donation_key : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 donation/df

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	donation/point/show	user_key : String	<b>JSON</b> user_point : String  <b>STATUS</b> 200 : success 500 : server error	사용하는 곳 donation/g
POST	donation/point/use	history_title : String user_key : String history_usedpoint : String history_day : String history_year : String history_month : String	<b>STATUS</b> 200 : success 500 : server error	사용하는 곳 donation/g  history_usedpoint 값은 항상 음수여야함. 사용한 값이기 때문
POST	funding/comment/show	funding_key : String	<b>JSONARRAY</b> [ { comment_key : String, comment_user : String, comment_likenum : String, comment_date : String comment_context : String }, { comment_key : String, comment_user : String, comment_likenum : String, comment_date : String comment_context : String } ... ]  <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 chatting
POST	funding/comment/like	comment_key : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 chatting
POST	funding/comment/put	comment_date : String user_key : String funding_key : String comment_context : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 chatting
POST	point/buy	user_key : String point_total : String history_year : String history_month : String history_day : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 point_shop  history_title은 서버 내부 에서 "포인트 구매"로 추 가

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	point/list	user_key : String	<b>JSON + JSONARRAY</b> <pre>{   point_total : String   [     {       history_year : String,       history_month : String,       history_day : String,       history_usedpoint : String,       history_title : String     },     {       history_year : String,       history_month : String,       history_day : String,       history_usedpoint : String,       history_title : String     }     ...   ] }</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 point_total
POST	donation/ history	user_key : String	<b>JSON + JSONARRAY</b> <pre>{   point_total : String   [     {       funding_key : String,       funding_profile : String,       funding_title : String,       funding_context : String,       funding_progress : String,       funding_restoration : String,       funding_supporternum : String,       funding_period : String     },     {       funding_key : String,       funding_profile : String,       funding_title : String,       funding_context : String,       funding_progress : String,       funding_restoration : String,       funding_supporternum : String,       funding_period : String     }     ...   ] }</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 funding/list

METHOD	URL	REQUEST	RESPONSE	DESCRIPTION
POST	funding/list	user_key : String	<b>JSON + JSONARRAY</b> <pre>{   point_total : String   [     {       donation_key : String,       donation_profile : String,       donation_title : String,       donation_context : String,       funding_progress : String,       donation_supporternum : String,       donation_period : String     },     {       donation_key : String,       donation_profile : String,       donation_title : String,       donation_context : String,       funding_progress : String,       donation_supporternum : String,       donation_period : String     }     ...   ] }</pre> <b>Status Code</b> 200 : success 500 : server error	사용하는 곳 donation/list
POST	question	question_title : String question_key : String question_user : String question_context : String	<b>Status Code</b> 200 : success 500 : server error	사용하는 곳 contact_us_n
POST				
POST				