Deepotus — Icon glossary v2.8.0

Navigation 55

Screens, tabs and panels: where you go.



3D export

Opens the step that exports the card as a 3D file.

≠ Export, Send to..., Publish now
Where : Card Forge · `dz-nav-cf-export-3d`



3D Forge

Opens the step where you build a volume from linked nodes.

≠ Studio, Reopen in Studio, Starter graphs
Where : Card Forge · `dz-nav-cf-forge-3d`



3D Stage

Opens the 3D Stage to compose a shot with set and camera.

≠ Workshop, Workbench, Bible
Where : 3D Set, Atelier · `dz-nav-plateau`



Adjustments

Opens the Photolab Properties, Adjustments, Styles and Comps group.

≠ Settings, Options, Reuse settings
Where : Photolab · `dz-nav-panneau-ajustements`



Analytics

Shows the views, engagement and quotas of your posts.

≠ Levels, Measure, Playback speed
Where : Planner · `dz-nav-analytics`



API keys

Marks the step where you connect your generation providers.

≠ Settings, Options, Adjustments
Where : App shell, Home · `dz-nav-cles-api`



Art direction

Opens the shared visual style chosen for the whole project.

≠ Hue/Saturation, Channel Mixer, Color
Where : Atelier · `dz-nav-direction-artistique`



Bible

Sends to the sheet of a Workshop character or entity.

≠ Workshop, Workbench, 3D Stage
Where : Vectorlab, Spritelab, 3D Set · `dz-nav-bible`



Brushes

Opens the Photolab's ready-made brush tips.

≠ Layers, Color, History
Where : Photolab · `dz-nav-panneau-pinceaux`



Campaign

Opens the menu to plan post series around a brief.

≠ Analytics, Routing, Post
Where : Planner · `dz-nav-campagne`



Chapters

Opens the screen that turns a novel into a narrated video.

≠ Quick, Studio, Sound & VFX
Where : App shell, Vectorlab, Mobile · `dz-nav-chapitres`



Color

Opens the Photolab Color, Swatches, Gradients, Patterns and Shapes group.

≠ Hue/Saturation, Channel Mixer, Art direction
Where : Photolab · `dz-nav-panneau-couleur`



Data

Opens the step where you fill in the cards' field table.

≠ Templates, Face, Frame
Where : Card Forge · `dz-nav-cf-donnees`



Documents

Returns to the document list, the Vectorlab home.

≠ Workshop, Workbench, 3D Stage
Where : Vectorlab · `dz-nav-documents`



Episodes

Opens the Episodes flow that makes a narrated video from a novel.

≠ Workshop, Workbench, 3D Stage
Where : Episodes, Atelier · `dz-nav-episodes`



Face

Opens the step where you lay out the front and its artwork.

≠ Cards, Templates, Quantity
Where : Card Forge · `dz-nav-cf-face`



Frame

Opens the step where you choose the card's border.

≠ Templates, Face, Typography
Where : Card Forge · `dz-nav-cf-cadre`



Game Assets

Opens the game resources screen: 3D, sprites, tiles and cards.

≠ Quick, Studio, Chapters
Where : App shell · `dz-nav-game-assets`



Guide

Opens the app guide at the relevant chapter.

≠ Help, Information, Keyboard Shortcuts
Where : App shell, Game Assets, Workbench · `dz-nav-guide`



Histogram and Info

Opens the tone graph and the image measurements.

≠ Help, Information, Keyboard Shortcuts
Where : Photolab · `dz-nav-panneau-infos`



History

Opens the list of steps to go back to an earlier state.

≠ Undo, Redo, Restore
Where : Photolab · `dz-nav-panneau-historique`

Import
Opens the step to bring in a card that already exists.

≠ Import, Download, Open
Where : Card Forge · `dz-nav-cf-import`

Inbox
Shows the images, texts and links shared from your phone.

≠ Pair, Take to phone, Hand back to PC
Where : Mobile · `dz-nav-boite-reception`

Layers
Opens the panel that lists and orders the image layers.

≠ New Layer, Group, Image Layer
Where : Photolab · `dz-nav-panneau-calques`

Library
Opens the Library where your assets and renders are stored.

≠ New Layer, Group, Image Layer
Where : App shell, Son & VFX, Vectorlab, Mobile · `dz-nav-bibliotheque`

Materials
Opens the step that adds grain and gilding to the card.

≠ Theme, Brightness/Contrast, Exposure
Where : Card Forge · `dz-nav-cf-matieres`

Montage
Opens the Montage or sends the item to its multitrack timeline.

≠ Quick, Studio, Chapters
Where : App shell, Studio, Episodes, Chapters, Son & VFX, Library · `dz-nav-montage`

Navigator
Opens an image thumbnail to choose the visible area.

≠ Layers, Color, History
Where : Photolab · `dz-nav-panneau-navigateur`

News
Opens the screen that turns a news item into a short video.

≠ Quick, Studio, Chapters
Where : App shell · `dz-nav-news`

Photolab
Opens the Photolab to retouch an image with layers.

≠ Vectorlab, Image, Photo Filter
Where : App shell, Library · `dz-nav-photolab`

Pixel
Switches the Vectorlab to Pixel space to draw dot by dot.

≠ Vector, Workspace, Side panel
Where : Game Assets, Vectorlab · `dz-nav-espace-pixel`

Print
Opens the step that prepares the package for the printer.

≠ Templates, Face, Frame
Where : Card Forge · `dz-nav-cf-impression`

Projects
Opens the list of edit projects to open, copy or compare.

≠ Library, Save to Library, From Library
Where : Montage · `dz-nav-projets`

Prompt manager
Opens your saved prompts and the tool that writes new ones.

≠ Prompt, Refine with AI, Rename
Where : Quick, Studio, Library · `dz-nav-prompts`

Publishing
Opens the room that makes the product sheet, booklet and mockups.

≠ Chapters, Bible, Manuscript
Where : Card Forge · `dz-nav-cf-edition`

Quick
Opens Quick, the generators that create in a single click.

≠ Generate, Random, Run
Where : App shell, Library, Mobile · `dz-nav-quick`

Render queue
Shows renders in progress and those recently finished.

≠ In progress, Transfer, Retry
Where : App shell · `dz-nav-file-rendus`

Replay onboarding
Restarts the welcome assistant from the first launch.

≠ Deepotus, App icon, Adaptive icon
Where : App shell · `dz-nav-accueil`

Scheduler
Opens the Scheduler or sends a render there to post.

≠ Quick, Studio, Chapters
Where : App shell, Home, Studio, Episodes, Chapters, Library, Mobile · `dz-nav-scheduler`

Settings
Opens Settings: keys, folders and app preferences.

≠ Options, Adjustments, Reuse settings
Where : App shell · `dz-nav-reglages`

Sound & VFX
Opens the screen for music, voices, sound effects and VFX.

≠ Quick, Studio, Chapters
Where : App shell · `dz-nav-son-vfx`

Studio
Opens the Studio, the editor where you link nodes.

≠ Quick, Chapters, Sound & VFX
Where : App shell, Home, Studio, Templates, News, Library, Spritelab, Tilelab · `dz-nav-studio`

Templates
Opens the start gallery to pick a template or resume a deck.

≠ Cards, Quantity, Face
Where : Card Forge · `dz-nav-cf-galerie`

Templates
Opens the screen of ready-to-fill layouts.

≠ Quick, Studio, Chapters
Where : App shell, Library · `dz-nav-templates`

Text
Opens the Photolab Character, Paragraph, Glyphs and Styles group.

≠ Text, Text, Text Frame
Where : Photolab · `dz-nav-panneau-texte`

Transfer

Exports or imports your data to move to another computer.

≠ Pair, Take to phone, Hand back to PC

Where : Settings · `dz-nav-transfert`

Trash

Opens the trash to restore items or delete them for good.

≠ Close, Delete, Remove

Where : Library · `dz-nav-corbeille`

Typography

Opens the step where you place and style text blocks.

≠ Text, Text, Text Frame

Where : Card Forge · `dz-nav-cf-typo`

Vector

Switches the Vectorlab to Vector space to draw sharp paths.

≠ Photolab, Vectorlab, Image

Where : Vectorlab · `dz-nav-espace-vecteur`

Vectorlab

Opens the Vectorlab, the vector drawing and stained glass editor.

≠ Photolab, Image, Photo Filter

Where : App shell, Library · `dz-nav-vectorlab`

Versions

Shows saved copies of a chapter so you can reopen one.

≠ Workshop, Workbench, 3D Stage

Where : Atelier · `dz-nav-versions`

Volume

Opens the step that sets the card's thickness, shown in 3D.

≠ Cards, Templates, Quantity

Where : Card Forge · `dz-nav-cf-volume`

Workbench

Opens the Workbench to prepare a model for 3D printing.

≠ Workshop, 3D Stage, Bible

Where : 3D Studio · `dz-nav-etabli`

Workshop

Opens the Workshop to write a chapter's script and storyboard.

≠ Pen, Pencil, Vector Brush

Where : Episodes, Library · `dz-nav-atelier`

Workspace

Changes how the Photolab panels are arranged.

≠ Templates, Save as template, Composition

Where : Photolab · `dz-nav-espace-travail`

Actions 98

What a button does when you click it: create, save, send, delete…



1 column

Stacks all the lab panels in a single column.

≠ Templates, Save as template, Composition
Where : Card Forge · `dz-action-disposition-colonne`



Add

Adds a new item to the list already open.

≠ New, Duplicate, New group
Where : News, Planner, Episodes, Chapters, Montage, Son & VFX, Library, Settings, Vectorlab, Photolab, Spritelab, 3D Set, Atelier · `dz-action-ajouter`



Add to calendar

Places the generated posts on the Scheduler calendar.

≠ Add, New, Duplicate
Where : Planner · `dz-action-ajouter-calendrier`



Add to project

Files the item into a Library project.

≠ Import, Download, Open
Where : Library · `dz-action-ranger`



Auto-file

Automatically files new items into this project, or stops.

≠ Recurring series, Recycle, Rotation
Where : Library · `dz-action-rangement-auto`



Back

Goes back to the previous screen or step.

≠ Expand, Previous, Next
Where : App shell, Episodes, Settings, Game Assets, Card Forge, Spritelab, Tilelab, Workbench, Materials, 3D Set, Atelier, Mobile · `dz-action-retour`



Build

Assembles the result on your PC, with no AI or cost.

≠ Generate, Quick, Random
Where : Spritelab, Tilelab, Materials · `dz-action-fabriquer`



Capture

Takes a picture of the 3D view and keeps it.

≠ Center pivot, Reference point, Recenter
Where : Materials, 3D Set · `dz-action-capturer`



Clean up

Opens the tool that finds duplicates and large files.

≠ Clear, Recycle, Trash
Where : Library · `dz-action-nettoyer`



Clear

Removes all the content but keeps the container.

≠ Close, Delete, Remove
Where : Vectorlab, Tilelab, Atelier · `dz-action-vider`



Close

Closes the window or panel without deleting anything.

≠ Delete, Remove, Discard
Where : App shell, Quick, Studio, Planner, Montage, Son & VFX, Library, Settings, Card Forge, Vectorlab, Photolab, Workbench, Atelier · `dz-action-fermer`



Compare

Shows two versions side by side to compare them.

≠ Start duel, Measure, Test
Where : Montage, Game Assets, Materials · `dz-action-comparer`



Confirm

Confirms and applies the pending choice.

≠ Success, Selected option, Select All
Where : Quick, Studio, Son & VFX, Vectorlab, Photolab, Spritelab, Atelier · `dz-action-valider`



Connect

Links your social media account once you approve.

≠ Link, Detach, Open in browser
Where : App shell, Home, Settings · `dz-action-connecter`



Continue

Moves on to the next step of the wizard.

≠ Play, Preview, Run
Where : App shell, Home, Settings, Mobile · `dz-action-continuer`



Convert

Saves the 3D model in another file format.

≠ Convert to path, Convert to frame, Vectorize
Where : 3D Studio · `dz-action-convertir`



Copy

Copies the text, link or selection (Ctrl+C).

≠ Duplicate, Paste, Clone
Where : App shell, Quick, Studio, Settings, Spritelab, Tilelab, Atelier, Mobile · `dz-action-copier`



Cost

Shows a cost: paid call, spending or quote.

≠ Price badge, LIVE badge, Sticker
Where : App shell, Quick, Spritelab, Mobile · `dz-action-cout`

Delete
Deletes the item or moves it to the trash.

≠ Close, Remove, Discard
Where : App shell, Quick, Studio, Templates, Planner, Episodes, Montage, Son & VFX, Library, Settings, Game Assets, Card Forge, Vectorlab, Photolab, Spritelab, Materials, Atelier, Mobile, Voices / Voicebox, Avatar / HeyGen · `dz-action-supprimer`

Discard
Throws away the current edit; the item returns to how it was.

≠ Close, Delete, Remove
Where : Vectorlab, Photolab, Spritelab, Mobile · `dz-action-abandonner`

Download
Saves the file to your disk as it is.

≠ Import, Open, From Library
Where : App shell, Shared, Studio, Library, Game Assets, Card Forge, Vectorlab, Spritelab, Tilelab, Materials, 3D Set, Atelier, Update · `dz-action-telecharger`

Duplicate
Makes a copy right next to it, in the same document (Ctrl+D).

≠ Add, New, New group
Where : Planner, Card Forge, Vectorlab, Photolab, Spritelab, Materials · `dz-action-dupliquer`

Edit
Opens the editor to change this item.

≠ Pen, Pencil, Vector Brush
Where : Planner, Settings, Vectorlab, Mobile · `dz-action-modifier`

Expand
Opens or closes a section, group or list.

≠ Previous, Next, Continue
Where : App shell, Shared, Quick, Studio, Templates, News, Planner, Episodes, Chapters, Montage, Son & VFX, Settings, Card Forge, Vectorlab, Photolab, Materials, Atelier · `dz-action-deplier`

Export
Creates a file in the format you choose (PDF, Godot, Unity…).

≠ Send to…, Publish now, Schedule
Where : Templates, Library, Settings, Game Assets, Card Forge, Vectorlab, Spritelab, Tilelab, Atelier · `dz-action-exporter`

Favorite
Adds or removes the item from your favorites.

≠ Rating, Pinned, Pin to phone
Where : Studio, Son & VFX, Library, Avatar / HeyGen · `dz-action-favori`

Fit view
Frames the whole object in view without changing it.

≠ Zoom, Zoom in, Zoom out
Where : Card Forge, Vectorlab · `dz-action-ajuster-vue`

Follow-up
Writes a post replying to the previous one, as an X thread.

≠ Export, Send to…, Publish now
Where : Planner · `dz-action-repondre`

Freeze as recipe
Keeps the Studio graph as a reusable recipe, generating nothing.

≠ Add, New, Duplicate
Where : Studio · `dz-action-figer-recette`

From Library
Opens the Library so you can pick a media item to use.

≠ Import, Download, Open
Where : Quick, Studio, Montage, Vectorlab, Photolab, Tilelab, Materials, Atelier · `dz-action-choisir-bibliotheque`

Generate
Starts the AI creation for the chosen mode.

≠ Quick, Random, Run
Where : Quick, Planner · `dz-action-generer`

Grid
Shows the items as a grid of thumbnails.

≠ Menu, More actions, Handle
Where : Library · `dz-action-vue-grille`

Hand back to PC
Sends a post or images from the phone back to the PC.

≠ Pair, Take to phone, Sync
Where : Planner, Mobile · `dz-action-transferer-pc`

Handle
Grab and drag it to move or reorder.

≠ Menu, More actions, List
Where : Montage · `dz-action-poignee`

Help
Opens the help card for this option or screen.

≠ Information, Keyboard Shortcuts, Guide
Where : Vectorlab, Photolab, Spritelab, Tilelab, Workbench, Materials · `dz-action-aide`

Import
Brings a file from your PC into the app.

≠ Download, Open, From Library
Where : App shell, Quick, Studio, 3D Studio, Planner, Episodes, Chapters, Son & VFX, Library, Settings, Card Forge, Vectorlab, Spritelab, Workbench, Materials, Atelier, Mobile, Avatar / HeyGen · `dz-action-importer`

Keyboard Shortcuts
Opens the list of keyboard shortcuts.

≠ Help, Information, Guide
Where : Montage, Vectorlab · `dz-action-raccourcis`

Language
Switches the interface between French and English.

≠ Faux bold, Faux italic, Underline
Where : Settings · `dz-action-langue`

List
Shows the items as a table, row by row.

≠ Menu, More actions, Handle
Where : Library · `dz-action-vue-liste`

Measure
Analyzes the result and says whether it meets the limits.
≠ Levels, Analytics, Playback speed
Where : Card Forge, Tilelab, Atelier · `dz-action-mesurer`

Menu
Opens the lab's main menu: File, Edit, View...
≠ More actions, Handle, List
Where : Montage · `dz-action-menu`

More actions
Opens the list of actions available for this item.
≠ Menu, Handle, List
Where : Templates, Planner · `dz-action-plus-options`

New
Creates a blank document and opens it.
≠ Add, Duplicate, New group
Where : Studio, Card Forge, Vectorlab, Photolab, Atelier · `dz-action-nouveau`

New group
Creates a folder to hold presets or swatches.
≠ Add, New, Duplicate
Where : Photolab · `dz-action-nouveau-dossier`

Next
Shows the next item or period.
≠ Expand, Previous, Continue
Where : Studio, Planner, Card Forge, Vectorlab, Photolab, Avatar / HeyGen · `dz-action-element-suivant`

Open
Opens a saved document or a file from your PC.
≠ Import, Download, From Library
Where : Studio, Spritelab, Tilelab · `dz-action-ouvrir`

Open in browser
Opens the external page in your web browser.
≠ Link, Detach, Connect
Where : Studio, News · `dz-action-ouvrir-externe`

Options
Opens the options for this object or document.
≠ Settings, Adjustments, Reuse settings
Where : Planner, Vectorlab, Photolab · `dz-action-reglages`

Pair
Links your phone to the PC for the mobile app.
≠ Take to phone, Hand back to PC, Sync
Where : Settings, Mobile · `dz-action-appairer`

Paste
Pastes the clipboard contents here (Ctrl+V).
≠ Duplicate, Copy, Clone
Where : Card Forge, Vectorlab, Spritelab · `dz-action-coller`

Pin to phone
Keeps this project on your phone, updated at every sync.
≠ Pair, Take to phone, Hand back to PC
Where : Library · `dz-action-epingler-mobile`

Preview
Shows a preview of the result without making the final version.
≠ Play, Run, Test
Where : App shell, Studio, Materials, Atelier · `dz-action-apercu`

Previous
Shows the previous item or period.
≠ Expand, Next, Continue
Where : Studio, Planner, Card Forge, Photolab, Avatar / HeyGen · `dz-action-element-precedent`

Publish now
Publishes the post right away on its channels.
≠ Export, Send to..., Schedule
Where : Planner, Mobile · `dz-action-publier`

Quantity
Uses this column as the number of copies of each card.
≠ Cards, Templates, Face
Where : Card Forge · `dz-action-quantite`

Quick command
Opens the palette to type a command.
≠ Help, Information, Keyboard Shortcuts
Where : App shell · `dz-action-palette-commandes`

Random
Rolls a new random variant, locally and for free.
≠ Generate, Quick, Run
Where : Quick, Studio, Card Forge, Vectorlab, Tilelab, Atelier · `dz-action-aleatoire`

Recenter
Puts the floating toolbar back in its place.
≠ Center pivot, Reference point, Capture
Where : Montage · `dz-action-recentrer`

Recompute
Redoes the calculation on your PC, for free.
≠ Refresh, Retry, Regenerate
Where : Quick, Vectorlab, Spritelab · `dz-action-recalculer`

Recurring series
Manages posts that come back on a regular basis.
≠ Auto-file, Recycle, Rotation
Where : Planner · `dz-action-recurrence`

Recycle
Suggests reposting old posts that did well.
≠ Auto-file, Recurring series, Rotation
Where : Planner · `dz-action-recycler`

Redefine
Replaces the saved style or composition with the current state.
≠ Refresh, Retry, Regenerate
Where : Photolab · `dz-action-redefinir`

Redo
Redoes the change you just undid (Ctrl+Y).
≠ Undo, Restore, Discard
Where : Montage, Card Forge, Vectorlab, Photolab · `dz-action-retablir`

Refine with AI

AI rewrites your existing text to improve it.

≠ Generate, Generate image, Generate video

Where : Quick, Studio, Atelier · `dz-action-reecrire-ia`

Refresh

Reloads the latest data and updates what you see.

≠ Retry, Regenerate, Reset

Where : News, Son & VFX, Settings, Voices / Voicebox, Update · `dz-action-actualiser`

Regenerate

Redoes the paid AI generation to replace this result.

≠ Refresh, Retry, Reset

Where : Studio, 3D Studio · `dz-action-regenerer`

Remove

Takes the item off the list without deleting it elsewhere.

≠ Close, Delete, Discard

Where : Templates, News, Planner, Son & VFX, Library, Settings, Card Forge, Spritelab, Materials, Atelier, Mobile · `dz-action-retirer`

Remove background

Removes the background to isolate the subject, on your PC.

≠ Object Selection, Select subject, Select and Mask

Where : 3D Studio, Card Forge · `dz-action-detourer`

Rename

Lets you change the item's name.

≠ Prompt manager, Prompt, Refine with AI

Where : App shell, Library, Game Assets, Vectorlab · `dz-action-renommer`

Reopen in Quick

Reopens this render in Quick with all its settings.

≠ Generate, Quick, Random

Where : App shell, Library · `dz-action-rouvrir-quick`

Reopen in Studio

Reopens in Studio the graph that made this render.

≠ Studio, Starter graphs, Routing

Where : Library · `dz-action-rouvrir-studio`

Reset

Puts back the original, default values.

≠ Refresh, Retry, Regenerate

Where : Quick, 3D Studio, Templates, Planner, Montage, Vectorlab, Photolab, Materials · `dz-action-reinitialiser`

Restore

Goes back to an older saved version.

≠ Undo, Redo, Discard

Where : Atelier · `dz-action-restaurer`

Retry

Starts again a task that failed earlier.

≠ Refresh, Regenerate, Reset

Where : App shell · `dz-action-reessayer`

Reuse settings

Loads this result's prompt and settings back into the editor.

≠ Auto-file, Recurring series, Recycle

Where : Materials · `dz-action-reprendre-reglages`

Run

Runs the graph or agent through to the result.

≠ Generate, Quick, Random

Where : App shell, Studio, Atelier · `dz-action-lancer`

Run a recipe

Applies a Studio recipe, showing the price first.

≠ Play, Preview, Run

Where : Library, Atelier · `dz-action-lancer-recette`

Save

Saves the current document or settings (Ctrl+S).

≠ Save as template, Saved, Modified

Where : Quick, Studio, Templates, Settings, Vectorlab, Voices / Voicebox, Avatar / HeyGen · `dz-action-enregistrer`

Save as template

Keeps this layout as a template to reuse.

≠ Templates, Composition, Workspace

Where : Studio, Card Forge · `dz-action-enregistrer-modele`

Save to Library

Saves a copy to the Library without leaving the screen.

≠ Add, New, Duplicate

Where : Son & VFX, Game Assets, Spritelab, Tilelab · `dz-action-ajouter-bibliotheque`

Scan QR code

Opens the phone camera to read the pairing code.

≠ Pair, Take to phone, Hand back to PC

Where : Mobile · `dz-action-scanner-qr`

Schedule

Picks a date; the post will be published automatically.

≠ Export, Send to..., Publish now

Where : App shell, Home, Planner · `dz-action-programmer`

Search

Filters the list as you type a word.

≠ Zoom, Zoom in, Zoom out

Where : App shell, Quick, Studio, Templates, News, Library, Spritelab, Tilelab, Materials, Avatar / HeyGen · `dz-action-chercher`

Search by description

Finds items that match the meaning, not the exact word.

≠ Zoom, Zoom in, Zoom out

Where : Son & VFX · `dz-action-recherche-semantique`

Select All

Checks or unchecks every item in the list.

≠ Duplicate, Copy, Paste

Where : Spritelab · `dz-action-tout-selectionner`

Send to...

Sends the item to the screen or tool you choose.

≠ Export, Publish now, Schedule

Where : 3D Studio, Library, Card Forge · `dz-action-envoyer-vers`

Side panel

Shows or hides the side column (nodes, inspector).

≠ Menu, More actions, Handle

Where : Studio · `dz-action-panneau-lateral`

Sort

Orders the list ascending or descending.

≠ Move up, Move down, Bring to front

Where : Library, Card Forge, Materials · `dz-action-trier`

Split into shots

AI splits the text into scenes or shots.

≠ Refine with AI, Suggest, Isolate voice

Where : Episodes, Chapters, Atelier · `dz-action-decouper-plans`

Start duel

Tries the same prompt on several engines to pick the best.

≠ Refine with AI, Split into shots, Suggest

Where : Studio · `dz-action-duel`

Suggest

The assistant suggests explained choices for you to approve.

≠ Refine with AI, Split into shots, Isolate voice

Where : Atelier · `dz-action-suggerer`

Sync

Exchanges updates between the phone and the PC.

≠ Pair, Take to phone, Hand back to PC

Where : Mobile · `dz-action-synchroniser`

Take to phone

Hands the post to your phone; the PC stops publishing it.

≠ Pair, Hand back to PC, Sync

Where : Mobile · `dz-action-emporter`

Test

Checks that the key or credentials work.

≠ Play, Preview, Run

Where : Settings · `dz-action-tester`

Theme

Switches the screen between light and dark themes.

≠ Brightness/Contrast, Exposure, Black & White

Where : Son & VFX, Card Forge · `dz-action-theme`

Undo

Undoes the last change you made (Ctrl+Z).

≠ Redo, Restore, Discard

Where : Montage, Card Forge, Vectorlab, Photolab · `dz-action-annuler`

Zoom in

Zooms the view in to see details.

≠ Zoom, Zoom out, Fit view

Where : Studio, Planner, Card Forge, Vectorlab · `dz-action-zoom-avant`

Zoom out

Zooms the view out to see more.

≠ Zoom, Zoom in, Fit view

Where : Studio, Planner, Card Forge, Vectorlab · `dz-action-zoom-arriere`

Editing 86

Change something already there: align, flip, group, lock…



Align bottom

Lines up the selected objects along their bottom edges.

≠ Align left, Center horizontally, Align right

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-bas`



Align left

Lines up the selected objects along their left edges.

≠ Center horizontally, Align right, Align top

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-gauche`



Align right

Lines up the selected objects along their right edges.

≠ Align left, Center horizontally, Align top

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-droite`



Align top

Lines up the selected objects along their top edges.

≠ Align left, Center horizontally, Align right

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-haut`



All caps

Turns all capitals on or off for the selected text.

≠ Faux bold, Faux italic, Underline

Where : Photolab · `dz-edit-texte-capitales`



Arrowhead

Adds or removes the head at the start or end of an arrow.

≠ Flip horizontal, Flip vertical, Iso Mirror

Where : Card Forge · `dz-edit-pointe-fleche`



Bounce

Animates karaoke subtitle words with a small bounce.

≠ Color, Glow, Effect

Where : Montage · `dz-edit-anim-rebond`



Bring to front

Brings the element in front of all the others in one go.

≠ Move up, Move down, Send to back

Where : Card Forge, Vectorlab · `dz-edit-premier-plan`



Center

Centers the lines of the paragraph in its box.

≠ Align left, Center horizontally, Align right

Where : Card Forge, Vectorlab, Photolab · `dz-edit-texte-aligner-centre`



Center horizontally

Centers the selected objects on a shared vertical axis.

≠ Align left, Align right, Align top

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-centre-h`



Center pivot

Moves the pivot point back to the selection's center.

≠ Reference point, Recenter, Capture

Where : Vectorlab · `dz-edit-pivot`



Center vertically

Centers the selected objects on a shared horizontal axis.

≠ Align left, Center horizontally, Align right

Where : Montage, Card Forge, Vectorlab · `dz-edit-aligner-centre-v`



Color

Animates karaoke subtitle words with a color change.

≠ Glow, Bounce, Effect

Where : Montage · `dz-edit-anim-couleur`



Conic gradient

Fills the object with a gradient sweeping around its center.

≠ Linear gradient, Radial gradient, Gradient

Where : Vectorlab · `dz-edit-degrade-conique`



Contour lines

Draws the contour lines of a terrain as paths.

≠ Curves, Threshold, Smooth Curve

Where : Vectorlab · `dz-edit-courbes-niveau`



Convert to frame

Turns plain text into a text frame with paragraphs.

≠ Convert to path, Vectorize, Contour lines

Where : Vectorlab · `dz-edit-convertir-en-cadre`



Convert to path

Turns a shape or text into outlines you can edit point by point.

≠ Convert to frame, Vectorize, Contour lines

Where : Vectorlab · `dz-edit-convertir-en-chemin`



Default colors

Resets to black foreground and white background.

≠ Fill color, Stroke color, No fill

Where : Photolab · `dz-edit-couleurs-defaut`



Detach

Frees a copy or text so it no longer follows its source.

≠ Link, Connect, Open in browser

Where : Vectorlab · `dz-edit-detacher`



Directions

Builds a sheet of a character facing 4 or 8 directions.

≠ Rig, Bone, Part

Where : Spritelab · `dz-edit-directions`



Distribute horizontally

Spaces three or more objects evenly from left to right.

≠ Distribute vertically, Same width, Same height

Where : Card Forge, Vectorlab · `dz-edit-distribuer-h`



Distribute vertically

Spaces three or more objects evenly from top to bottom.

≠ Distribute horizontally, Same width, Same height

Where : Card Forge, Vectorlab · `dz-edit-distribuer-v`



Divide

Cuts the shapes into pieces wherever they overlap.

≠ New, Add, Subtract

Where : Vectorlab · `dz-edit-division`



Effect

Marks an effect on an object or clip, such as a shadow.

≠ Color, Glow, Bounce

Where : Son & VFX, Settings, Vectorlab, Photolab · `dz-edit-effet`



Energy

Sets the energy level of a scene in the video.

≠ Waveform, Quick

Where : Atelier · `dz-edit-energie`



Faux bold

Makes the selected text bolder, or back to normal.

≠ Faux italic, Underline, Strikethrough

Where : Photolab · `dz-edit-texte-gras`



Faux italic

Slants the selected text, or sets it upright again.

≠ Faux bold, Underline, Strikethrough

Where : Photolab · `dz-edit-texte-italique`



Fill color

Opens the swatches to pick the fill color.

≠ Stroke color, No fill, Default colors

Where : Vectorlab · `dz-edit-couleur-fond`



Fill path

Fills the inside of the path with the foreground color.

≠ Load selection, Save selection, Path from selection

Where : Photolab · `dz-edit-remplir-trace`



Flip horizontal

Flips the selection left to right, like a mirror.

≠ Flip vertical, Iso Mirror, Skew

Where : Vectorlab, Spritelab · `dz-edit-miroir-h`



Flip vertical

Flips the selection top to bottom, upside down.

≠ Flip horizontal, Iso Mirror, Skew

Where : Vectorlab · `dz-edit-miroir-v`



Frames

Shows block frames on the preview, never in the export.

≠ Grid, Hex board, Guides

Where : Card Forge · `dz-edit-cadres-edition`



Glow

Animates karaoke subtitle words with a glowing halo.

≠ Color, Bounce, Effect

Where : Montage · `dz-edit-anim-halo`



Grid

Shows or hides the grid that helps place objects.

≠ Hex board, Guides, Frames

Where : Vectorlab · `dz-edit-grille`



Group

Joins the selected objects into a group that moves together.

≠ Union, Merge Down, Shape Builder

Where : Vectorlab, Photolab · `dz-edit-grouper`



Guides

Shows or hides print guides: bleed, trim line and safe zone.

≠ Grid, Hex board, Frames

Where : Card Forge · `dz-edit-reperes`



Hex board

Lays a hexagon grid over the area to build a board.

≠ Grid, Guides, Frames

Where : Vectorlab · `dz-edit-grille-hex`



Intersect

Keeps only the area the selected shapes share.

≠ New, Add, Subtract

Where : Vectorlab · `dz-edit-intersection`



Justify all

Stretches every line, including the last, from edge to edge.

≠ Left align, Center, Right align

Where : Card Forge, Photolab · `dz-edit-justifier`



Justify last centered

Justifies the paragraph and centers its last line.

≠ Left align, Center, Right align

Where : Photolab · `dz-edit-justifier-centre`



Justify last left

Justifies the paragraph and aligns its last line left.

≠ Left align, Center, Right align

Where : Photolab · `dz-edit-justifier-gauche`



Justify last right

Justifies the paragraph and aligns its last line right.

≠ Left align, Center, Right align

Where : Photolab · `dz-edit-justifier-droite`



Left align

Lines up the paragraph's lines on the left edge.

≠ Align left, Center horizontally, Align right

Where : Card Forge, Vectorlab, Photolab · `dz-edit-texte-aligner-gauche`



Linear gradient

Fills the selection with a straight-line gradient.

≠ Radial gradient, Conic gradient, Gradient

Where : Vectorlab · `dz-edit-degrade-lineaire`



Link

Links two items so they stay tied together.

≠ Detach, Connect, Open in browser

Where : Card Forge, Photolab, Atelier · `dz-edit-lier`



Load selection

Turns a channel or a path into a selection.

≠ Save selection, Path from selection, Stroke path
Where : Photolab · `dz-edit-charger-selection`



Maintain aspect ratio

Keeps width and height in the same ratio when resizing.

≠ Link, Detach, Connect
Where : Photolab · `dz-edit-conserver-proportions`



Move down

Moves the element back by one step only.

≠ Move up, Bring to front, Send to back
Where : Studio, Episodes, Montage, Son & VFX, Card Forge, Vectorlab, Photolab, Spritelab, Tilelab, Atelier · `dz-edit-descendre`



Move up

Moves the element forward by one step only.

≠ Move down, Bring to front, Send to back
Where : Studio, Episodes, Montage, Son & VFX, Card Forge, Vectorlab, Photolab, Spritelab, Tilelab, Atelier · `dz-edit-monter`



No fill

Removes the fill or makes the color transparent.

≠ Fill color, Stroke color, Default colors
Where : Vectorlab · `dz-edit-sans-couleur`



No stroke

Removes the selection's stroke; the fill stays.

≠ No fill, Stroke color
Where : Vectorlab · `dz-edit-sans-contour`



Note

Adds or shows a note pinned to a spot in the document.

≠ Paragraphs, Subtitles, Prompt
Where : Photolab, Mobile · `dz-edit-annotation`



Nudge one pixel

Moves the frame one pixel in the arrow's direction.

≠ Flip horizontal, Flip vertical, Iso Mirror
Where : Spritelab · `dz-edit-decaler-px`



Paragraphs

Splits the text into one shot per paragraph, without AI.

≠ Note, Subtitles, Prompt
Where : Atelier · `dz-edit-paragraphes`



Path from selection

Makes a path that follows the edge of the selection.

≠ Load selection, Save selection, Stroke path
Where : Photolab · `dz-edit-selection-vers-trace`



Pattern

Fills the selection with a repeating pattern.

≠ Linear gradient, Radial gradient, Conic gradient
Where : Vectorlab · `dz-edit-motif`



Position

Makes a layer comp remember where the layers are.

≠ Move, Lock position
Where : Photolab · `dz-edit-position`



Radial gradient

Fills the selection with a gradient spreading out in circles.

≠ Linear gradient, Conic gradient, Gradient
Where : Vectorlab · `dz-edit-degrade-radial`



Reference point

Picks the anchor point of a transform on a nine-point grid.

≠ Center pivot, Recenter, Capture
Where : Photolab · `dz-edit-point-reference`



Relative values

Switches between absolute values and values measured from the start.

≠ Center pivot, Reference point, Recenter
Where : Photolab · `dz-edit-relatif`



Reverse

Reverses the direction of a path or line.

≠ Nodes, Smooth, Sharp
Where : Card Forge, Vectorlab · `dz-edit-inverser-sens`



Right align

Lines up the paragraph's lines on the right edge.

≠ Align left, Center horizontally, Align right
Where : Card Forge, Vectorlab, Photolab · `dz-edit-texte-aligner-droite`



Ripple

Shifts the following clips when you shorten or lengthen one.

≠ Split, Snap, Insert at playhead
Where : Montage · `dz-edit-ripple`



Same height

Gives the blocks the height of the first one selected.

≠ Distribute horizontally, Distribute vertically, Same width
Where : Card Forge · `dz-edit-meme-hauteur`



Same width

Gives the blocks the width of the first one selected.

≠ Distribute horizontally, Distribute vertically, Same height
Where : Card Forge · `dz-edit-meme-largeur`



Save selection

Stores the current selection in a new channel for later.

≠ Load selection, Path from selection, Stroke path
Where : Photolab · `dz-edit-enregistrer-selection`



Seamless

Makes an image tile so it repeats with no visible seam.

≠ Sprite Lab, Tile Lab, Sheet
Where : Tilelab · `dz-edit-seamless`



Send to back

Sends the element behind all the others in one go.

≠ Move up, Move down, Bring to front
Where : Card Forge, Vectorlab · `dz-edit-arriere-plan`



Skew

Slants the selection around its pivot point.

≠ Flip horizontal, Flip vertical, Iso Mirror
Where : Vectorlab · `dz-edit-incliner`



Small caps

Turns small capitals on or off for the selected text.

≠ Faux bold, Faux italic, Underline
Where : Photolab · `dz-edit-texte-petites-capitales`



Snap

Turns snapping to object edges, centers and spacing on or off.

≠ Grid, Hex board, Guides
Where : Montage, Vectorlab · `dz-edit-aimanter`



Split

Splits the clip in two at the playhead.

≠ Knife, Split into shots, Auto-clips
Where : Montage · `dz-edit-couper`



Strikethrough

Turns a line through the selected text on or off.

≠ Faux bold, Faux italic, Underline
Where : Photolab · `dz-edit-texte-barre`



Stroke color

Opens the swatches to pick the stroke color.

≠ Fill color, No fill, Default colors
Where : Vectorlab · `dz-edit-couleur-contour`



Stroke path

Paints along the chosen path with the brush.

≠ Load selection, Save selection, Path from selection
Where : Photolab · `dz-edit-contour-trace`



Subtract

Cuts the top shape out of the one below.

≠ New, Add, Subtract
Where : Vectorlab · `dz-edit-soustraire`



Swap colors

Swaps the foreground and background colors.

≠ Fill color, Stroke color, No fill
Where : Photolab · `dz-edit-echanger-couleurs`



Symbols

Creates a reusable symbol or places a linked copy of it.

≠ Detach, Group, Artboard
Where : Vectorlab, Atelier · `dz-edit-symbole`



Text orientation

Switches text between horizontal and vertical.

≠ Faux bold, Faux italic, Underline
Where : Photolab · `dz-edit-orientation-texte`



Thicken

Makes the selected paths thicker or thinner.

≠ Effect, Adjustment Layer, Pattern
Where : Vectorlab · `dz-edit-epaissir`



Tile set

Turns two materials into a set of tiles that join automatically.

≠ Sprite Lab, Tile Lab, Sheet
Where : Tilelab · `dz-edit-autotuile`



Transform

Moves, rotates or scales an object in the 3D Forge.

≠ Flip horizontal, Flip vertical, Iso Mirror
Where : Card Forge · `dz-edit-transformer`



Underline

Turns underlining on or off for the selected text.

≠ Faux bold, Faux italic, Strikethrough
Where : Photolab · `dz-edit-texte-souligne`



Ungroup

Breaks the chosen group back into separate objects.

≠ Union, Merge Down, Shape Builder
Where : Vectorlab · `dz-edit-degrouper`



Union

Merges the selected shapes into a single shape.

≠ New, Add, Subtract
Where : Vectorlab · `dz-edit-union`



Vectorize

Turns an image into flat color shapes, with a preview first.

≠ Convert to path, Convert to frame, Contour lines
Where : Vectorlab · `dz-edit-vectoriser`

Vectorlab tools 52

Vector drawing tools: shapes, pen, text, selection.



Appearance

Opens the menu for fill, stroke, opacity and effects.

≠ Hue/Saturation, Channel Mixer, Color

Where : Vectorlab · `dz-outil-vec-apparence`



Arched Window

Fills the dragged area with an arched-window stained glass.

≠ Diamond Lattice, Free Leading, Rosette

Where : Vectorlab · `dz-outil-vec-vitrail-arc`



Arrow

Draws an arrow shape on the canvas.

≠ Shape, Rectangle, Ellipse

Where : Card Forge, Vectorlab · `dz-outil-vec-fleche`



Artboard

Places a named board on the page as you drag.

≠ Symbols, Detach, Group

Where : Vectorlab · `dz-outil-vec-plan-de-travail`



Calligraphy

Gives the vector brush a calligraphy pen stroke.

≠ Flat, Taper, Vector Brush

Where : Vectorlab · `dz-outil-vec-profil-calligraphie`



Close

Joins the two ends of an open path to close it.

≠ Nodes, Smooth, Sharp

Where : Vectorlab · `dz-outil-vec-fermer-chemin`



Corner

Rounds the sharp corners of the shape you click.

≠ Shape Builder, Knife, Vector Eraser

Where : Vectorlab · `dz-outil-vec-coin`



Custom Shape

Draws a ready-made shape picked from the Shapes panel.

≠ Shape, Rectangle, Ellipse

Where : Photolab · `dz-outil-vec-forme-perso`



Diamond Lattice

Fills the dragged area with a diamond-lattice stained glass.

≠ Arched Window, Free Leading, Rosette

Where : Vectorlab · `dz-outil-vec-vitrail-grille`



Donut

Picks a ring as the shape drawn by the Shape tool.

≠ Shape, Rectangle, Ellipse

Where : Vectorlab · `dz-outil-vec-donut`



Ellipse

Draws an oval as you drag; Shift makes a perfect circle.

≠ Shape, Rectangle, Line

Where : Card Forge, Vectorlab, Photolab · `dz-outil-vec-ellipse`



Eyedropper

Picks up the color or style of the object you click.

≠ Fill color, Stroke color, No fill

Where : Vectorlab, Photolab · `dz-outil-vec-pipette`



Flat

Gives the vector brush a stroke of constant width.

≠ Taper, Calligraphy, Vector Brush

Where : Vectorlab · `dz-outil-vec-profil-plat`



Free Leading

Fills the dragged area with irregular stained-glass leading.

≠ Arched Window, Diamond Lattice, Rosette

Where : Vectorlab · `dz-outil-vec-vitrail-plomb`



Gear

Picks a gear as the shape drawn by the Shape tool.

≠ Settings, Options, Adjustments

Where : Vectorlab · `dz-outil-vec-engrenage`



Geometric Sun Rays

Adds a stained-glass ornament of geometric sun rays.

≠ Arched Window, Diamond Lattice, Free Leading

Where : Vectorlab · `dz-outil-vec-rayons`



Hand

Pans the view without changing the drawing.

≠ Smudge, Dodge, Burn

Where : Vectorlab, Photolab · `dz-outil-vec-main`



Hexagon

Picks a hexagon as the shape drawn by the Shape tool.

≠ Shape, Rectangle, Ellipse

Where : Vectorlab · `dz-outil-vec-hexagone`



Join

Joins two endpoints or two open paths into one.

≠ Nodes, Smooth, Sharp

Where : Vectorlab · `dz-outil-vec-relier`



Knife

Cuts the selection along a straight line you draw.

≠ Split, Split into shots, Auto-clips

Where : Vectorlab, Workbench · `dz-outil-vec-couteau`



Line

Draws a straight segment; Shift snaps it to 45° steps.

≠ Shape, Rectangle, Ellipse

Where : Card Forge, Vectorlab, Photolab · `dz-outil-vec-ligne`



Measure

Shows length and angle as you drag, without creating anything.

≠ Selection, Move, Hand

Where : Vectorlab, Photolab, Workbench · `dz-outil-vec-mesure`



Nodes

Moves, adds or removes the anchors of a path.

≠ Smooth, Sharp, Smart

Where : Vectorlab · `dz-outil-vec-noeud`



Open

Opens a closed path so its two ends come apart.

≠ Nodes, Smooth, Sharp

Where : Vectorlab · `dz-outil-vec-ouvrir-chemin`

Pen
Draws precise curves anchor by anchor, pulling out handles.
≠ Pencil, Vector Brush, Brush
Where : Vectorlab, Photolab · `dz-outil-vec-plume`

Pencil
Draws a freehand vector path that is smoothed automatically.
≠ Pen, Vector Brush, Brush
Where : Vectorlab · `dz-outil-vec-crayon`

Polygon
Draws a shape with several equal sides as you drag.
≠ Shape, Rectangle, Ellipse
Where : Vectorlab, Photolab · `dz-outil-vec-polygone`

Radiant Halo
Adds a stained-glass ornament shaped like a radiant halo.
≠ Color, Glow, Bounce
Where : Vectorlab · `dz-outil-vec-halo`

Rectangle
Draws a rectangle as you drag; Shift makes a square.
≠ Shape, Ellipse, Line
Where : Card Forge, Vectorlab, Photolab · `dz-outil-vec-rectangle`

Rosette
Fills the dragged area with a round rose-window stained glass.
≠ Arched Window, Diamond Lattice, Free Leading
Where : Vectorlab · `dz-outil-vec-vitrail-rosette`

Selection
Picks, moves and resizes whole objects by their handles.
≠ Rectangular Marquee, Elliptical Marquee, Multiple selection
Where : Vectorlab, Photolab · `dz-outil-vec-selection`

Shape
Draws the shape chosen in the panel, from its center.
≠ Rectangle, Ellipse, Line
Where : Vectorlab · `dz-outil-vec-forme`

Shape Builder
Keeps or removes clicked regions to build a new shape.
≠ Union, Merge Down, Group
Where : Vectorlab · `dz-outil-vec-constructeur`

Sharp
Makes the anchor a sharp corner, each handle moving freely.
≠ Nodes, Smooth, Smart
Where : Vectorlab · `dz-outil-vec-noeud-vif`

Slice
Draws a rectangle marking an area to export.
≠ Slice Select, Artboard, Export
Where : Vectorlab, Photolab · `dz-outil-vec-tranche`

Smart
Makes the anchor smart: its handles are calculated automatically.
≠ Nodes, Smooth, Sharp
Where : Vectorlab · `dz-outil-vec-noeud-intelligent`

Smooth
Makes the anchor smooth, with aligned, symmetric handles.
≠ Nodes, Sharp, Smart
Where : Vectorlab · `dz-outil-vec-noeud-lisse`

Smooth Curve
Smooths every curve of the selected path.
≠ Curves, Threshold, Contour lines
Where : Vectorlab · `dz-outil-vec-lisser`

Spiral
Picks a spiral as the shape drawn by the Shape tool.
≠ Shape, Rectangle, Ellipse
Where : Vectorlab · `dz-outil-vec-spirale`

Split
Splits the path in two at the selected anchor.
≠ Nodes, Smooth, Sharp
Where : Vectorlab · `dz-outil-vec-fractionner`

Star
Picks a star as the shape drawn by the Shape tool.
≠ Favorite, Rating, Pinned
Where : Vectorlab · `dz-outil-vec-etoile`

Stylized Iris
Adds a stained-glass ornament shaped like an iris flower.
≠ Arched Window, Diamond Lattice, Free Leading
Where : Vectorlab · `dz-outil-vec-iris`

Taper
Gives the vector brush a stroke that tapers at both ends.
≠ Flat, Calligraphy, Vector Brush
Where : Vectorlab · `dz-outil-vec-profil-fuseau`

Text
Places a line of text where you click.
≠ Text, Text Frame, Text on Path
Where : Vectorlab, Photolab · `dz-outil-vec-texte`

Text Frame
Draws a frame you then type paragraphs into.
≠ Text, Text, Text on Path
Where : Vectorlab · `dz-outil-vec-cadre-texte`

Text on Path
Places the selected text along a path, which it then follows.
≠ Text, Text, Text Frame
Where : Vectorlab · `dz-outil-vec-texte-sur-chemin`

Tile Brush
Paints the chosen terrain and places the matching tiles.
≠ Sprite Lab, Tile Lab, Sheet
Where : Vectorlab, Tilelab · `dz-outil-vec-tuiles`

Transparency
Applies a fade from opaque to transparent as you drag.
≠ Visible, Hidden, Mask
Where : Vectorlab · `dz-outil-vec-transparence`



Triangle

Draws a three-sided shape as you drag.

≠ Shape, Rectangle, Ellipse
Where : Photolab · `dz-outil-vec-triangle`



Vector Brush

Paints a stroke that becomes a filled shape, using the chosen profile.

≠ Pen, Pencil, Brush
Where : Vectorlab · `dz-outil-vec-pinceau`



Vector Eraser

Cuts away parts of the vector shapes you drag across.

≠ Eraser, Background Eraser, Magic Eraser
Where : Vectorlab · `dz-outil-vec-gomme`



Zoom

Zooms in on click, out with Alt+click, frames as you drag.

≠ Zoom in, Zoom out, Fit view
Where : Vectorlab, Photolab · `dz-outil-vec-loupe`

Pixel tools 17

Tools of the Vectorlab Pixel persona, to draw cell by cell.



Background Eraser

Erases only the color sampled under the brush.

≠ Eraser, Magic Eraser, Vector Eraser
Where : Photolab · `dz-outil-px-gomme-fond`



Brush

Paints pixels with the chosen size, hardness and color.

≠ Pen, Pencil, Vector Brush
Where : Vectorlab, Photolab · `dz-outil-px-pinceau`



Elliptical Marquee

Selects an oval or round area of pixels as you drag.

≠ Selection, Rectangular Marquee, Multiple selection
Where : Photolab · `dz-outil-px-selection-ellipse`



Eraser

Makes the pixels you brush over transparent.

≠ Background Eraser, Magic Eraser, Vector Eraser
Where : Vectorlab, Photolab · `dz-outil-px-gomme`



Gradient

Fills the selection with a color gradient as you drag.

≠ Linear gradient, Radial gradient, Conic gradient
Where : Vectorlab, Photolab · `dz-outil-px-degrade`



Iso Mirror

Mirrors your painting along one edge of the iso diamond.

≠ Flip horizontal, Flip vertical, Skew
Where : Vectorlab · `dz-outil-px-symetrie`



Lasso

Selects an area by drawing its outline freehand.

≠ Rectangular Marquee, Elliptical Marquee, Quick Selection
Where : Vectorlab, Photolab · `dz-outil-px-lasso`



Line

Draws a sharp straight line one pixel wide.

≠ Brush, Mixer Brush, Pencil
Where : Vectorlab · `dz-outil-px-ligne`



Magic Eraser

Erases all pixels of a similar color in one click.

≠ Eraser, Background Eraser, Vector Eraser
Where : Photolab · `dz-outil-px-gomme-magique`



Magic Wand

Selects neighboring pixels of a similar color in one click.

≠ Rectangular Marquee, Elliptical Marquee, Quick Selection
Where : Vectorlab, Photolab · `dz-outil-px-baguette`



Mixer Brush

Paints while mixing its color with those already on the image.

≠ Pen, Pencil, Vector Brush
Where : Photolab · `dz-outil-px-pinceau-melangeur`



Paint Bucket

Fills an area of similar color in one click.

≠ Load selection, Save selection, Path from selection
Where : Vectorlab, Photolab · `dz-outil-px-pot`



Pencil

Draws pixel by pixel with hard, unsmoothed edges.

≠ Pen, Pencil, Vector Brush
Where : Vectorlab, Photolab · `dz-outil-px-crayon`



Polygonal Lasso

Selects an area by drawing its outline in straight segments.

≠ Rectangular Marquee, Elliptical Marquee, Quick Selection
Where : Photolab · `dz-outil-px-lasso-polygonal`



Quick Selection

Grows the selection over similar areas as you paint.

≠ Rectangular Marquee, Elliptical Marquee, Lasso
Where : Photolab · `dz-outil-px-selection-rapide`



Rectangle

Draws a rectangle outline one pixel wide.

≠ Brush, Mixer Brush, Pencil
Where : Vectorlab · `dz-outil-px-rectangle`



Rectangular Marquee

Selects a rectangular area of pixels as you drag.

≠ Selection, Elliptical Marquee, Multiple selection
Where : Vectorlab, Photolab · `dz-outil-px-selection`

Photolab tools 22

Photo retouching tools: selection, brush, stamp, crop.



Add

Each new area you draw is added to the selection.

≠ New, Subtract, Intersect

Where : Photolab · `dz-outil-photo-selection-ajouter`



Blur

Softens the pixels you brush over.

≠ Clone Stamp, Healing Brush, Spot Healing Brush

Where : Vectorlab, Photolab · `dz-outil-photo-flou`



Burn

Darkens the pixels you brush over.

≠ Smudge, Dodge, Sponge

Where : Vectorlab, Photolab · `dz-outil-photo-densite-plus`



Clone Stamp

Copies a source area, picked with Alt+click, wherever you paint.

≠ Duplicate, Copy, Paste

Where : Vectorlab, Photolab · `dz-outil-photo-tampon`



Count

Places numbered marks on the image to count items.

≠ Selection, Move, Hand

Where : Photolab · `dz-outil-photo-compteur`



Crop

Trims the image to the frame you drag out.

≠ Split, Knife, Split into shots

Where : Vectorlab, Photolab · `dz-outil-photo-recadrer`



Dodge

Lightens the pixels you brush over.

≠ Smudge, Burn, Sponge

Where : Vectorlab, Photolab · `dz-outil-photo-densite-moins`



Healing Brush

Repairs an area from a chosen source, blending its texture in.

≠ Clone Stamp, Spot Healing Brush, Patch

Where : Photolab · `dz-outil-photo-correcteur`



History Brush

Paints an area back to how it looked at an earlier step.

≠ Undo, Redo, Restore

Where : Photolab · `dz-outil-photo-pinceau-historique`



Intersect

Keeps only the part shared by the old and new areas.

≠ New, Add, Subtract

Where : Photolab · `dz-outil-photo-selection-intersection`



Move

Moves the layer or selection as you drag it.

≠ Selection, Hand, Eyedropper

Where : Photolab · `dz-outil-photo-deplacer`



New

Each area you draw replaces the previous selection.

≠ Selection, Rectangular Marquee, Elliptical Marquee

Where : Photolab · `dz-outil-photo-selection-nouvelle`



Object Selection

Selects the object inside the frame you draw.

≠ Selection, Rectangular Marquee, Elliptical Marquee

Where : Photolab · `dz-outil-photo-selection-objet`



Patch

Fixes an area by dragging another area over it.

≠ Clone Stamp, Healing Brush, Spot Healing Brush

Where : Photolab · `dz-outil-photo-piece`



Select and Mask

Refines the edge of a selection for a cleaner cutout.

≠ Rectangular Marquee, Elliptical Marquee, Quick Selection

Where : Photolab · `dz-outil-photo-affiner-contour`



Select subject

Automatically selects the main subject of the image in one click.

≠ Object Selection, Remove background, Select and Mask

Where : Photolab · `dz-outil-photo-selection-sujet`



Sharpen

Makes details crisper where you brush.

≠ Clone Stamp, Healing Brush, Spot Healing Brush

Where : Photolab · `dz-outil-photo-nettete`



Slice Select

Picks a slice of the image to adjust or export it.

≠ Slice, Artboard, Export

Where : Photolab · `dz-outil-photo-selection-tranche`



Smudge

Smears pixels like a finger in wet paint.

≠ Dodge, Burn, Sponge

Where : Photolab · `dz-outil-photo-doigt`



Sponge

Makes colors more vivid or duller where you brush.

≠ Smudge, Dodge, Burn

Where : Photolab · `dz-outil-photo-eponge`



Spot Healing Brush

Removes a small blemish in one stroke, no source needed.

≠ Clone Stamp, Healing Brush, Patch

Where : Photolab · `dz-outil-photo-correcteur-tache`



Subtract

Each new area you draw is removed from the selection.

≠ New, Add, Intersect

Where : Photolab · `dz-outil-photo-selection-soustraire`

Layers and adjustments 26

Layers, masks, styles and image adjustments.



Adjustment Layer

Adds an adjustment that changes everything beneath it.

≠ Settings, Options, Adjustments
Where : Montage, Vectorlab, Photolab · `dz-calque-reglage`



Black & White

Adds a layer that turns the image black and white.

≠ Channel Mixer, Levels, Posterize
Where : Photolab · `dz-calque-noir-blanc`



Brightness/Contrast

Adds a layer that adjusts image brightness and contrast.

≠ Color Balance, Selective Color, Curves
Where : Photolab · `dz-calque-luminosite-contraste`



Channel Mixer

Adds a layer that remixes the red, green and blue channels.

≠ Levels, Black & White, Posterize
Where : Photolab · `dz-calque-melangeur-couches`



Clipping Mask

The first selected object trims the others to its shape.

≠ Visible, Hidden, Mask
Where : Vectorlab · `dz-calque-ecretage`



Color Balance

Adds a layer that shifts the colors toward a chosen tint.

≠ Selective Color, Curves, Exposure
Where : Photolab · `dz-calque-balance-couleurs`



Color Lookup

Adds a layer that applies a ready-made color grade.

≠ Channel Mixer, Levels, Black & White
Where : Photolab · `dz-calque-table-couleurs`



Curves

Adds a layer that fine-tunes shadows, midtones and highlights.

≠ Color Balance, Selective Color, Exposure
Where : Photolab · `dz-calque-courbes`



Exposure

Adds a layer that brightens or darkens the whole image.

≠ Color Balance, Selective Color, Curves
Where : Photolab · `dz-calque-exposition`



Gradient Map

Adds a layer that recolors the image along a gradient, dark to light.

≠ Color Balance, Selective Color, Curves
Where : Photolab · `dz-calque-mappage-degrade`



Group

Marks a group: a folder holding several layers together.

≠ Union, Merge Down, Shape Builder
Where : Vectorlab, Photolab · `dz-calque-groupe`



Hue/Saturation

Adds a layer that changes color hue and intensity.

≠ Channel Mixer, Levels, Black & White
Where : Photolab · `dz-calque-teinte-saturation`



Image Layer

Marks or creates an image layer made of pixels.

≠ New Layer, Group, Text Block
Where : Card Forge, Vectorlab · `dz-calque-pixel`



Invert

Adds a layer that turns the image into a negative.

≠ Color Balance, Selective Color, Curves
Where : Photolab · `dz-calque-inverser`



Levels

Adds a layer that sets the black, gray and white points.

≠ Channel Mixer, Black & White, Posterize
Where : Photolab · `dz-calque-niveaux`



Mask

Adds a mask that hides part of the layer without erasing it.

≠ Visible, Hidden, Clipping Mask
Where : Vectorlab, Photolab · `dz-calque-masque`



Merge Down

Combines the active layer and the one below into one.

≠ Union, Shape Builder, Group
Where : Photolab · `dz-calque-fusionner`



New Layer

Creates an empty layer in the stack, not a new document.

≠ Add, New, Duplicate
Where : Vectorlab, Photolab · `dz-calque-nouveau`



Photo Filter

Adds a layer that lays a colored tint, like a lens filter.

≠ Color Balance, Selective Color, Curves
Where : Photolab · `dz-calque-filtre-photo`



Posterize

Adds a layer that reduces the image to a few flat colors.

≠ Channel Mixer, Levels, Black & White
Where : Photolab · `dz-calque-posteriser`



Selective Color

Adds a layer that changes just one family of colors.

≠ Color Balance, Curves, Exposure
Where : Photolab · `dz-calque-couleur-selective`



Smart Object

Marks a smart object: its original content stays intact.

≠ New Layer, Group, Image Layer
Where : Photolab · `dz-calque-objet-dynamique`



Text Block

Marks or adds a layer that holds text.

≠ Text, Text, Text Frame
Where : Card Forge, Vectorlab · `dz-calque-texte`



Threshold

Adds a layer that makes every pixel either black or white.

≠ Channel Mixer, Levels, Black & White
Where : Photolab · `dz-calque-seuil`



Vector Layer

Marks a vector layer or path, drawn with curves.

≠ New Layer, Group, Image Layer

Where : Vectorlab, Atelier · `dz-calque-vectoriel`



Vibrance

Adds a layer that gently boosts mostly the dull colors.

≠ Channel Mixer, Levels, Black & White

Where : Photolab · `dz-calque-vibrance`

Media and playback 73

Play, cut, edit: video, sound, timeline.



Animatic

Opens or edits the animated storyboard, a rough draft of the video.

≠ Play, Preview, Run
Where : Atelier · `dz-media-animatique`



Appearances

Lists the passages of the text where this character or place appears.

≠ Character, Location, Set
Where : Atelier · `dz-media-apparitions`



Article

Marks the News article the visual is based on.

≠ News, RSS feed, Daily pipeline
Where : Planner · `dz-media-article`



Assemble episode

Joins all the scenes of an episode into one video.

≠ Output, Render, Video
Where : Episodes, Chapters · `dz-media-assembler`



Audio

Marks a sound: thumbnail, audio region or item in the trash.

≠ Sound & VFX, Audio, Waveform
Where : Templates, Son & VFX, Library · `dz-media-audio`



Audio track

Adds a new sound track to the timeline.

≠ Montage, Snap to playhead, Extend timeline
Where : Montage · `dz-media-piste-audio`



Auto emoji

Places emojis automatically based on the words in the subtitles.

≠ Price badge, LIVE badge, Sticker
Where : Montage · `dz-media-emoji-auto`



Auto-clips

Suggests 15 to 60 second excerpts taken from a render.

≠ Split, Knife, Split into shots
Where : Montage · `dz-media-extraits`



Automation

Draws a volume curve with points directly on the clip.

≠ Mute, Solo, Subtitles
Where : Montage · `dz-media-automation`



Avatar

Stands for a talking avatar, a virtual presenter who reads your text.

≠ Voice, Dictate, Generate voice
Where : App shell, Quick, Studio · `dz-media-avatar`



Base map

Places a real OpenStreetMap geographic map as a background layer.

≠ Relief, Contour lines, Hex board
Where : Vectorlab · `dz-media-fond-carte`



Camera moves

Opens the gallery of camera moves to apply to a shot.

≠ Camera, 3D Stage, Capture
Where : Quick · `dz-media-mouvements-camera`



Clone

Uses AI to copy a voice and give it to a character.

≠ Duplicate, Copy, Paste
Where : Atelier · `dz-media-cloner-voix`



Daily pipeline

Prepares, polishes and schedules the day's batch of News videos.

≠ Link, Detach, Connect
Where : News · `dz-media-chaine-du-jour`



Dictate

Types into the field what you say into the microphone.

≠ Voice, Generate voice, Clone
Where : App shell, Shared · `dz-media-dicter`



Duration

Shows the length of a clip or of the voiceover.

≠ Scheduler, Add to calendar, Recurring series
Where : Studio, Atelier · `dz-media-duree`



Enhance

Cleans up and evens out a voice so it sounds clear, for free.

≠ Sound & VFX, Audio, Audio
Where : Son & VFX · `dz-media-ameliorer`



Extend timeline

Lengthens the timeline by one tick to make more room.

≠ Montage, Snap to playhead, Shorten timeline
Where : Montage · `dz-media-timeline-allonger`



Extract sound

Takes the sound out of a video shot onto an audio track.

≠ Sound & VFX, Audio, Audio
Where : Montage · `dz-media-extraire-son`



File

Shows the file a data table comes from.

≠ Chapters, Bible, Manuscript
Where : Card Forge · `dz-media-fichier`



Film

Marks a sequence of shots, empty until a clip is connected.

≠ Image, Video, Audio
Where : Studio, Atelier · `dz-media-film`



Fonts

Lists the fonts installed on this computer.

≠ Faux bold, Faux italic, Underline
Where : Vectorlab · `dz-media-police`



Generate image

Creates an image with AI from your description, paid.

≠ Generate, Generate video, Generate voice
Where : Studio, Planner, Episodes, Chapters, Library, Card Forge, Vectorlab, Spritelab, Atelier, Mobile · `dz-media-generer-image`



Generate video

Creates, animates or extends a video with AI, paid.

≠ Generate, Generate image, Generate voice
Where : Quick, News, Library, Spritelab · `dz-media-generer-video`



Generate voice

Has an AI voice read your text aloud, paid.

≠ Generate, Generate image, Generate video
Where : Quick, Studio, Episodes, Chapters, Atelier, Voices / Voicebox · `dz-media-generer-voix`



Image

Marks an image: thumbnail, template slot or source.

≠ Photolab, Vectorlab, Photo Filter
Where : Quick, Studio, Templates, Planner, Library, Game Assets, Vectorlab, Spritelab, Atelier, Avatar / HeyGen · `dz-media-image`



Insert at playhead

Places this sound at the playhead, on the right track.

≠ Import, Download, Open
Where : Son & VFX · `dz-media-inserer`



Insert emoji

Opens the emoji list to add one to the text.

≠ Price badge, LIVE badge, Sticker
Where : Studio · `dz-media-emoji`



Isolate voice

Keeps only the voice in a sound and removes the rest, paid.

≠ Refine with AI, Split into shots, Suggest
Where : Son & VFX · `dz-media-isoler-voix`



Keyframe

Sets a keyframe, a point of motion, at the playhead.

≠ Mute, Solo, Subtitles
Where : Montage, 3D Set · `dz-media-image-cle`



LIVE badge

Marks the "LIVE" area of a template, like a live broadcast.

≠ News, RSS feed, Article
Where : Templates · `dz-media-badge-direct`



Manuscript

Reads a whole manuscript to pull out chapters and characters.

≠ Chapters, Bible, Guide
Where : Atelier · `dz-media-manuscrit`



Markers

Adds or removes a marker at the playhead position.

≠ Mute, Solo, Subtitles
Where : Montage · `dz-media-marqueur`



Mute

Silences this track, or turns its sound back on.

≠ Solo, Subtitles, Markers
Where : Montage · `dz-media-muet`



Next

Jumps to the next cut or keyframe.

≠ Play, Pause, Stop
Where : Studio, Montage · `dz-media-suivant`



Next frame

Steps forward by a single frame and pauses playback.

≠ Play, Pause, Stop
Where : Studio, Montage, Spritelab · `dz-media-image-suivante`



Overlay

Adds a track to place a small video inside the picture.

≠ Montage, Snap to playhead, Extend timeline
Where : Montage · `dz-media-incrustation`



Pause

Pauses playback; it will resume from the same spot.

≠ Play, Stop, Previous
Where : 3D Studio, Montage, Son & VFX, Vectorlab, Spritelab · `dz-media-pause`



Persona

Shows the active persona, your brand's voice and avatar.

≠ Voice, Dictate, Generate voice
Where : App shell, Home, Quick, Settings, Avatar / HeyGen · `dz-media-persona`



Play

Starts playing the video, sound or animation.

≠ Preview, Run, Test
Where : Quick, Studio, Templates, Montage, Son & VFX, Library, Vectorlab, Spritelab, 3D Set, Atelier, Voices / Voicebox, Avatar / HeyGen · `dz-media-lecture`



Playback speed

Changes playback speed to move faster or slower.

≠ Play, Pause, Stop
Where : Montage · `dz-media-vitesse`



Post

Marks the editor of a Scheduler post.

≠ Image, Video, Film
Where : Planner · `dz-media-post`



Preview on hover

Plays a sound as soon as the mouse moves over it.

≠ Voice, Dictate, Generate voice
Where : Son & VFX · `dz-media-preecoute`



Previous

Jumps to the previous cut or keyframe.

≠ Play, Pause, Stop
Where : Studio, Montage · `dz-media-precedent`



Previous frame

Steps back by a single frame and pauses playback.

≠ Play, Pause, Stop
Where : Studio, Montage, Spritelab · `dz-media-image-precedente`

Price badge

Marks the area of a template where a price is shown.

≠ LIVE badge, Sticker, Insert emoji
Where : Templates · `dz-media-badge-prix`

Prompt

Writes an image description without generating anything.

≠ Prompt manager, Refine with AI, Rename
Where : Tilelab · `dz-media-prompt`

Record voice

Records your voice from the microphone while the video plays.

≠ Play, Pause, Stop
Where : Montage · `dz-media-rec`

Reel

Creates a short vertical video, 30 seconds at most.

≠ Play, Preview, Run
Where : Atelier · `dz-media-reel`

Remove keyframe

Deletes the keyframe the playhead is currently on.

≠ Mute, Solo, Subtitles
Where : Studio, 3D Set · `dz-media-image-cle-retirer`

Render

Opens the final render to produce the finished video.

≠ Export, Send to..., Publish now
Where : Montage · `dz-media-rendre`

Routing

Shows a post's path: render, caption, then networks.

≠ Studio, Reopen in Studio, Starter graphs
Where : Planner · `dz-media-routage`

RSS feed

Marks a news source followed by News or Settings.

≠ News, Article, Daily pipeline
Where : News, Settings · `dz-media-flux-rss`

Script

Uses AI to write a video's text from articles.

≠ Generate, Generate image, Generate video
Where : News · `dz-media-generer-script`

Shapes

Switches Tile Lab to diamond or hexagonal tiles.

≠ Sprite Lab, Tile Lab, Sheet
Where : Tilelab · `dz-media-tuile-iso`

Sheet

Opens an existing sprite or tile sheet to rework it.

≠ Sprite Lab, Tile Lab, Seamless
Where : Spritelab, Tilelab · `dz-media-feuille`

Shorten timeline

Shortens the timeline by one tick without cutting any clip.

≠ Montage, Snap to playhead, Extend timeline
Where : Montage · `dz-media-timeline-raccourcir`

Snap to playhead

Aligns the start or end of the clip with the playhead.

≠ Montage, Extend timeline, Shorten timeline
Where : Montage · `dz-media-tete-lecture`

Solo

Plays this track alone by muting the others.

≠ Mute, Subtitles, Markers
Where : Montage · `dz-media-solo`

Split into stems

Uses AI to split music into tracks: vocals, drums, bass.

≠ Refine with AI, Split into shots, Suggest
Where : Son & VFX · `dz-media-stems`

Starter graphs

Offers ready-made Studio graphs to get started quickly.

≠ Studio, Reopen in Studio, Routing
Where : Studio · `dz-media-graphe-depart`

Starter packs

Opens free bundled content to get started: sprites or materials.

≠ Starter graphs, Templates, New
Where : Spritelab, Materials · `dz-media-pack-depart`

Sticker

Marks a sticker or the template area meant for one.

≠ Price badge, LIVE badge, Insert emoji
Where : Studio, Templates · `dz-media-sticker`

Stop

Fully stops the current playback, dictation or recording.

≠ Play, Pause, Previous
Where : App shell, Shared, Montage, Son & VFX, Voices / Voicebox · `dz-media-arret`

Subtitles

Opens the panel for subtitles and the word-by-word narration.

≠ Color, Glow, Bounce
Where : Montage · `dz-media-sous-titres`

Text

Marks a text item: animated layer or post caption.

≠ Text, Text Frame, Text on Path
Where : Studio, Planner · `dz-media-texte`

Time slots

Sets the usual posting times for each network.

≠ Scheduler, Add to calendar, Recurring series
Where : Planner · `dz-media-creneaux`

Title

Places a title clip at the playhead position.

≠ Text, Text, Text Frame
Where : Montage · `dz-media-titre`

Vault

Opens, closes or imports the encrypted vault that holds your keys.

≠ Locked, Unlocked, Lock pixels
Where : Settings, Mobile · `dz-media-coffre`

Video

Marks a video or render: thumbnail, area or post source.

≠ Image, Film, Audio

Where : App shell, Studio, Templates, Planner, Library, Spritelab · `dz-media-video`

Video track

Adds a new full-frame video track to the timeline.

≠ Montage, Snap to playhead, Extend timeline

Where : Montage · `dz-media-piste-video`

Voice

Stands for a voice: voiceover or the voice cast for a character.

≠ Dictate, Generate voice, Clone

Where : Quick, Atelier · `dz-media-voix`

Waveform

Shows a sound drawn as waves on its thumbnail.

≠ Curves, Threshold, Smooth Curve

Where : App shell, Studio · `dz-media-forme-onde`

States 35

What the app tells you: done, failed, locked, limit reached...



Acknowledged

Marks a step that is noted, writes nothing and can be undone.

≠ Confirm, Success, Selected option
Where : Montage · `dz-etat-acquitte`



Active

Marks an effect applied to the render; a click bypasses it.

≠ Bypassed, Written, Acknowledged
Where : Son & VFX · `dz-etat-actif`



AI

Marks a field filled in by AI generation.

≠ Generate, Quick, Random
Where : App shell · `dz-etat-ia`



Artboard lock

Stops objects from dropping into artboards on their own.

≠ Locked, Unlocked, Lock pixels
Where : Photolab · `dz-etat-verrou-plan-travail`



Bypassed

Marks an effect set aside, not deleted; a click re-enables it.

≠ Active, Written, Acknowledged
Where : Son & VFX · `dz-etat-contourne`



Derived

Marks an item made from another one, its parent.

≠ Active, Bypassed, Written
Where : Son & VFX, Library · `dz-etat-derive`



Empty

Marks a queue, project or gallery that is still empty.

≠ Unknown, No preview, Excluded
Where : App shell, Montage · `dz-etat-vide`



Error

Flags a failure that blocks the current action.

≠ Success, Warning, Information
Where : Studio, Montage, Card Forge, Materials, Mobile · `dz-etat-erreur`



Excluded

Marks an item left out, such as a frame not kept.

≠ Close, Delete, Remove
Where : Card Forge, Spritelab · `dz-etat-exclu`



Hidden

Marks a hidden item; a click shows it again.

≠ Visible, Mask, Clipping Mask
Where : App shell, Photolab · `dz-etat-cache`



In progress

Marks a task running or waiting, such as a generation.

≠ Success, Warning, Error
Where : App shell, Quick, Studio, Game Assets, Card Forge, Atelier, Mobile · `dz-etat-attente`



Information

Gives neutral information, such as a project's status.

≠ Help, Keyboard Shortcuts, Guide
Where : Library, Card Forge, Materials, Atelier, Mobile · `dz-etat-information`



Lock pixels

Stops painting on the layer's pixels.

≠ Locked, Unlocked, Lock position
Where : Photolab · `dz-etat-verrou-pixels`



Lock position

Stops the layer from moving, but you can still paint.

≠ Locked, Unlocked, Lock pixels
Where : Photolab · `dz-etat-verrou-position`



Lock transparency

Protects transparent areas so you only paint existing pixels.

≠ Locked, Unlocked, Lock pixels
Where : Photolab · `dz-etat-verrou-transparence`



Locked

Marks an item nothing can move, change or delete.

≠ Unlocked, Lock pixels, Lock position
Where : Templates, Montage, Card Forge, Vectorlab, Photolab, Atelier · `dz-etat-verrouille`



Modified

Shows changes that are not saved yet.

≠ Save, Save as template, Saved
Where : Episodes, Vectorlab, Photolab · `dz-etat-modifie`



Multiple selection

Shows that several items are selected at once.

≠ Selection, Rectangular Marquee, Elliptical Marquee
Where : Card Forge · `dz-etat-selection-multiple`



No preview

Holds the place of a thumbnail for a never-saved document.

≠ Unknown, Empty, Excluded
Where : Card Forge, Vectorlab · `dz-etat-sans-apercu`



Origin

Shows where a document comes from: another chapter or the main library.

≠ Active, Bypassed, Written
Where : Atelier · `dz-etat-origine`



Phone

Marks an item that came from or went to the phone.

≠ Pair, Take to phone, Hand back to PC
Where : 3D Studio, Atelier · `dz-etat-mobile`



Pinned

Marks a kept result, reused for free on the next render.

≠ Favorite, Rating, Pin to phone
Where : Studio · `dz-etat-epingle`



Published

Marks a post as published, confirmed on the PC.

≠ Export, Send to..., Publish now
Where : Mobile · `dz-etat-publie`



Rating

Shows an item's rating from 1 to 5 stars.

≠ Favorite, Pinned, Pin to phone
Where : Montage, Library · `dz-etat-note`



Reminder

Reminds you at the set time that a post is due.

≠ Success, Warning, Error
Where : Mobile · `dz-etat-rappel`



Saved

Shows everything is saved: nothing left to save.

≠ Confirm, Success, Selected option
Where : Templates, Episodes, Settings, Vectorlab, Atelier, Avatar / HeyGen · `dz-etat-enregistre`



Selected option

Marks the checked menu option or the chosen item.

≠ Confirm, Success, Select All
Where : App shell, News, Montage, Library, Photolab, Workbench, Mobile, Avatar / HeyGen · `dz-etat-option-active`



Spending cap

Warns that a spending cap is nearly reached or exceeded.

≠ Success, Warning, Error
Where : Mobile, Spending / limits · `dz-etat-plafond`



Success

Marks a successful action, a completed setting or a finished step.

≠ Warning, Error, Information
Where : App shell, Home, Studio, Game Assets, Card Forge, Spritelab, Tilelab, Materials, 3D Set, Mobile, Avatar / HeyGen · `dz-etat-succes`



Unknown

Stands in for a type or tool that has no icon.

≠ Empty, No preview, Excluded
Where : Card Forge, Vectorlab · `dz-etat-inconnu`



Unlocked

Marks an item free to change; a click locks it.

≠ Locked, Lock pixels, Lock position
Where : Vectorlab · `dz-etat-libre`



Visible

Marks a visible item; a click hides it.

≠ Hidden, Mask, Clipping Mask
Where : Montage, Card Forge, Vectorlab, Photolab, Workbench · `dz-etat-visible`



Warning

Flags something to check that does not stop you.

≠ Success, Error, Information
Where : Home, Studio, Templates, Montage, Library, Card Forge, Vectorlab, Photolab, Workbench, Materials, 3D Set, Spending / limits · `dz-etat-avertissement`



Winner

Marks the winner of a ranking, such as a duel champion.

≠ Favorite, Rating, Pinned
Where : Studio, News · `dz-etat-meilleur`



Written

Marks a change that is written into the delivered file.

≠ Active, Bypassed, Acknowledged
Where : Montage · `dz-etat-grave`

Categories 21

Content and node families, each with its own colour.



2D Assets

Opens the flat-art tab: sprites, tiles, pixel art and cards.

≠ 3D, 3D Studio, Sprite Lab
Where : Game Assets · `dz-cat-assets-2d`



3D

Opens the Game Assets 3D tab to create objects in relief.

≠ 3D Studio, 2D Assets, Sprite Lab
Where : 3D Studio, Game Assets, Mobile · `dz-cat-3d`



3D Studio

Opens the 3D Studio tab to build a complete 3D scene.

≠ 3D, 2D Assets, Sprite Lab
Where : Game Assets · `dz-cat-studio-3d`



Ambience

Adds an ambience (light, weather, mood) to the Workshop bible.

≠ Character, Location, Set
Where : Atelier · `dz-cat-ambiance`



Animations

Groups the Studio nodes that animate an image or text.

≠ Mute, Solo, Subtitles
Where : Studio · `dz-cat-animation`



Audio

Groups the Studio nodes for voiceover, music and mixing.

≠ Sound & VFX, Audio, Waveform
Where : Studio · `dz-cat-audio`



Cards

Opens Card Forge, the workshop for making game cards.

≠ 3D, 3D Studio, 2D Assets
Where : Library, Game Assets, Card Forge, Vectorlab · `dz-cat-cartes`



Character

Adds a story character to the Workshop bible.

≠ Object Selection, Select subject, Remove background
Where : Atelier · `dz-cat-personnage`



Composition

Arranges elements in the frame: Studio nodes and a Quick mode.

≠ Templates, Save as template, Workspace
Where : Quick, Studio · `dz-cat-composition`



Date

Adds a date or a period to the Workshop bible.

≠ Scheduler, Add to calendar, Recurring series
Where : Atelier · `dz-cat-date`



Edit

Groups the Studio nodes that trim, extend or join clips.

≠ Source, Generator, Composition
Where : Studio · `dz-cat-montage`



Generator

Groups the Studio nodes that create videos, avatars and images with AI.

≠ Generate, Quick, Random
Where : Studio · `dz-cat-generateur`



Location

Adds a location, a precise place in the story, to the Workshop bible.

≠ Character, Set, Prop
Where : Atelier · `dz-cat-lieu`



Master

Groups the Studio nodes that finish the sound and its overall loudness.

≠ Sound & VFX, Audio, Audio
Where : Studio · `dz-cat-maitre`



Materials

Opens Material Forge, the workshop for surfaces applied to 3D objects.

≠ Theme, Brightness/Contrast, Exposure
Where : Game Assets, Tilelab, Materials, Mobile · `dz-cat-matieres`



Output

Marks the Studio node that produces the final render.

≠ Source, Generator, Composition
Where : Studio · `dz-cat-sortie`



Prop

Adds an object or a prop to the Workshop bible.

≠ Character, Location, Set
Where : Atelier · `dz-cat-objet`



Set

Adds a set, the backdrop of a scene, to the Workshop bible.

≠ Character, Location, Prop
Where : Atelier · `dz-cat-decor`



Source

Groups the Studio nodes that bring in an image, file or render.

≠ Generator, Composition, Animations
Where : Studio · `dz-cat-source`



Sprite Lab

Opens Sprite Lab or sends it an image to animate.

≠ 3D, 3D Studio, 2D Assets
Where : 3D Studio, Library, Game Assets, Vectorlab, Spritelab · `dz-cat-sprites`



Tile Lab

Opens Tile Lab or sends it an image to make tiles.

≠ 3D, 3D Studio, 2D Assets
Where : Library, Game Assets, Vectorlab, Tilelab · `dz-cat-tuiles`

3D 27

Actions and objects of the 3D workshops (3D Forge, Workbench, Materials, Set).



3D mesh

Marks the node holding a 3D object made of triangles.

≠ Textured plane, Wireframe, Extrusion
Where : Card Forge · `dz-lab3d-maillage`



3D printing

Exports the object for 3D printing and opens it in the slicer.

≠ Export, Send to..., Publish now
Where : Library, Game Assets, Card Forge, Vectorlab, Workbench · `dz-lab3d-impression-3d`



Artifact

Marks the result node, the final object built by the 3D Forge.

≠ Textured plane, 3D mesh, Wireframe
Where : Card Forge · `dz-lab3d-artefact`



Assembly

Marks the node that joins several pieces in the 3D Forge.

≠ Textured plane, 3D mesh, Wireframe
Where : Card Forge · `dz-lab3d-assemblage`



Bone

Draws a skeleton bone or picks the one to attach to next.

≠ Rig, Part, Directions
Where : Spritelab · `dz-lab3d-os`



Box

Adds a box, a simple cube shape, to the 3D scene.

≠ 3D, Generate model, 3D export
Where : 3D Set · `dz-lab3d-cube`



Camera

Shows the camera planned to film this shot in 3D.

≠ Camera moves, 3D Stage, Capture
Where : Atelier · `dz-lab3d-camera`



Capsule

Adds a capsule, a cylinder with rounded ends, to the scene.

≠ Box, Sphere, Cylinder
Where : 3D Set · `dz-lab3d-capsule`



Cylinder

Adds a flat-ended cylinder to the 3D scene.

≠ Box, Sphere, Capsule
Where : 3D Set · `dz-lab3d-cylindre`



Derive maps

Computes the color, bump and shine images of a material.

≠ Materials, Material, Materials
Where : Card Forge, Materials · `dz-lab3d-deriver-maps`



Extrusion

Marks the node that gives depth to a flat shape.

≠ Textured plane, 3D mesh, Wireframe
Where : Card Forge · `dz-lab3d-extrusion`



Forge material

Creates a new material with AI from a description (paid).

≠ Generate, Generate image, Generate video
Where : Materials · `dz-lab3d-forger-matiere`



Generate model

Builds a 3D model with AI from prepared views (paid).

≠ Generate, Generate image, Generate video
Where : 3D Studio · `dz-lab3d-generer-modele`



Generators

Opens the mode that builds materials from settings, without photos.

≠ Materials, Material, Materials
Where : Materials · `dz-lab3d-procedural`



HDRI

Imports a panoramic image that lights the whole scene.

≠ Theme, Brightness/Contrast, Exposure
Where : Card Forge, Materials · `dz-lab3d-hdri`



Light

Adds or moves a lamp to see the material lit differently.

≠ HDRI, Suggest, Ambience
Where : Card Forge, Materials · `dz-lab3d-lumiere`



LOD

Creates ever less detailed, lighter versions of the model.

≠ 3D printing, Orient, Rotation
Where : Game Assets · `dz-lab3d-lod`



Material

Shows the material applied to a node in the 3D Forge.

≠ Materials, Materials, Forge material
Where : Card Forge · `dz-lab3d-materiau`



Optimize

Slims down and compresses the 3D model so it loads faster.

≠ 3D, Box, Generate model
Where : Game Assets · `dz-lab3d-optimiser`



Orient

Suggests the best ways to lay the object on the print bed.

≠ 3D printing, Rotation, Workbench
Where : Workbench · `dz-lab3d-orienter`



Part

Places an image box that follows a bone's movements.

≠ Rig, Bone, Directions
Where : Spritelab · `dz-lab3d-piece`



Relief

Adds relief taken from a map of terrain heights.

≠ Textured plane, 3D mesh, Wireframe
Where : Card Forge, Vectorlab · `dz-lab3d-relief`



Rig

Creates or saves the skeleton that lets the model move.

≠ Bone, Part, Directions
Where : 3D Studio, Spritelab · `dz-lab3d-rig`



Rotation

Spins the preview on itself or freezes it as a still.

≠ Refresh, Retry, Regenerate
Where : Game Assets, Card Forge · `dz-lab3d-rotation`

Sphere

Adds a perfectly round ball to the 3D scene.

≠ Box, Cylinder, Capsule

Where : 3D Set · `dz-lab3d-sphere`

Textured plane

Marks the node that puts an image on a flat surface.

≠ 3D mesh, Wireframe, Extrusion

Where : Card Forge · `dz-lab3d-plan`

Wireframe

Shows the model as a wireframe to reveal its edges.

≠ 3D, Box, Generate model

Where : Card Forge · `dz-lab3d-filaire`

Social networks 6

The platforms you publish to.



Figma

Imports a layer from a Figma file.

≠ Instagram, Telegram, TikTok
Where : App shell · `dz-reseau-figma`



Instagram

Stands for Instagram: connecting, or choosing where a post goes.

≠ Telegram, TikTok, X
Where : App shell, Home, Planner, Settings · `dz-reseau-instagram`



Telegram

Stands for Telegram and its premium emoji pack.

≠ Instagram, TikTok, X
Where : App shell, Home, Planner, Settings · `dz-reseau-telegram`



TikTok

Stands for TikTok: connecting, or choosing where a post goes.

≠ Instagram, Telegram, X
Where : App shell, Home, Planner, Settings · `dz-reseau-tiktok`



X

Stands for X: connecting, post destination, reply threads.

≠ Instagram, Telegram, TikTok
Where : App shell, Home, Planner, Settings · `dz-reseau-x`



YouTube

Stands for YouTube: connecting, or choosing where a video goes.

≠ Instagram, Telegram, TikTok
Where : App shell, Home, Planner, Settings · `dz-reseau-youtube`

Brand 8

The Deepotus logo, or your brand kit's.



Adaptive icon

The app icon on Android, the logo on a background.

≠ Deepotus, App icon, Monochrome icon
Where : Mobile · `dz-marque-icone-adaptative`



App icon

The Deepotus icon on the PC, installer and phone.

≠ Deepotus, Adaptive icon, Monochrome icon
Where : Brand, Mobile · `dz-marque-icone-app`



Deepotus

The Deepotus logo in the app, at startup and in the rail.

≠ App icon, Adaptive icon, Monochrome icon
Where : App shell, Brand, Home, Settings, Mobile · `dz-marque-poulpe`



Monochrome icon

One-color version that Android tints to match your theme.

≠ Deepotus, App icon, Adaptive icon
Where : Mobile · `dz-marque-icone-monochrome`



Notification icon

Small Android icon showing a reminder in the status bar.

≠ Deepotus, App icon, Adaptive icon
Where : Mobile · `dz-marque-notification`



Splash screen

Image shown while the app loads, on PC and mobile.

≠ Deepotus, App icon, Adaptive icon
Where : Brand, Mobile · `dz-marque-splash`



The Oracle

Avatar of the built-in persona “The Oracle”.

≠ The Seer, Persona, Deepotus
Where : Settings · `dz-marque-oracle`



The Seer

Avatar of the built-in persona “The Seer”.

≠ The Oracle, Persona, Deepotus
Where : Settings · `dz-marque-seer`

Deepotus Video Gen v2.8.0 — 526 Deepotus Glyph icons. Social network logos: simple-icons (CC0), trademarks of their owners. Photolab Smudge: Lucide (ISC).