

Network Engineering 2020 Exercises - Unit 1

1 Basic POSIX file permissions

Write a shell-script called `unit1-solution1.sh` that creates **directories** inside a directory called `unit1exercise1` with the following properties, and then creates a **compressed tar file** called `unit1-solution1.tgz`

1. verkaesen, mode `rwrxwxr--`
2. enhundst, mode `rw-rw----`
3. bepflumheit, mode `-----wx`
4. zersinnse, mode `---rwx-w-`
5. besprachst, mode `-wx--xrw-`
6. auswitzer, mode `r-x-----`
7. verrabarbst, mode `r-----`
8. zertritter, mode `rw--w-rw-`
9. auswitzer/aufgerabarbt, mode `rwrxw--w-`
10. auswitzer/angewarfen, mode `-----w-`
11. auswitzer/angetraust, mode `r--r--rw-`
12. zertritter/aufklettheit, mode `-wxrw-rwx`
13. verkaesen/aufwarftest, mode `r-x---rwx`
14. auswitzer/angetraust/auspflumse, mode `-w--wx--x`
15. zertritter/aufklettheit/angerabarbheit, mode `-w---x-w-`
16. verkaesen/aufwarftest/aufgerennung, mode `-w----r-x`
17. auswitzer/aufgerabarbt/befahrt, mode `-wx-wxrw-`
18. auswitzer/aufgerabarbt/einkrauen, mode `--xrw--w-`
19. zertritter/aufklettheit/angekrauung, mode `r-xrwx-w-`
20. auswitzer/angewarfen/aufgesetztheit, mode `-----w-`

Your work will be **automatically marked** by comparing the contents of the compressed tar file against a template. Therefore it is important that you have every detail correct.

This exercise can be completed using the `cd`, `mkdir`, `chown`, `chmod` and `sudo` shell commands, although you can use other shell commands if you wish.

An unsophisticated script to complete this would be 2456 bytes long, while a compact script would be no larger than 966.

Grading for this exercise for you is according to the following guide:

Requirement	Percentage
Correctness of solution	60%
Compactness of solution	40%

The compactness scores are according to the following table:

Length of script	Percentage
2457 bytes or more	0%
1712 – 2456 bytes	5%
967 – 1711 bytes	15%
822 – 966 bytes	25%
less than 822 bytes	40%

To test your solution, use a command like:

```
sudo tar zcf unit1-solution1.tgz unit1exercisel
./unit1-exercise-1-grade.sh unit1-solution1.sh
```

To submit your solution (which you can do as many times as you like), use a command like:

```
sudo tar zcf unit1-solution1.tgz unit1exercisel
git add unit1-solution1.sh unit1-solution1.tgz
git commit unit1-solution1.sh unit1-solution1.tgz
git push origin master
```

2 User and groups

Write a shell-script called `unit1-solution2.sh` that creates **directories** inside a directory called `unit1exercise2` with the following properties, and then creates a **compressed tar file** called `unit1-solution2.tgz`

1. `verrennkeit`, mode `rw-----wx`, owner `news`, group `floppy`
2. `enpflumen`, mode `-----x-w-`, owner `news`, group `news`
3. `angetritter`, mode `r-x---rwx`, owner `news`, group `tape`
4. `besprachtest`, mode `-wxr-x-wx`, owner `proxy`, group `fax`
5. `enpflums`, mode `---rwx-wx`, owner `news`, group `fax`
6. `verklettt`, mode `rwx--x--x`, owner `proxy`, group `tape`

7. aufgewarfs, mode `rw-r-x-wx`, owner `mail`, group `floppy`
8. aushundheit, mode `rw---x---`, owner `news`, group `student`
9. enpflumen/beklettte, mode `-w-r---wx`, owner `mail`, group `student`
10. enpflumen/aufgesitzse, mode `--xrw-wx`, owner `news`, group `cdrom`
11. angetritter/antrittung, mode `--x--xrw-`, owner `mail`, group `student`
12. verklettt/aufwarfheit, mode `rwx-w-r-x`, owner `proxy`, group `voice`
13. angetritter/beschmeckung, mode `----wxr--`, owner `lp`, group `audio`
14. verklettt/aufwarfheit/enwarfst, mode `-wx-wxrw`, owner `games`, group `tape`
15. angetritter/beschmeckung/ausgesprachs, mode `-wx-w--wx`, owner `news`, group `student`
16. angetritter/beschmeckung/aufkletts, mode `r---w----`, owner `proxy`, group `floppy`
17. verklettt/aufwarfheit/bestehts, mode `-wxr----x`, owner `news`, group `fax`
18. enpflumen/aufgesitzse/zerraucher, mode `-w--w-rwx`, owner `nobody`, group `tape`
19. angetritter/antrittung/ankaeser, mode `r--r--r--`, owner `games`, group `dip`
20. angetritter/beschmeckung/ausrauchheit, mode `rwx-w---x`, owner `nobody`, group `cdrom`

Your work will be **automatically marked** by comparing the contents of the compressed tar file against a template. Therefore it is important that you have every detail correct.

This exercise can be completed using the `cd`, `mkdir`, `chown`, `chmod` and `sudo` shell commands, although you can use other shell commands if you wish.

An unsophisticated script to complete this would be 2369 bytes long, while a compact script would be no larger than 1191.

Grading for this exercise for you is according to the following guide:

Requirement	Percentage
Correctness of solution	60%
Compactness of solution	40%

The compactness scores are according to the following table:

Length of script	Percentage
2370 bytes or more	0%
1781 – 2369 bytes	5%
1192 – 1780 bytes	15%
1013 – 1191 bytes	25%
less than 1013 bytes	40%

To test your solution, use a command like:

```
sudo tar zcf unit1-solution2.tgz unit1exercise2
./unit1-exercise-2-grade.sh unit1-solution2.sh
```

To submit your solution (which you can do as many times as you like), use a command like:

```
sudo tar zcf unit1-solution2.tgz unit1exercise2
git add unit1-solution2.sh unit1-solution2.tgz
git commit unit1-solution2.sh unit1-solution2.tgz
git push origin master
```

3 Set-user and Set-group ID

Write a shell-script called `unit1-solution3.sh` that creates **directories** inside a directory called `unit1exercise3` with the following properties, and then creates a **compressed tar file** called `unit1-solution3.tgz`

1. `anwarftest`, mode `rw-rw-r--`, owner `proxy`, group `dip`
2. `einrauchen`, mode `rw-r-x---`, owner `uucp`, group `proxy`, `setuid`
3. `angetritttst`, mode `-wxr-xr--`, owner `proxy`, group `mail`, `setuid`
4. `einrabarber`, mode `r-----r-x`, owner `student`, group `dip`
5. `aufgetritttete`, mode `-w--wx---`, owner `news`, group `mail`
6. `auswitzte`, mode `---rwx--x`, owner `mail`, group `audio`, `setuid`
7. `zerrabarbt`, mode `r--rw----`, owner `uucp`, group `dip`
8. `zersetzt`, mode `-wx-wrwx`, owner `uucp`, group `dip`, `setuid`
9. `aufgetritttete/aufgefahrtete`, mode `-----xrw-`, owner `games`, group `voice`, `setuid`
10. `zerrabarbt/angerabarbs`, mode `r---wx-w-`, owner `mail`, group `mail`
11. `zersetzt/ausgekrauen`, mode `-w-r--r-x`, owner `mail`, group `uucp`, `setuid`
12. `angetritttst/versprachst`, mode `rw-x-w-rwx`, owner `mail`, group `proxy`, `setuid`

13. `auswitzte/angeschmecktest`, mode `rw-r---x`, owner `student`, group `news`
14. `zerrabarbt/angerabarbs/bestehkeit`, mode `rwX-w--wX`, owner `games`, group `student`, `setuid`
15. `zerrabarbt/angerabarbs/bekraus`, mode `-w-rwxr--`, owner `nobody`, group `floppy`, `setuid`
16. `aufgetritttete/aufgefahrtete/aufgewitzung`, mode `-w-r-x--x`, owner `news`, group `dip`
17. `angetrittst/versprachst/gepflumse`, mode `rw--w----`, owner `mail`, group `fax`
18. `aufgetritttete/aufgefahrtete/ausgehaltheit`, mode `----w-r--`, owner `proxy`, group `news`, `setuid`
19. `aufgetritttete/aufgefahrtete/aufrennt`, mode `rwXr-xrw-`, owner `news`, group `uucp`, `setuid`
20. `zerrabarbt/angerabarbs/anfahren`, mode `rwX-wX-w-`, owner `mail`, group `student`

Your work will be **automatically marked** by comparing the contents of the compressed tar file against a template. Therefore it is important that you have every detail correct.

This exercise can be completed using the `cd`, `mkdir`, `chown`, `chmod` and `sudo` shell commands, although you can use other shell commands if you wish.

An unsophisticated script to complete this would be 2466 bytes long, while a compact script would be no larger than 1241.

Grading for this exercise for you is according to the following guide:

Requirement	Percentage
Correctness of solution	60%
Compactness of solution	40%

The compactness scores are according to the following table:

Length of script	Percentage
2467 bytes or more	0%
1854 – 2466 bytes	5%
1242 – 1853 bytes	15%
1055 – 1241 bytes	25%
less than 1055 bytes	40%

To test your solution, use a command like:

```
sudo tar zcf unit1-solution3.tgz unit1exercise3
./unit1-exercise-3-grade.sh unit1-solution3.sh
```

To submit your solution (which you can do as many times as you like), use a command like:

```
sudo tar zcf unit1-solution3.tgz unit1exercise3
git add unit1-solution3.sh unit1-solution3.tgz
git commit unit1-solution3.sh unit1-solution3.tgz
git push origin master
```

4 Set-group ID Directories

Write a shell-script called `unit1-solution4.sh` that creates **directories** inside a directory called `unit1exercise4` with the following properties, and then creates a **compressed tar file** called `unit1-solution4.tgz`

1. `einwitzse`, mode `r-x-w--wx`, group `voice`, `setgid`
2. `aufwitzung`, mode `r--r-xrwx`, group `proxy`
3. `einstehst`, mode `-w----rw-`, group `tape`
4. `gelaufkeit`, mode `rw-r-x---`, group `student`, `setgid`
5. `verfahrtest`, mode `--x-w-rwx`, group `audio`, `setgid`
6. `verfahrs`, mode `--xr--rwx`, group `dip`
7. `auffahren`, mode `--x--x--x`, group `news`, `setgid`
8. `begehs`, mode `-wx-w----`, group `fax`
9. `einwitzse/befahrtete`, mode `-w-r-xrwx`, group `tape`
10. `einwitzse/verklettung`, mode `---r--rwx`, group `cdrom`
11. `auffahren/gekaest`, mode `-w--wx---`, group `student`
12. `verfahrs/bewitzse`, mode `rw-r-xrwx`, group `voice`, `setgid`
13. `verfahrtest/angegeher`, mode `rw-rw---x`, group `cdrom`, `setgid`
14. `einwitzse/verklettung/belaufung`, mode `rw-x-w-rw-`, group `proxy`, `setgid`
15. `einwitzse/befahrtete/angesetzttest`, mode `rw-----wx`, group `floppy`
16. `verfahrtest/angegeher/angehaltete`, mode `r-xr---w-`, group `voice`, `setgid`
17. `auffahren/gekaest/zerstehung`, mode `-wx-rw-rw-`, group `mail`, `setgid`

18. `auffahren/gekaest/auftrittung`, mode `--x-wxr-x`, group `tape`, `setgid`
19. `auffahren/gekaest/enrauchkeit`, mode `--x----w-`, group `floppy`, `setgid`
20. `einwitzse/befahrtete/aufstehen`, mode `rwX---rwx`, group `dip`

Your work will be **automatically marked** by comparing the contents of the compressed tar file against a template. Therefore it is important that you have every detail correct.

This exercise can be completed using the `cd`, `mkdir`, `chown`, `chmod` and `sudo` shell commands, although you can use other shell commands if you wish.

An unsophisticated script to complete this would be 2323 bytes long, while a compact script would be no larger than 1133.

Grading for this exercise for you is according to the following guide:

Requirement	Percentage
Correctness of solution	60%
Compactness of solution	40%

The compactness scores are according to the following table:

Length of script	Percentage
2324 bytes or more	0%
1729 – 2323 bytes	5%
1134 – 1728 bytes	15%
964 – 1133 bytes	25%
less than 964 bytes	40%

To test your solution, use a command like:

```
sudo tar zcf unit1-solution4.tgz unit1exercise4
./unit1-exercise-4-grade.sh unit1-solution4.sh
```

To submit your solution (which you can do as many times as you like), use a command like:

```
sudo tar zcf unit1-solution4.tgz unit1exercise4
git add unit1-solution4.sh unit1-solution4.tgz
git commit unit1-solution4.sh unit1-solution4.tgz
git push origin master
```

5 Interpreting File Permissions

For each of the following exercises, determine whether the given file or directory can be accessed in the manner described. Remember that file or directory access can be mediated by owner, group or other permissions, and that the first matching item applies.

As you have a 50% chance of getting each item correct, you must score more than 50% to obtain a positive result for this section. There are 40 questions, and your score will be $(n - 20)/20$, where n is the number of correct responses.

You should record your answers in a single text file called `unit1-answers.txt`, consisting of 40 consecutive Y, 1, 2 or 3 characters on a single line.

To submit your answers (which you can do as many times as you like), commit your answer file to your git repository, and push it to github, e.g.:

```
git add unit1-answers.txt ; git commit unit1-answers.txt ; git push
origin master
```

At the end of this section there is a hash which reflects the hash of the correct result of all 40 questions. You can use this to check if you have all answers correct. However, it will not tell you how many you have correct (that would let you work out which ones were wrong through a process of elimination).

5.1

Can the user **proxy**, who is a member of the **cdrom** group, **write into** the file `/angekaeskeit/anpflumt/auftraute`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d--x-wxr-x      lp      fax      0 angekaeskeit
│
├─ (2)      dr-xrw-r--      proxy    news      0 anpflumt
│
└─ (3)      --wx--x--x      proxy    proxy     0 auftraute
```

5.2

Can the user **mail**, who is a member of the **fax** group, **read from** the file `/enstehheit/aufhaltt/ensinntest`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxrw-r-x      lp      cdrom     0 enstehheit
│
├─ (2)      d-wx-w-r-x      lp      fax      0 aufhaltt
│
└─ (3)      -rw-rwxrw-     student  fax      0 ensinntest
```

5.3

Can the user **student**, who is a member of the **audio** group, **execute** the file `/enfahrtheit/angekrautest/zerrabarber`? If not, which of the three directories blocks access (Y|1|2|3)


```

/
├─ (1)      dr-xr-xr-x      uucp   voice   0 enfahrtheit
│   └─ (2)  drw-rwx-w-      news   audio   0 angekrautest
│       └─ (3) -r-xrwxr-x student student 0 zerrabarber

```

5.4

Can the user **uucp**, who is a member of the **floppy** group, **execute** the file `/ausgerabarbkeit/angetrittse/angesinnheit`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwxr--rwx      uucp   cdrom    0 ausgerabarbkeit
│   └─ (2)  drwx--x-w-      uucp   floppy   0 angetrittse
│       └─ (3) -rw--w-r-x   games  audio    0 angesinnheit

```

5.5

Can the user **uucp**, who is a member of the **proxy** group, **execute** the file `/auskaesse/enklettsse/anfahrt`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-x---rw-      uucp   floppy   0 auskaesse
│   └─ (2)  d--xr--r-x      games  student  0 enklettsse
│       └─ (3) --wx---rwx   uucp   floppy   0 anfahrt

```

5.6

Can the user **news**, who is a member of the **news** group, **read from** the file `/betrauung/enlaufte/angegehse`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwxrw-rwx      news   cdrom    0 betrauung
│   └─ (2)  d-wxr--r-x      mail   floppy   0 enlaufte
│       └─ (3) ---x----w-   news   cdrom    0 angegehse

```

5.7

Can the user **nobody**, who is a member of the **student** group, **read from** the file `/verklettst/gesteher/aushundtest`? If not, which of the three directories blocks access (Y|1|2|3)

/					
└─ (1)	d-wxr-x-wx	news	student	0	verklettst
└─ (2)	drwxr--r-x	games	proxy	0	gesteher
└─ (3)	--wx-wxr--	games	dip	0	aushundtest

5.8

Can the user **student**, who is a member of the **tape** group, **read from** the file `/angesetzst/angehunder/besetzts`? If not, which of the three directories blocks access (Y|1|2|3)

/					
└─ (1)	drwxrw-rwx	student	floppy	0	angesetzst
└─ (2)	d-wxr--r-x	uucp	voice	0	angehunder
└─ (3)	-r--r-----	student	fax	0	besetzts

5.9

Can the user **news**, who is a member of the **uucp** group, **execute** the file `/aufgerabarben/ausgeschmeckse/zersitzst`? If not, which of the three directories blocks access (Y|1|2|3)

/					
└─ (1)	drwx--x--x	news	voice	0	aufgerabarben
└─ (2)	dr-xrw-rwx	proxy	floppy	0	ausgeschmeckse
└─ (3)	-----wxr-x	lp	proxy	0	zersitzst

5.10

Can the user **student**, who is a member of the **voice** group, **execute** the file `/angelaufs/anlaufkeit/zerhaltheit`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-x--x--x  student  audio    0  angelaufs
│
│   └─ (2)   dr-x---rw-   proxy    voice    0  anlaufkeit
│       └─ (3) ---xrwx-w-   mail      voice    0  zerhaltheit

```

5.11

Can the user **lp**, who is a member of the **student** group, **write into** the file **/einkatzetest/angekaesst/ausgekaesheit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxrwrxwx   games     tape     0  einkatzetest
│
│   └─ (2)   d-----r-x  student  student  0  angekaesst
│       └─ (3) -r--rwx-wx  proxy     student  0  ausgekaesheit

```

5.12

Can the user **news**, who is a member of the **mail** group, **execute** the file **/zersinntete/ausgekrauer/verpflumkeit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-xr-x---   uucp      audio    0  zersinntete
│
│   └─ (2)   d-wxr--r-x  nobody    news     0  ausgekrauer
│       └─ (3) -r-xr--r-x  news       cdrom    0  verpflumkeit

```

5.13

Can the user **news**, who is a member of the **cdrom** group, **execute** the file **/angeraucher/anrennse/angewarfkeit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwxrwxr--   games     cdrom    0  angeraucher
│
│   └─ (2)   d--x-wxr-x   uucp      mail     0  anrennse
│       └─ (3) -rwxr-x-w-   mail      cdrom    0  angewarfkeit

```

5.14

Can the user **proxy**, who is a member of the **audio** group, **read from** the file **/gesprachtest/ausrenns/einkletts**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr--r-xrwx   nobody   audio    0 gesprachtest
│
│   └─ (2)   drwx-w-r-x   news     cdrom    0 ausrenns
│       │
│       └─ (3) -rwx-wxr--   uucp     dip      0 einkletts
```

5.15

Can the user **games**, who is a member of the **floppy** group, **execute** the file **/ansinnheit/getrauen/ausgehundung**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d--x---r-x    lp       fax      0 ansinnheit
│
│   └─ (2)   d---rwx-wx    lp       floppy   0 getrauen
│       │
│       └─ (3) -----x-wx  news     news     0 ausgehundung
```

5.16

Can the user **proxy**, who is a member of the **proxy** group, **execute** the file **/auswitzs/gesinntest/aufgetrittse**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwxrwx-w-   nobody   audio    0 auswitzs
│
│   └─ (2)   dr-x--x-wx   proxy    uucp     0 gesinntest
│       │
│       └─ (3) --wx-wxr-x  proxy    proxy    0 aufgetrittse
```

5.17

Can the user **lp**, who is a member of the **fax** group, **read from** the file **/aufrabarbtete/aufrennse/vertraute**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-x-w--wx      lp    floppy    0 aufrabarbtete
│   └─ (2)      d-w-r-xr-x    mail    uucp      0 aufrennse
│       └─ (3)  ----rw--w-    lp      tape      0 vertraute

```

5.18

Can the user **proxy**, who is a member of the **fax** group, **write into** the file **/ausgehaltst/ausgesinntete/aufgekletter**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-x--x-w-    nobody  floppy    0 ausgehaltst
│   └─ (2)      dr-xrw--wx   proxy    tape      0 ausgesinntete
│       └─ (3)  -r-x--xrwx   games     dip      0 aufgekletter

```

5.19

Can the user **news**, who is a member of the **voice** group, **execute** the file **/aufgekraute/ausgetritttete/verklettete**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxrw-r-x    mail     mail     0 aufgekraute
│   └─ (2)      drwxrw-rwx  uucp     floppy   0 ausgetritttete
│       └─ (3)  -r-----xrwx news      dip     0 verklettete

```

5.20

Can the user **lp**, who is a member of the **student** group, **write into** the file **/auskatzetete/zersinnen/angestehheit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-x-w----- proxy    uucp      0 auskatzetete
│   └─ (2)      drwx--x--x    lp    student  0 zersinnen
│       └─ (3)  ---xrwx---    news   student  0 angestehheit

```

5.21

Can the user **student**, who is a member of the **cdrom** group, **read from** the file **/ausgesetzse/aufhundkeit/beklettst**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      d-wxrwx--x      uucp      cdrom      0 ausgesetzse
│   └─ (2)      d--xrwx-wx      news      cdrom      0 aufhundkeit
│       └─ (3) -r--rwx--- student      uucp      0 beklettst
```

5.22

Can the user **games**, who is a member of the **news** group, **write into** the file **/auskatzeheit/besinnkeit/zersitzkeit**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      drw-rwxr-x      mail      news      0 auskatzeheit
│   └─ (2)      dr-xrw----      games     floppy     0 besinnkeit
│       └─ (3) --wxr-xrwx      mail      voice     0 zersitzkeit
```

5.23

Can the user **lp**, who is a member of the **uucp** group, **read from** the file **/angewarftete/anrauchst/gerabarbttete**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      dr-xrw--w-      lp      uucp      0 angewarftete
│   └─ (2)      dr--rwx---      mail      uucp      0 anrauchst
│       └─ (3) -rw-r-xrwx      proxy     cdrom      0 gerabarbttete
```

5.24

Can the user **student**, who is a member of the **cdrom** group, **execute** the file **/anfahrst/aussprachs/anhaltst**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxr-xrwx      lp      cdrom      0 anfahrst
│   └─ (2)   dr-xrwxrw-    student      fax      0 aussprachs
│       └─ (3) -rw-rwx-wx    uucp      cdrom      0 anhalts

```

5.25

Can the user **uucp**, who is a member of the **dip** group, **write into** the file **/bewarfte/anfahrer/verhundst**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-xr-x---      uucp      news      0 bewarfte
│   └─ (2)   drwx-w--wx     uucp student      0 anfahrer
│       └─ (3) --wxr-x--x    uucp student      0 verhundst

```

5.26

Can the user **uucp**, who is a member of the **dip** group, **execute** the file **/ausgesinntest/einwitzst/aufgewitzst**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwx-wxr--      uucp      proxy      0 ausgesinntest
│   └─ (2)   drwx-w-r--      uucp student      0 einwitzst
│       └─ (3) -rwxrw-r--      uucp      fax      0 aufgewitzst

```

5.27

Can the user **mail**, who is a member of the **dip** group, **read from** the file **/angepflumst/aussetzung/ansetzzeit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drw-r-x---      games      news      0 angepflumst
│   └─ (2)   d-wxrwxrw-      lp      dip      0 aussetzung
│       └─ (3) ---xrwx---      proxy      dip      0 ansetzzeit

```

5.28

Can the user **mail**, who is a member of the **floppy** group, **read from** the file **/ausgekaess/anhundheit/einsprachte**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-----rwx   nobody    dip      0 ausgekaess
│   └─ (2)  d--xr-xrw-     lp      floppy   0 anhundheit
│       └─ (3) -r---w-r--   mail     proxy    0 einsprachte

```

5.29

Can the user **games**, who is a member of the **floppy** group, **write into** the file **/einhundst/angelaufstest/aufgewarfse**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxrwxr-x      lp      floppy   0 einhundst
│   └─ (2)  dr--r-xrwx      uucp     floppy   0 angelaufstest
│       └─ (3) ---xr-x-w-    uucp     voice    0 aufgewarfse

```

5.30

Can the user **uucp**, who is a member of the **audio** group, **execute** the file **/auspflumen/gefahrkeit/angefahrt**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drw-r-x--x      proxy    audio     0 auspflumen
│   └─ (2)  d-wxr-xrw-      news     audio     0 gefahrkeit
│       └─ (3) ---xrw---x    uucp     student   0 angefahrt

```

5.31

Can the user **student**, who is a member of the **news** group, **execute** the file **/geschmeckst/eintrautete/anschmeckt**? If not, which of the three directories blocks access (Y|1|2|3)


```

/
├─ (1)      d--x-wxr-x    proxy    tape    0 geschmeckst
│   └─ (2)      d---r-x-wx    games    news    0 eintrautete
│       └─ (3)  --w---xrw-    student    uucp    0 anschmeckt

```

5.32

Can the user **games**, who is a member of the **uucp** group, **write into** the file **/auffahrttest/auftrittte/gesinnung**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwx--xrw-    nobody    tape    0 auffahrttest
│   └─ (2)      dr-xrw-rw-    games    news    0 auftrittte
│       └─ (3)  -rw-----w-    lp    student    0 gesinnung

```

5.33

Can the user **games**, who is a member of the **dip** group, **write into** the file **/ausgerennte/aufschmeckung/zergehheit**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      drwxr-x--x    student    dip    0 ausgerennte
│   └─ (2)      dr-xr-xrwx    student    dip    0 aufschmeckung
│       └─ (3)  --wx---r-x    games    student    0 zergehheit

```

5.34

Can the user **student**, who is a member of the **floppy** group, **write into** the file **/einsetzung/ankatzet/angesetzer**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d--xrw- w-    uucp    fax    0 einsetzung
│   └─ (2)      drwx--xr--    student    mail    0 ankatzet
│       └─ (3)  --wxr-xrwx    mail    proxy    0 angesetzer

```

5.35

Can the user **proxy**, who is a member of the **tape** group, **write into** the file **/verrauchtest/ausschmeckheit/bewitzt**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      d-wx---r-x    uucp    news    0 verrauchtest
│   └─ (2)   dr--r-x-w-    uucp    tape    0 ausschmeckheit
│       └─ (3) --w-r--rw-    lp      dip    0 bewitzt
```

5.36

Can the user **lp**, who is a member of the **uucp** group, **read from** the file **/aufgepflumen/angesitzs/ausgesinnst**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      d--xrwxrwx    nobody   cdrom    0 aufgepflumen
│   └─ (2)   d---rw-rwx    mail     proxy    0 angesitzs
│       └─ (3) ---x--xrw-   proxy    fax     0 ausgesinnst
```

5.37

Can the user **uucp**, who is a member of the **mail** group, **write into** the file **/anfahrunge/aushalten/enrenntest**? If not, which of the three directories blocks access (Y|1|2|3)

```
/
├─ (1)      dr--r-xr-x    nobody   floppy    0 anfahrune
│   └─ (2)   drwxrwxr-x    uucp     uucp     0 aushalten
│       └─ (3) -----w----    lp      mail     0 enrenntest
```

5.38

Can the user **news**, who is a member of the **news** group, **execute** the file **/bekrautete/aufklettkeit/angewarftete**? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d--xrwxrw-      lp      news      0 bekrautete
│   └─ (2)      dr-xrwxr-x      news      fax      0 aufklettkeit
│       └─ (3)  --wxrwx---      news      voice     0 angewarftete

```

5.39

Can the user **nobody**, who is a member of the **student** group, **execute** the file `/ausgefahrt/ausgeschmecker/einrabarbarkeit`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      d-wxr-x-w-      proxy  student     0 ausgefahrt
│   └─ (2)      d--xr-xrwx    games  student     0 ausgeschmecker
│       └─ (3)  -r--r-x-wx    uucp   student     0 einrabarbarkeit

```

5.40

Can the user **mail**, who is a member of the **dip** group, **read from** the file `/verraucht/aufgerennt/bepflumst`? If not, which of the three directories blocks access (Y|1|2|3)

```

/
├─ (1)      dr-xr-x---      news      dip      0 verraucht
│   └─ (2)      drwxrwx--x    proxy      dip      0 aufgerennt
│       └─ (3)  -r--rwxr--      news      tape     0 bepflumst

```

Hash for checking if you have all 40 correct

fa0362758e8c37530a1755b0ad6ea127b08a1a7763338f26cf64dd14c6b76389

You can check your result with a command like:

```
echo -n "2YY13YY2YYYYY3Y3YY2Y22YY11Y2Y1YY2YYY3Y3YY" | \
    shasum -a 512 | cut -c1-64
```

(But don't forget to put your string of Y's and N's in place of those)

If the output of that command matches the hash at the end of this section, then you almost certainly have all 40 correct.