

Usuario@DESKTOP-GUEM6GP MINGW64 ~/BufferCucumber (main)

\$ mvn clean test

[INFO] Scanning for projects...

[INFO]

[INFO] -----< hellocucumber:hellocucumber >-----

[INFO] Building hellocucumber 1.0.0-SNAPSHOT

[INFO]

[INFO] -----[jar]-----

[INFO]

[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ hellocucumber ---

[INFO] Deleting C:\Users\Usuario\BufferCucumber\target

[INFO]

[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ hellocucumber ---

[INFO] Using 'UTF-8' encoding to copy filtered resources.

[INFO] skip non existing resourceDirectory C:\Users\Usuario\BufferCucumber\src\main\resources

[INFO]

[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ hellocucumber ---

[INFO] No sources to compile

[INFO]

[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ hellocucumber ---

[INFO] Using 'UTF-8' encoding to copy filtered resources.

[INFO] Copying 6 resources

[INFO]

[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ hellocucumber ---

[INFO] Changes detected - recompiling the module!

[INFO] Compiling 3 source files to C:\Users\Usuario\BufferCucumber\target\test-classes

[INFO]

[INFO] --- maven-surefire-plugin:3.0.0-M5:test (default-test) @ hellocucumber ---

[INFO]

[INFO] -----

[INFO] T E S T S

[INFO]

[INFO] -----

[INFO] Running hellocucumber.RunCucumberTest

Scenario: Creamos un buffer con tamaño negativo # hellocucumber/capNeg.feature:3

When La capacidad es negativa # hellocucumber.StepDefinitions.bufferNeg()

Then Lanza la excepcion IllegalArgumentException # hellocucumber.StepDefinitions.IllegalArgumentException()

Scenario Outline: Sacamos un numero # hellocucumber/get.feature:11

Given Creo un buffer # hellocucumber.StepDefinitions.init()

When Insertamos un objeto 4 # hellocucumber.StepDefinitions.put(int)

When Sacamos un numero # hellocucumber.StepDefinitions.get()

Then Se decrementa el tamaño # hellocucumber.StepDefinitions.getSize()

Scenario Outline: Sacamos un numero # hellocucumber/get.feature:12

Given Creo un buffer # hellocucumber.StepDefinitions.init()

When Insertamos un objeto 10 # hellocucumber.StepDefinitions.put(int)

When Sacamos un numero # hellocucumber.StepDefinitions.get()

Then Se decrementa el tamaño # hellocucumber.StepDefinitions.getSize()

Scenario: Sacamos de un buffer vacio # hellocucumber/get.feature:14

Given Creo un buffer # hellocucumber.StepDefinitions.init()

When Sacamos un numero pero el buffer esta vacio # hellocucumber.StepDefinitions.vaciar()

Then Se lanza excepcion # hellocucumber.StepDefinitions.vacioException()

Scenario: Comprobamos que esta vacio # hellocucumber/isEmpty.feature:3

Given Creo un buffer # hellocucumber.StepDefinitions.init()

Then Esta vacio # hellocucumber.StepDefinitions.isEmpty()

[illegible]