


1. **String + string:** se pueden sumar, puedes formar oraciones con ellos.



The screenshot shows a VS Code editor with a file named 'Tipos de datos.py'. The code in the editor is:

```
1 name = input("enter your name:")
2 last_name = input("enter your last name:")
3 age = input("enter you current age:")
4 print(name + " " + last_name + " . She is " + age + "years old")
5
```


The terminal output shows three successful runs of the script:

```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:maria
enter your last name:jose
enter you current age:20
mariajose

MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:rosa
enter your last name:colman
enter you current age:45
rosa colman

MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:maria
enter your last name:barboza
enter you current age:22
maria barboza . She is 22years old
MacBook-Neo:~ hugocolman$
```

2. **String + int / int + String:** daría un error, no se puede sumar un texto con un numero o al menos que los concatenes y así puedas crear una línea de texto utilizando str() delante del número.




The screenshot shows the same VS Code editor with the file 'Tipos de datos.py'. The code in the editor is:

```
1 name = input("enter your name:")
2 last_name = input("enter your last name:")
3 age = input("enter you current age:")
4 age_in10years = age + 10
5 print(name + " " + last_name + " . She is " + age + "years old")
6 print(age + age_in10years)
```

The terminal output shows the first two runs were successful, but the third run resulted in a `TypeError`:


```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:maria
enter your last name:barboza
enter you current age:22
maria barboza . She is 22years old

MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:rosa
enter your last name:colman
enter you current age:45
Traceback (most recent call last):
  File "/Users/hugocolman/Tipos de datos.py", line 4, in <module>
    age_in10years = age + 10
TypeError: can only concatenate str (not "int") to str
MacBook-Neo:~ hugocolman$
```




```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
TypeError: can only concatenate str (not "set") to str
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:Anny
enter your last name:Colman
enter your current age:50
Anny Colman - She is 50 years old
Age in 10 years: 60
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:Anny
enter your last name:Colman
enter your current age:50
Anny Colman - She is 50 years old
Age in 10 years: 60
MacBook-Neo:~ hugocolman$
```

3. **List + list:** si se pueden sumar, ellas se concatenan y forman una nueva lista, los índices no se suman, solo se unen dentro de la misma lista [].



```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:annny
enter your last name:colman
enter your current age:ffff@gmail.com
Traceback (most recent call last):
  File "/Users/hugocolman/Tipos de datos.py", line 3, in <module>
    student_age = int(input("enter your current age:"))
ValueError: invalid literal for int() with base 10: 'ffff@gmail.com'
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
enter your name:Ann
enter your last name:Colman
enter your current age:25
enter your email:anncolman@gmail.com
enter your current address:New York
[ 'Maths', 'Chemistry', 'Biology', 'History', 20, 15, 18, 12 ]
MacBook-Neo:~ hugocolman$
```

4. **String + List:** esto daría un error, debes convertir la lista en un string usando `str()`, para poder concatenarlos y sumarlos.




The screenshot shows a VS Code editor window with a file named `Tipos de datos.py`. The code in the editor is as follows:

```
1 student_name = input("enter your name:")
2 student_last_name = input("enter your last name:")
3 student_age = int(input("enter you current age:"))
4 email = input("enter your email:")
5 address = input("enter your current address:")
6 current_grades = ["Maths", "Chemistry", "Biology", "History"]
7 other_subjects = ("Spanish", "Geography", "English")
8 print(str(current_grades) + " " + other_subjects)
```

The terminal output shows the script being executed twice. In the first run, the user enters 'Anny', 'Colman', '30', 'ahnnycolman@gmail.com', and 'New York'. The output is: `['Maths', 'Chemistry', 'Biology', 'History']Spanish , Geography , English`. In the second run, the user enters 'Anny', 'Colman', '27', 'ddddd@gmail.com', and 'New York'. The output is: `['Maths', 'Chemistry', 'Biology', 'History'] Spanish , Geography , English`.

5. **Float + int:** si se puede efectuar una suma de un numero entero con un decimal.



The screenshot shows a VS Code editor window with a file named `Tipos de datos.py`. The code in the editor is as follows:


```
1 student_name = input("Enter your name: ")
2 student_last_name = input("Enter your last name: ")
3 student_age = int(input("Enter your current age: "))
4 email = input("Enter your email: ")
5
6 current_grades = int(input("Enter the current grade: "))
7
8 other_subjects = float(input("Enter the grade for other subjects: "))
9
10 print(student_name, student_last_name, str(student_age) + "years old", email)
11 print("Total grades:", current_grades + other_subjects)
```

The terminal output shows the script being executed twice. In the first run, the user enters 'Rosa', 'Colman', '22', 'rosacolman@gmail.com', '14', and '17.5'. The output is: `Rosa Colman 22years old rosacolman@gmail.com` and `Total grades: 31.5`. In the second run, the user enters 'Rosa', 'Colman', '22', 'rosacolman@gmail.com', '14', and '17.5'. The output is: `Rosa Colman 22years old rosacolman@gmail.com` and `Total grades: 31.5`.

The terminal also shows a traceback error:

```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
Traceback (most recent call last):
  File "/Users/hugocolman/Tipos de datos.py", line 10, in <module>
    print(student_name, student_last_name, str(student_age) + "years old", email)
TypeError: unsupported operand type(s) for +: 'int' and 'str'
```

6. **Bool + bool:** los booleanos se reconocen en Python como 0 si es False y 1 si es True. La operación matemática se realiza y el resultado será la suma de los True y False en el caso dado como el siguiente ejemplo.



The screenshot shows a Visual Studio Code editor window with a file named 'Tipos de datos.py'. The code in the editor is:

```
1 count = (5 > 2) + (10 < 3) + (7 == 7)
2
3 print(count)
```

Below the editor, the 'TERMINAL' panel shows the execution of the script using Python 3.14.4. The output is:

```
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
print(student_name, student_last_name, student_age + "years old", email)
TypeError: unsupported operand type(s) for +: 'int' and 'str'
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
Enter your name: Rosa
Enter your last name: Colman
Enter your current age: 22
Enter your email: rosacolmann@gmail.com
Enter the current grade: 14
Enter the grade for other subjects: 17.5
Rosa Colman 22years old rosacolmann@gmail.com
Total grades: 31.5
MacBook-Neo:~ hugocolman$ /usr/local/bin/python3 "/Users/hugocolman/Tipos de datos.py"
2
MacBook-Neo:~ hugocolman$
```

The terminal output shows a runtime error when trying to concatenate an integer and a string. After correcting the code to use string formatting, the program runs successfully, displaying the student's information and the total of the grades.