UHL- gge-off. pdf / gge. off. exceptions Duplicate Portner key Exception -celinal >7 wiel lervier UID: long = 202109091821L FileOpentalled Eccaption - « final >> revial/ternanVID: lang = 202109091821L Invalid Date Facartion - cc find >> wid Vernion VID: long = 20210909 1821L Unavoilable Product Exception - (c final >> revise Kernen VID: long = 202109091821L unercolable lostrurkey Exception - (c final >> period Kermer VID: long = 202109071821L UnknownBrodutKryEccoption - << final >> varial Kermon VID: long = 202109091821L Unknown Levelelal Exception -cc find >> reviel Vermon UID: long= 202109091821L Unknown Service Type For explion - << find, resid Vernier VID: long = 202109091821 L Unknown Tromoelienky Freezhion - cefinel >> resial Kernier UID: long= 20210 909 1801 L Command toeseption of

« interface >> Hersage ile let Found (): String file Not Eound (filmomo: String): String problem Opening tile (filename: String): String unknowlastner key (key: String) = String duplicate Portner Key (Key: String): Thing unknown Broductkey ( Key: String): String unevoilable (key: string, requester : int, socialis int). Irin unknowntroniation key ( key: int ): String + duplicate Townselion key ( key: int): String unknown Lervice Type (type: String): String unknown Servicelevel ( lovel: string): string + involidate (date int): String

A seintineire des interferen Menage, Brompt e label mas é mecessarios poir mos apresentem subsensios estrutural ao VML

Menu

Label

Title: String = "Consultar

PRODUCTS\_BY\_PARTNER: String="Breduter compression for pronocino"

PRODUCTS\_UNDER\_PRICE: String="Breduter compression Abaios de Limite"

PAID\_BY-PARTNER: String="Exclusion proper pron pareceiro"

PAID\_LATE: String="Footwar Pagar com Atrayo"

PARTNERS\_BY-PRODUCT: String="Pareciron que Compress um Broduto"

Workhouse Kenoger

Do Look up Broduet Bateler Under Triven Bries

Robothy Payments By Partner

pt. teenies. uillo menus. Menu

Perompt

product key (): String

portner key (): String

transaction key (): String

price limit (): String

delay (): String

Command Execution (- Ibrary


Through

Woodhoux Honoger: day)

D Command -----

Do Advonce Date	<pre> // Interface &gt;&gt;  Menage  ewount Date (date: int): Strung  ewount Balance (available: deable, accountant: baille): Thing  // interface &gt;&gt;  Ponompt  grentile (): String  for A (): String </pre>	Contentaco>> Label  TITLE: String = "Henre Brinepal"  OPEN: String = "Alorin"  SAVE: String = "Emander"  SHOW_DATE: String = "Hortran Rato"  ADVANCE_DATE: String = "Avonegar Date"  OPEN_HENU_PRODUCTS: String = "betão de Brodutor"  OPEN_HENU_PARTNERS: String = "betão de Boreuror"
Do Shoud blobal Bolones  + «find >> perente (): resid  Command [ word burklenagen: Jan! ]  Command Easeaphion  (- Thinks)	neverland : String noveReferetxil(): String daystoAdroence(): String	OPEN_HENU_TRANSACTIONS: String = "testio de Tronsacque"  OPEN_HENU_LOCKUPS: String = "Menu de Consultor"  SHOW_BALANCE: String = "Kn Soldo Global"  Menu -> pt. Teenier. Mills. manun. Yonu  Wordboure Hanager

UML- gge - opp. pdf / gge. opp. posts	en)
DeRegister Partner + mercute (): void	<< solvenie >> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
DoshowAll Routners  + besente (1: vous)    DoshowFortner    DoshowFortner Aequintions  + secente (): void    DoshowFortner Aequintions  + secente (): void    DoshowFortner Soles  + coecente (1: void	TITLE: String = "Gertoo de Roneeiro"  SHOW_PARTNER: String = "Hortran Roneeiro"  SHOW_ALL_PARTNERS: String = "Mortran Roneeiro"  REGISTER_PARTNER: String = "Register Coreciro"  TOBGLE-PRODUCT-NOTIFICATIONS: String = "Activo/desoctivos motificações do um produto"  SHOW-PARTNER_ACQUISITIONS: String = "Mortran comprendem preneziro"  SHOW-PARTNER_SALES: String = "Mortran coendas (e desagregações) com pareceiro"
Deteggle Pereduct Notifications	(zintenface>>> Merrage
Henry -> M. teeniso. vilib. menus.	Prompt  portnerkey (): String  portner Name (): String
	portner Address (): String product key (): String



UML-gge-oph. hal gge opp. transactions	A (
Dohreeine layment	, << interface >>
Do Register Acquisition Transaction  + co find >> execute (): rooid  To Register Break do non Transaction  + co find >> execute (): rooid  Do Register Sale Transaction  + co find >> execute (): rooid  Do Show Transaction	TITLE: String = "Eartoo de Tronsações"  SHOW_TRANSACTION: String = "Limbiger"  REGISTER_BREAKDOWN_TRANSACTION: String = "Register desagregação"  REGISTER_SALE_TRANSACTION: String = "Register venda"  REGISTER_ACQVISITION_TRANSACTION: String = "Register compre"  RECEIVE_PAYMENT: String = "Receber o pagamento de venda"    < interpage >>   « interpage >>     « interpage >>     « interpage >>     « interpage >>     « interpage >>     « interpage >>     « interpage >>     « interpage >>
+ cc final >> 2 secente (): roorid  [ Command Taeception ]	product Key(): String partner Key(): String transaction Key(): String payment Decodline (): Strung
- Menu - pt. teeniss. uilib. menus. Hen  Wosehoure Honoger	Menu Menu (): String addRecipe (): String mumber Of Components (): String

Declaro por minhe honra que este diagrame foi realizado apenas pelos elementos que constituem o grupo do projeto - Hugo Silva (99235)

Destaro for minha homa que ele diagrama foi realizado aperar pelos elementes que constituem o sarro de trojeto. - Tedro Harindo (99299)