

Model Analysis

Table of contents

1	Data analysis /Dataframe import and filters	2
1.1	DataFrame import and filters	2
1.2	Metadata	4
2	Model(s) analysis	5
2.1	Explanation legend tables	5
2.2	Repartition of train and test	5
2.2.1	External Split: X_train vs X_test	5
2.2.2	Internal CV Folds	6
2.3	Model : MLP	8
2.3.1	Gridsearch	8
2.3.2	Scatter	15
2.3.3	Scatter residuals	16
2.3.4	Learning curve	16
2.4	Sumup-table	17
3	Plot	17
3.1	Standalone plots	17
3.1.1	Group: campaign: 2025_Jun,id_rabbit: 1,id_channel: 3	17
3.1.2	Group: campaign: 2025_Jun,id_rabbit: 2,id_channel: 11	19
3.1.3	Group: campaign: 2025_Jun,id_rabbit: 4,id_channel: 5	20
3.1.4	Group: campaign: 2025_Jun,id_rabbit: 6,id_channel: 4	21
3.1.5	Group: campaign: 2025_Sep,id_rabbit: 2,id_channel: 11	23
3.1.6	Group: campaign: 2025_Sep,id_rabbit: 3,id_channel: 4	24
3.1.7	Group: campaign: 2025_Sep,id_rabbit: 4,id_channel: 5	25
3.1.8	Group: campaign: 2025_Sep,id_rabbit: 6,id_channel: 3	27
3.2	Compare plots	28
3.2.1	Group: campaign: 2025_Jun,id_rabbit: 1,id_channel: 3	28
3.2.2	Group: campaign: 2025_Jun,id_rabbit: 2,id_channel: 11	29
3.2.3	Group: campaign: 2025_Jun,id_rabbit: 4,id_channel: 5	31

3.2.4	Group: campaign: 2025_Jun,id_rabbit: 6,id_channel: 4	32
3.2.5	Group: campaign: 2025_Sep,id_rabbit: 2,id_channel: 11	33
3.2.6	Group: campaign: 2025_Sep,id_rabbit: 3,id_channel: 4	35
3.2.7	Group: campaign: 2025_Sep,id_rabbit: 4,id_channel: 5	36
3.2.8	Group: campaign: 2025_Sep,id_rabbit: 6,id_channel: 3	37

1 Data analysis /Dataframe import and filters

1.1 DataFrame import and filters

The data has been imported with the following(s) function(s):

```
def build_df():
    if flag_IR:
        df, features_engineered = import_data_IR()
        if flag_IR_maskP:
            df = mask_period_IR(df)
        if flag_IR_balR:
            df = mask_balanceHC_random_IR(df, n_samples=None)
    if flag_ER:
        df, features_engineered = import_data_ER()

    cols_to_check = target_col + features_X
    mask = np.isfinite(df[cols_to_check]).all(axis=1)
    df = df[mask]

    cols = list(dict.fromkeys(target_col + features_X +
                              feats_to_balance + feats_grouping +
                              feats_reference+ feats_postproc))

    df = df[cols]
    #df['campaign'] = "ALL"

    return df
```

```
def import_data_IR():
    if target_col[0] == "i_NH3":
        #file_path = "csv/innova/switched/df_signal_decomposition_NH3_current_db2.csv"
        file_path = "csv/innova/notswitched/df_signal_decomposition_current.csv"
    elif target_col[0] == "i_CO2":
        file_path = "csv/innova/switched/df_signal_decomposition_CO2_current.csv"
```

```

else:
    raise ValueError("Target is not supported")

df = pd.read_csv(file_path, sep=";")
df["datetime"] = pd.to_datetime(df["datetime"])
df.sort_values("datetime").reset_index(drop=True)

if target_col[0] == "i_NH3":
    df["campaign"] = df["datetime"].apply(assign_campaign)
    df = df[df["campaign"] != "other"].copy()
    df["innova_point"] = df.apply(assign_innova_point, axis=1)
    df = df[df["innova_point"] != "no"].copy()
    with open("csv/innova/notswitched/features_decomposition_list.json", "r") as f:
        dict_features = json.load(f)
elif target_col[0] == "i_CO2":
    df["campaign"] = df["datetime"].apply(assign_campaign_iCO2)
    df = df[df["campaign"] != "other"].copy()
    df["innova_point"] = df.apply(assign_innova_point_iCO2, axis=1)
    df = df[df["innova_point"] != "no"].copy()
    with open("csv/innova/switched/features_decomposition_CO2_list.json", "r") as f:
        dict_features = json.load(f)
else:
    raise ValueError("The target col do not match any existing function")

df["hot"] = df.apply(assign_hot_season,axis=1)
df["umidity_range"] = df.apply(assign_humidity, axis = 1)
#Removing of rabbit 4
df["column"] = df.apply(assign_colonna, axis = 1)
df['height'] = df.apply(assign_altezza, axis = 1)

return df,dict_features

```

```

def assign_innova_point(row):
    camp = row["campaign"]
    rid = row["id_rabbit"]

    # if camp == "2025_Jun":
    #     mapping = {2: "sl11", 4: "sl5", 6: "sl4", 1: "sl3", 5: "no"}
    # elif camp == "2025_Sep":

```

```

# mapping = {2: "sl11", 4: "sl5", 3: "sl4", 6: "sl3", 5: "no"}
if camp == "2025_Apr":
    #mapping = {1: "no", 2: "no", 4: "no", 6: "sl5"}
    #mapping = {1: "no", 2: "sl5", 4: "no", 6: "sl5"}
    mapping = {1: "no", 2: "no", 4: "no", 6: "no"}
elif camp == "2025_Jun":
    mapping = {2: "sl11", 4: "sl5", 1: "sl3", 6: "sl4", 5: "no"}
    #mapping = {2: "sl11", 4: "no", 1: "sl4", 6: "sl3", 5: "no"}
elif camp == "2025_Sep":
    mapping = {2: "sl11", 4: "sl5", 6: "sl3", 3: "sl4", 5: "no"}
    #mapping = {2: "sl11", 4: "no", 6: "sl4", 3: "sl3", 5: "no"}
elif camp == "2026_Gen":
    #mapping = {1: "no", 4: "no", 5: "sl11", 6: "no"}
    #mapping = {1: "sl11", 4: "no", 5: "sl11", 6: "sl11"}
    mapping = {1: "no", 4: "no", 5: "no", 6: "no"}
else:
    mapping = {}

return mapping.get(rid, "no")

```

Function print :

1.2 Metadata

Nombre de lignes df	8168
Nombre de lignes df clean	8168
Nombre de features	5
% de NaN	0.0
Taille dataset entraînement	5717
Taille dataset test	2450
Métrique utilisée	r2

Column target : i_NH3

Features_X : r_NH3, r_temperature, r_umidity, r_CO2, r_THI

feats_to_balance :

feats_grouping :

feats_postproc : datetime, id_channel, id_rabbit, campaign

`feats_ref` :

`id_cols` : campaign

2 Model(s) analysis

2.1 Explanation legend tables

Columns

- rank: ranking regarding cross validation test
- train_cv: mean score train of the CV
- test_cv: mean score test of the CV
- test: score on the testing dataset
- diff: test-test_cv
- r_test: test/test_cv
- r_train: train_cv/test_cv

Colors:

[Orange] $r_{\text{test}} < 0.95$ (under performance of the test)


[Green] $r_{\text{test}} > 1.05$ (over performance of the test)

[Red] r_{train} not in $[0.95, 1.05]$ (gap between train/test)

2.2 Repartition of train and test

2.2.1 External Split: X_{train} vs X_{test}


External Split: Train: 5717 samples Test: 2451 samples



2.2.2 Internal CV Folds


Fold 1/5

Train: 4001 samples Test: 1716 samples Excluded: 0 samples Window exclusion: 0h




Fold 2/5

Train: 4001 samples Test: 1716 samples Excluded: 0 samples Window exclusion: 0h




Fold 3/5

Train: 4001 samples Test: 1716 samples Excluded: 0 samples Window exclusion: 0h




Fold 4/5

Train: 4001 samples Test: 1716 samples Excluded: 0 samples Window exclusion: 0h



Fold 5/5

Train: 4001 samples Test: 1716 samples Excluded: 0 samples Window exclusion: 0h



2.3 Model : MLP

2.3.1 Gridsearch

Distribution y_{train} vs y_{test} : y_{train} : mean=2.339, std=0.798, min=0.959, max=13.845
 y_{test} : mean=2.374, std=0.786, min=1.071, max=7.277

C:\Users\titou\anaconda3\Lib\site-packages\sklearn\normalization_multilayer_perceptron.py:

Stochastic Optimizer: Maximum iterations (500) reached and the optimization hasn't converged

[illegible]

C:\Users\titou\anaconda3\Lib\site-packages\sklearn\neural_network_multilayer_perceptron.py:

Stochastic Optimizer: Maximum iterations (500) reached and the optimization hasn't converged


C:\Users\titou\anaconda3\Lib\site-packages\sklearn\neural_network_multilayer_perceptron.py:


Stochastic Optimizer: Maximum iterations (200) reached and the optimization hasn't converged

C:\Users\titou\anaconda3\Lib\site-packages\sklearn\neural_network_multilayer_perceptron.py:


Stochastic Optimizer: Maximum iterations (200) reached and the optimization hasn't converged



NO Feature importances






Paramètres avec >5% d'importance : ['alpha', 'batch_size', 'n_layers', 'activation']








C:\Users\titou\Desktop\UNICT\1- Gas sensor calibration\Python\machine_learning\workflow_main

The default value of observed=False is deprecated and will change to observed=True in a future



rank	mean_train_cv	mean_test_cv	test_score_cv	std_test_cv	penalized_score	test	diff	r_test	r_train
1	0.5072	0.4839	0.497	0.0541	0.4839	0.4177	-0.0662	0.8631	1.0482
2	0.491	0.475	0.4845	0.0475	0.475	0.4708	-0.0043	0.991	1.0336
3	0.478	0.4619	0.4762	0.0331	0.4619	0.4784	0.0165	1.0357	1.0348
4	0.4374	0.4303	0.4292	0.0335	0.4303	0.4314	0.0012	1.0027	1.0167
5	0.4367	0.4273	0.4309	0.0455	0.4273	0.4822	0.0549	1.1284	1.022
6	0.4299	0.4266	0.4272	0.0353	0.4266	0.4281	0.0016	1.0037	1.0079
7	0.4125	0.4177	0.4149	0.0386	0.4177	0.4112	-0.0064	0.9846	0.9877
8	0.4181	0.413	0.4147	0.0332	0.413	0.4075	-0.0055	0.9867	1.0123
9	0.4108	0.4119	0.4112	0.0385	0.4119	0.4174	0.0055	1.0133	0.9974
10	0.4086	0.41	0.4027	0.038	0.41	0.5204	0.1105	1.2695	0.9968
---	---	---	---	---	---	---	---	---	---
70	0.629	0.5382	0.569	0.0264	0.2657	0.5173	-0.0209	0.9612	1.1688

Hyperparameters:

Rank 1: {'reg__activation': 'tanh', 'reg__alpha': 0.0006941338283062068, 'reg__learning_rate_init': 0.0005307791416415904, 'reg__batch_size': 64}

Rank 2: {'reg__activation': 'tanh', 'reg__alpha': 0.0004969976848046628, 'reg__learning_rate_init': 0.005125463387311792, 'reg__batch_size': 64}

Rank 3: {'reg__activation': 'tanh', 'reg__alpha': 0.0031633849354171504, 'reg__learning_rate_init': 0.006339228166069779, 'reg__batch_size': 32}

Rank 4: {'reg__activation': 'relu', 'reg__alpha': 0.15983385811626788, 'reg__learning_rate_init': 0.0001919878205482349, 'reg__batch_size': 128}

Rank 5: {'reg__activation': 'relu', 'reg__alpha': 0.06906623180530799, 'reg__learning_rate_init': 0.005816674103245855, 'reg__batch_size': 64}

Rank 6: {'reg__activation': 'relu', 'reg__alpha': 0.032201704227863996, 'reg__learning_rate_init': 0.00010622212838411986, 'reg__batch_size': 64}


Rank 7: {'reg__activation': 'tanh', 'reg__alpha': 0.008614489474700901, 'reg__learning_rate_init': 0.00021201205315017694, 'reg__batch_size': 128}

Rank 8: {'reg__activation': 'tanh', 'reg__alpha': 0.03339549172747208, 'reg__learning_rate_init': 0.002024870789775291, 'reg__batch_size': 32}


Rank 9: {'reg__activation': 'tanh', 'reg__alpha': 0.00013571113191693517, 'reg__learning_rate_init': 0.0006373409753084357, 'reg__batch_size': 128}

Rank 10: {'reg__activation': 'relu', 'reg__alpha': 0.00014262903016454192, 'reg__learning_rate_init': 0.0017347443389893768, 'reg__batch_size': 128}

2.3.2 Scatter




2.3.3 Scatter residuals



2.3.4 Learning curve

`Len(group)` : 8168, `Len(training)` : 5718,

`Len(training_real)` : 4003, `Len(test_of_training)` : 1715, `Len(test)` : 2450



2.4 Sumup-table

model	mean_train_cv	mean_test_cv	test_cv	std_test_cv	pen_score	test	diff	r_test	r_train
MLP	0.507	0.484	0.497	0.054	0.4839	0.418	-0.066	0.863	1.048


3 Plot

3.1 Standalone plots

3.1.1 Group: campaign: 2025_Jun,id_rabbit: 1,id_channel: 3


3.1.1.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-18 → 2025-06-19




3.1.1.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-17 → 2025-06-19



3.1.1.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-12 → 2025-06-19



3.1.2 Group: campaign: 2025_Jun,id_rabbit: 2,id_channel: 11


3.1.2.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-18 → 2025-06-19




3.1.2.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-17 → 2025-06-19



3.1.2.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-12 → 2025-06-19



3.1.3 Group: campaign: 2025_Jun,id_rabbit: 4,id_channel: 5


3.1.3.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-18 → 2025-06-19




3.1.3.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-17 → 2025-06-19



3.1.3.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-12 → 2025-06-19



3.1.4 Group: campaign: 2025_Jun,id_rabbit: 6,id_channel: 4


3.1.4.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-18 → 2025-06-19




3.1.4.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-17 → 2025-06-19



3.1.4.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-12 → 2025-06-19



3.1.5 Group: campaign: 2025_Sep,id_rabbit: 2,id_channel: 11


3.1.5.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-23 → 2025-09-24




3.1.5.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-22 → 2025-09-24



3.1.5.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-11 → 2025-09-24



3.1.6 Group: campaign: 2025_Sep,id_rabbit: 3,id_channel: 4


3.1.6.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-14 → 2025-09-15




3.1.6.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-13 → 2025-09-15



3.1.6.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-11 → 2025-09-15



3.1.7 Group: campaign: 2025_Sep,id_rabbit: 4,id_channel: 5


3.1.7.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-23 → 2025-09-24




3.1.7.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-22 → 2025-09-24



3.1.7.3 Time window : ALL


NH3 | Model : MLP | Time window : ALL | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-11 → 2025-09-24



3.1.8 Group: campaign: 2025_Sep,id_rabbit: 6,id_channel: 3


3.1.8.1 Time window : 24

NH3 | Model : MLP | Time window : 24h | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-14 → 2025-09-15




3.1.8.2 Time window : 48

NH3 | Model : MLP | Time window : 48h | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-13 → 2025-09-15



3.1.8.3 Time window : ALL

NH3 | Model : MLP | Time window : ALL | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-11 → 2025-09-15




3.2 Compare plots

3.2.1 Group: campaign: 2025_Jun,id_rabbit: 1,id_channel: 3


3.2.1.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-18 → 2025-06-19




3.2.1.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-17 → 2025-06-19



3.2.1.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Jun | id_rabbit: 1 | id_channel: 3 | 2025-06-12 → 2025-06-19



3.2.2 Group: campaign: 2025_Jun,id_rabbit: 2,id_channel: 11


3.2.2.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-18 → 2025-06-19




3.2.2.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-17 → 2025-06-19



3.2.2.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Jun | id_rabbit: 2 | id_channel: 11 | 2025-06-12 → 2025-06-19



3.2.3 Group: campaign: 2025_Jun,id_rabbit: 4,id_channel: 5


3.2.3.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-18 → 2025-06-19




3.2.3.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-17 → 2025-06-19



3.2.3.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Jun | id_rabbit: 4 | id_channel: 5 | 2025-06-12 → 2025-06-19



3.2.4 Group: campaign: 2025_Jun,id_rabbit: 6,id_channel: 4


3.2.4.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-18 → 2025-06-19




3.2.4.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-17 → 2025-06-19



3.2.4.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Jun | id_rabbit: 6 | id_channel: 4 | 2025-06-12 → 2025-06-19



3.2.5 Group: campaign: 2025_Sep,id_rabbit: 2,id_channel: 11


3.2.5.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-23 → 2025-09-24




3.2.5.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-22 → 2025-09-24



3.2.5.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Sep | id_rabbit: 2 | id_channel: 11 | 2025-09-11 → 2025-09-24



3.2.6 Group: campaign: 2025_Sep,id_rabbit: 3,id_channel: 4


3.2.6.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-14 → 2025-09-15




3.2.6.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-13 → 2025-09-15



3.2.6.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Sep | id_rabbit: 3 | id_channel: 4 | 2025-09-11 → 2025-09-15



3.2.7 Group: campaign: 2025_Sep,id_rabbit: 4,id_channel: 5


3.2.7.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-23 → 2025-09-24




3.2.7.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-22 → 2025-09-24



3.2.7.3 Time window : ALL


NH3 | Model : ALL | Time window : ALL | campaign: 2025_Sep | id_rabbit: 4 | id_channel: 5 | 2025-09-11 → 2025-09-24



3.2.8 Group: campaign: 2025_Sep,id_rabbit: 6,id_channel: 3


3.2.8.1 Time window : 24

NH3 | Model : ALL | Time window : 24h | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-14 → 2025-09-15



3.2.8.2 Time window : 48

NH3 | Model : ALL | Time window : 48h | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-13 → 2025-09-15



3.2.8.3 Time window : ALL

NH3 | Model : ALL | Time window : ALL | campaign: 2025_Sep | id_rabbit: 6 | id_channel: 3 | 2025-09-11 → 2025-09-15

