

Note: Page numbers followed by *f* indicate figures and *t* indicate tables.

A

A posteriori variance, 63
A priori constraint, 61, 237–238, 272
A priori distributions, 175–177
 maximum likelihood methods, 92–97
A priori equations, 61
A priori information, 52–53, 55–56
 length as, 56–60
 model parameters, 93*f*, 94*f*, 95*f*, 99*f*, 100*f*, 134–135
 variance, 107–108
 model vector, 57
 nonunique averaging vectors, 119–121
 smoothness, 59
 types of, 60–63
A priori probability density function, 94, 96
 joint, 98*f*
 value of, 177*f*
A priori variance, 63
 Absolute value, 41*f*
 Absorption peaks, 9*f*
 Acoustic tomography, 6–7
 with deficient distribution of rays, 242*f*
 problems, 240–241
 resolution of, 87*f*
 success of, 241
 true image, 241*f*
 Acoustic travel time experiments, 51*f*
 Acoustic waves, 6*f*
 Adjoint, 216
 operator, 219
 Airgun signal, 236*f*
 Anderson, D. L., 268
 Anorthite, 195
 Approximate ray-steeping method, 240–241
 Armijo's rule, 180–181
 Asymptotes, 86*f*
 Atlantic Rock dataset, 193
 coefficients in, 194*f*

 singular value decomposition of, 198*f*
 singular values of, 193*f*
 Attenuation factor, 269–270
 Attenuation tomography, 270
 Autocorrelation, 235
 Auxiliary variable, 186
 Averages
 estimates and, 118–119
 global temperature, 4*f*

B

Backprojection, 219–222
 example, 222*f*
 Back-solving, 125
 Backus-Gilbert generalized inverse, 243
 for temperature distribution problem, 244*f*
 for underdetermined problem, 79–82
 Backus-Gilbert inverse problem, 207–209, 234
 Backus-Gilbert solutions, 82
 Dirichlet solution compared with, 82*f*
 trade-off curves in, 85*f*
 Backus-Gilbert spread function, 78–79
 Banana-doughnut kernel, 267
 Bayes Theorem, 29, 31–32
 Bayesian Inference, 33, 101
 bicg () function, 45
 Biconjugate gradient algorithm, 45, 59, 235–236, 240–241
 Blur, removing, 232*f*, 233*f*
 Boltzmann probability density function, 182–183
 Booker, J. R., 262–263
 Bootstrap confidence intervals, 185–186
 for model parameters, 187*f*
 Bootstrap method, 180
 Bordering method, 81–82
 Boundary conditions, 215–216
 Bounding values, 12
 nonunique averages of model parameters, 137

Bounds, 119
 finite, 152
 on weighted averages of model parameters, 120f
 Boxcar filters, 232f

C

Calculus, fundamental theorem of, 215–216
 Cameras, 231
 Cartesian unit vectors, 249
 Central limit theorem, 26–27
 Centroid, 264–265
 Certainty, 97–99
 Characteristic frequencies, 256
 Chave, A. D., 270–271
 Checkerboard test, 87
 Chemical elements, 189
 Chi-squared probability density function, 29
 Circular random variable, 279
 Cluster analysis, 199
 CMT. *See* Global Centroid Moment Tensor
 Coefficients, 194f
 Collinearity, 43
 Columns, 128
 Combining, 100–101
 probability density functions, 101
 Completely overdetermined problem, 154–155
 Completely underdetermined problems, 154
 Complex numbers, 278–280
 Computed tomography (CT), 7f
 Conditional distributions, 32
 Conditional probability density functions, 30–33
 example of, 32f
 inexact theory represented by, 101f
 Confidence intervals, 33–34
 estimates, 186
 Constant velocity structure, 257
 Constrained least squares problem, 127
 Constraints
 a priori, 61, 237–238, 272
 inequality, 120, 140–147
 least squares with, 144–145
 simplifying, 138–140
 Lagrange multiplier implementation of, 277–278
 linear equality, 139
 simplifying, 138–140
 linear inequality, 62–63, 139–140
 half-spaces in, 140f, 142f
 physicality, 194–199
 Continuous inverse problems
 differential equation and, 224f

 discrete problems as, 209–211
 linear, 210f
 solution of, 220f
 Continuous inverse theory, 3
 tomography and, 211–212
 Convolution, 234
 Correlated data, 19–21
 Covariance, 19–20. *See also* Variance
 of estimated model parameters, 134–135
 of generalized inverses, 74–75, 76–78
 overdetermined case, 76–77
 underdetermined case, 77
 goodness of resolution measures and, 75
 of least squares solution, 66
 matrix, 21, 105
 sample, 21
 size, 83–84
 Cross-correlation, 235, 266
 Crossover errors, 237
 adjustment of, 236–240
 satellite gravity data, 238f
 CT. *See* Computed tomography
 Cumulative distribution function, 16
 Curve fitting
 Gaussian, 250–252
 L_∞ norm, 160f
 L_1 norms, 156f
 nonlinear inverse problems
 gradient method for, 181f
 grid search for, 169f
 Monte Carlo search for, 171f
 simulated annealing for, 184f
 spectral, 9–10

D

Dalton, C. A., 270
 Damped least squares, 56, 238
 weighted, 58–60
 true model, 60f
 Damped minimum length, 78
 trade-off curves in, 85f
 Damping parameters, 238
 Data assimilation, 227
 Data kernels, 135f, 211, 225–226, 226f, 232
 spectrum of, 135–136
 Data spaces, 123
 Density function, 90f
 Derivatives
 approximations, 56
 computing, 44
 finite element, 254
 Fréchet, 218, 219–220, 268f, 269
 differential equations and, 222–227

- of error, 218–219
 - partial, 174
 - singular-value decomposition, 138
 - Determinants, Jacobian, 23
 - Deviation, 60
 - Diagonal elements, 238–239
 - Differential equations, 225–226
 - continuous inverse problems, 224f
 - Fréchet derivatives and, 222–227
 - Digital filter design, 234–236
 - Dirac delta function, 103, 211–212, 223
 - Dirichlet spread functions, 75
 - Backus-Gilbert solution compared with, 82f
 - generalized inverse and, 77–78
 - Discrete Fourier transforms, 214
 - Discrete inverse theory, 3
 - Discrete problems, 210
 - continuous inverse problems as, 209–211
 - Dispersion function, 268
 - Displacement, 264–265
 - Distributions
 - a priori*, 175–177
 - maximum likelihood methods, 92–97
 - conditional, 32
 - cumulative, function, 16
 - exponential, 150r
 - Fisher, 248f
 - Gaussian, 91, 151–152
 - area beneath, 150r
 - long-tailed, 42
 - normal, with zero mean, 27f
 - null, 102
 - for inexact non-Gaussian nonlinear theories, 184–185
 - of rays, 242f
 - temperature
 - Backus-Gilbert for, 244f
 - minimum length for, 244f
 - model for, 244f
 - one-dimensional, 241–244
 - univariate, 24f, 32
 - Dot products, 216
 - Double-difference method, 263–264
 - Dziewonski, A. M., 268
- E**
- Earthquakes, 50f
 - location, 252–256
 - example, 255f
 - velocity structure, 261–264
 - moment tensors of, 264–265
 - Eigenfrequencies, 256, 257, 267
 - Eigenfunctions, 267
 - Eigenvalues, 130, 191–192
 - decomposition, 137–138
 - variance and, 136–137
 - Eigenvectors, 130
 - with large singular values, 192
 - matrix of, 132
 - with nonzero singular values, 191
 - null, 137
 - singular-value decomposition, 194–195
 - Eikonal equation, 261–262
 - Ekström, G., 270
 - El Nino-Southern Oscillation, 202–204
 - Electromagnetic induction, 273
 - Ellipse, 65f
 - Empirical orthogonal function analysis, 199–204
 - image sequence, 204f
 - Entropy, 94–96
 - relative, 94–96
 - maximum, 108–109
 - minimum, 108–109
 - erf(), 242
 - Erosion, 190f
 - Error
 - crossover, 237
 - adjustment of, 236–240
 - satellite gravity data, 238f
 - Fréchet derivative of, 218–219
 - function, 242
 - gradient method and, 220f
 - maps, 63
 - in nonlinear inverse problems, 166–167
 - prediction, 41f, 131, 137–138, 139–140, 157
 - as function of model parameters, 168f
 - L2*, 167f
 - of least squares solution, 64–66
 - for lines through points, 50f
 - minimizing, 55–56, 146f
 - propagation, 25–26, 64
 - Estimates, 11
 - averages and, 118–119
 - confidence intervals, 186
 - lengths of, 39
 - of model parameters, 11, 21–22, 65f, 134, 249
 - covariance of, 134–135
 - variance of, 63–64
 - unbiased, 165
 - Euler vector, 271
 - Euler-Lagrange method, 109–110
 - Even-determined problems, least square, 52
 - Exact data, 107–108
 - Exact linear theory, 178–179
 - Exact theory, 107–108
 - maximum likelihood for, 97–100

Expected measurements, 17
 Expected value, 18
 Explicit form, 2
 Explicit linear inverse problem, 106
 Exponential distribution, 150*r*
 Exponential functions, 166*f*
 Exponential probability density functions,
 149–150, 246–248
 comparison of, 150*f*
 in *MatLab*, 150
 maximum likelihood estimate of mean of,
 151–153
 two-sided, 149

F

F ratio, 112
 Factors, 189
 analysis, 10–11, 189–194
 Q-mode, 199
 R-mode, 199
 loadings, 191, 194–195, 198–199, 200–201,
 201*f*
 matrix, 199
 mutually perpendicular, 196*f*
 Faults, 252–253
 fcdf () function, 112
 Feasible half-space, 140
 Fermat's Principle, 264
 filterfun () function, 235
 find () function, 186
 Finite bounds, 152
 Finite element derivatives, 254
 First order terms, 65–66
 Fisher distribution, 248*f*
 Fisher probability density function, 246–248
 Fitting
 curve
 Gaussian, 250–252
 L_∞ norm, 160*f*
 L_1 norms, 156*f*
 nonlinear inverse problems, 169*f*, 171*f*,
 181*f*, 184*f*
 spectral, 9–10
 least squares
 to exponential functions, 166*f*
 parabola, 47–48
 plane surface, 48–49
 of straight lines, 40*f*, 43–44, 62*f*, 65*f*, 74*f*
 Lorentzian curves, 250–252
 parabolas, 5
 least squares solution, 47–48
 straight lines, 4–5, 41*f*, 62–63

 constrained, 62–63
 L_∞ norm, 245–246
 L_1 norm, 245–246
 L_2 norm, 245–246
 least square, 40*f*, 43–44, 62*f*, 65*f*, 74*f*
 Flatness, 56–57
 Force-couples, 264–265
 Forcing, 226–227
 unknown, 227
 Forward transformations, 129
 Fosterite, 195
 Fourier slice theorem, 213–214
 Fourier transforms
 discrete, 214
 integral, 214
 Fréchet derivatives, 218, 219–220,
 268*f*, 269
 differential equations and, 222–227
 of error, 218–219
 Free oscillations, 267–269, 270
F-test, 111–112
 Functions. *See also specific functions*
 analysis, 199–204, 204*f*
 error, 242
 of random variables, 21–26
 two-dimensional, 202*f*
 Fundamental theorem of calculus, 215–216

G

Gap filling problem, 147
 Gaussian curve fitting, 250–252
 Gaussian data
 implicit nonlinear inverse problem with,
 175–180
 linear theory and, 172
 nonlinear theory and, 172–173
 Gaussian distribution, 91, 151–152
 area beneath, 150*r*
 Gaussian joint probability density
 function, 32*f*
 Gaussian multivariate probability density
 functions, 34
 Gaussian probability density functions, 26–29,
 36*f*, 97–99
 Gaussian random variables, 29
 Gaussian statistics
 assumption of, 29–30
 least squares and, 42
 Geiger, L., 254
 Geiger's method, 254, 261
 General linear Gaussian case, 104–107
 General linear problem, 153

Generalized inverse, 69
 Backus-Gilbert, 243
 for temperature distribution problem, 244f
 for underdetermined problem, 79–82
 covariance of, 74–75
 Dirichlet spread function and, 77–78
 with good resolution and covariance,
 76–78
 overdetermined case, 76–77
 underdetermined case, 77
 least squares, 74
 minimum length, 75
 natural, 133
 resolution of, 74–75
 singular-value decomposition, 132–138
 Geological Survey, U.S., 265
 Geomagnetism, 271–272
 Gilbert, F., 270
 Global Centroid Moment Tensor (CMT), 265
 Global minimum, 173f, 174f
 Global Positioning System, 271
 Gradient method, 180–181, 181f
 error and, 220f
 Gravity
 geomagnetism and, 271–272
 Newton's inverse square law of, 143f
 satellite, 238f
 vertical force of, 143f
 Green function integral, 215–216,
 223, 224
 Grid search, 167–170, 169f

H

Half-space
 feasible, 140
 infeasible, 140
 in linear inequality constraints,
 140f, 142f
 Handles, 45–46
 Hanson, D. J., 143
 Haxby, Bill, 238f
 Heating functions, 224
 Heaviside step function, 210, 217, 225
 Hermetian matrices, 279
 Hermetian transpose, 279
 High variance, 195
 hist () function, 186
 Histograms, 16f
 of random variables, 37f
 Householder transformation, 124–127, 280
 designing, 127–129
 Hyperplane, 123

Hypocenter, 252–253, 261
 Hypoinverse, 262

I

Identity matrix, 72
 Identity operators, 220
 Image enhancement problem, 231–234
 blur removal, 232f, 233f
 Image sequence, 203f
 empirical orthogonal functions, 204f
 Impedance, 273
 Implicit linear form, 2
 Implicit linear inverse problem, 106
 Implicit nonlinear inverse problem, with
 Gaussian data, 175–180
 Importance, 71
 Indefinite integrals, 221
 Index vectors, 84
 Inequality constraints, 120, 140–147
 least squares with, 144–145
 simplifying, 138–140
 Inexact non-Gaussian nonlinear theories,
 184–185
 Inexact theories
 conditional probability density function for,
 101f
 infinitely, 108
 maximum likelihood for, 100–102, 103f
 Infeasible half-space, 140
 Infinitely inexact theory, 108
 Information gain, 94–96
 Inner product, 216
 Integral equation theory, 3
 Integral Fourier transforms, 214
 Inverse problems, 150f
 Backus-Gilbert, 207–209, 234
 continuous
 differential equations, 224f
 discrete problems as, 209–211
 linear, 210f
 even-determined, 52
 explicit form, 2
 explicit linear, 3, 106
 formulating, 1–3
 acoustic tomography, 6–7
 examples, 4–5
 factor analysis, 10–11
 fitting parabola, 5
 fitting straight line, 4–5
 spectral curve fitting, 12
 X-ray imaging, 7–9
 implicit linear, 2, 106

Inverse problems (*Continued*)

- linear, 3–4
 - general, 153
 - L_2 prediction error in, 167*f*
 - least squares solution for, 44–46
 - least squares solution of, 44–46
- MatLab*, 232–233
- maximum likelihood methods, 92–108
 - a priori* distributions, 92–97
 - simplest case, 92
- mixed-determined, 52, 54–56
- natural solution to, 133
- nonlinear
 - curve-fitting, 169*f*, 171*f*, 181*f*, 184*f*
 - error in, 166–167
 - implicit, 175–180
 - likelihood in, 166–167
 - MatLab* for, 168–170
 - Newton's method, 171–175, 176*f*
- nonunique, 53
- overdetermination of, 43, 52
 - completely, 154–155
 - linear programming problem and, 158
 - Newton's method for, 180
- overdetermined, 126
 - bricks, 51–52
 - completely, 154–155
 - of inverse problems, 43
 - least square, 52
 - linear programming problems, 158
 - n generalized inverse, 76–77
 - Newton's method for, 180
- partitioning, 263
- premultiplying, 263
- purely underdetermined, 52–54
- simple, 116
- simple solutions, 53–54
- solutions to, 11–13
- underdetermined, 51–52
 - Backus-Gilbert generalized inverse and, 79–82
 - completely, 154
 - in generalized inverse, 77
 - model parameters, 121*f*
 - purely, 52–54

Inverse transformations, 129

Iterative formula, 179

Iterative method, 173*f***J**

Jacobian determinant, 23, 213

Jacobson, R. S., 270

Joint probability function, 32, 104*f*, 249**K**

Kepler's third law, 48

tests of, 48*f*

Knowledge, 1

Kronecker delta, 44, 256–257

Kuhn-Tucker theorem, 140–141, 142, 145

Kurile subduction zone, 50*f*, 250*f***L** L_∞ norms, 158–160curve fitting using, 160*f*

straight line fitting, 245–246

 L_1 norms, 149–150curve fitting using, 156*f*

solving, 153–157

straight line fitting, 245–246

 L_2 inverse theory, 278–280 L_2 norms, 40–42, 53–54, 92, 111, 126, 137–138

straight line fitting, 245–246

 L_2 prediction error, 167*f*

Lagrange function, 80–81

Lagrange multipliers, 54, 61, 80–81, 239–240, 249

equations, 178

graphical interpretation of, 278*f*

implementing constraints with, 277–278

Lamond-Doherty Earth Observatory, 238*f*

Lanczos, C., 138

Laplace transforms, 72, 82

Lawson, C. L., 143

Least squares, 156

constrained, Householder transformations and, 127

covariance of, 66

damped, 56, 238

weighted, 58–60, 60*f*

even-determined problems, 52

existence of, 49–52

filter, 235–236

fitting

to exponential functions, 166*f*

parabola, 47–48

plane surface, 48–49

of straight lines, 40*f*, 43–44, 62*f*, 65*f*, 74*f*

Gaussian statistics and, 42

generalized inverse and, 74

with inequality constraints, 144–145

linear inverse problem and, 44–46

matrix products required by, 46, 47–48

nonnegative, 141–143, 144–145

prediction error of, 64–66

simple, 179

for straight lines, 43–44

- undetermined problems, 51–52
- variance of, 64–66
- leastsquaresfcn () function, 45–46
- Length
 - as *a priori* information, 56–60
 - of estimates, 39
 - measures, 39–43
 - minimum, 243
 - damped, 78, 85*f*
 - trade-off curves in, 85*f*
 - generalized inverse, 75
 - for temperature distribution problem, 244*f*
 - preservation of, 124–127, 129–130
 - weighted minimum, 58
- Likelihood, 166–167
 - function, 90–91
 - surface, 91*f*
- Linear algebra, 81–82
- Linear continuous inverse problem, 210*f*
- Linear equality constraints, 139
 - simplifying, 138–140
- Linear equations, 231
- Linear inequality constraint, 62–63, 139–140
 - half-spaces in, 140*f*, 142*f*
- Linear inverse problem, 3–4
 - general, 153
 - L_2 prediction error in, 167*f*
 - least squares solution of, 44–46
- Linear operators, 220*f*
 - matrices and, 214–218
- Linear programming problem, 120, 154–155
 - for overdetermined case, 158
- Linear theory
 - exact, 178–179
 - Gaussian data and, 172
 - simple Gaussian case with, 102–104
- Linearizing transformations, 165–166
- Lines. *See also* Straight lines
 - through a single point, 50*f*
 - parallel, 214*f*
- linprog () function, 120–121
- Loading matrix, 191
- Local minimum, 174*f*
- Localized averages, 13, 78, 209
 - with large error bounds, 209
 - of model parameters, 117
- Log-normal probability density function, 165
- Long-tailed distributions, 42
- Long-tailed probability density function, 42*f*
- Loops, 197–198
- Lorentzian curves, 9*f*
 - fitting, 250–252
- Lower hemisphere stereonet, 250*f*

M

- Magma chambers, 215*f*
- Magnetotelluric method, 273
- Mapping function, 270–271
- Martinson, D. G., 270–271
- Masters, G., 270
- MatLab, 9, 16–17, 159–160, 174–175
 - command plots, 193–194
 - expected value in, 18
 - exponential probability density function in, 150
 - inverse problem in, 232–233
 - least squares with inequality constraints in, 144–145
 - for loops, 197–198
 - Metropolis-Hastings algorithm for, 183–184
 - nonlinear problems, 168–170
 - nonnegative least squares implemented in, 143
 - probability computation in, 30
 - resampling in, 186
 - singular-value decomposition in, 134, 192
 - variance in, 18
- Matrices
 - columns of, 128
 - covariance, 21, 105
 - equation, bordering method for, 81–82
 - factor, 199
 - Hermetian, 279
 - linear operators and, 214–218
 - loading, 191
 - model resolution, 72, 258
 - in resolution computation, 86
 - selected rows of, 73*f*
 - multiplication, 233
 - norms, 43
 - notation, 45
 - null, 133
 - partial derivatives, 174
 - products, 46, 47–48
 - resolution, 79*f*
 - data, 69–71, 71*f*
 - deltalike, 79
 - relationships to, 117–118
 - spikiness of, 234
 - roughness, 59
 - rows of, 128
 - sample, 191, 194, 199
 - steepness, 56–57
 - Toeplitz, 235
 - transformation, 123
 - unary, 195–196
 - unit covariance, 72–74
 - unit data covariance, 72–73

- Maximum likelihood methods, 17, 183
 - for exact theories, 97–100
 - for inexact theories, 100–102, 103*f*
 - inverse problem, 92–108
 - a priori* distributions, 92–97
 - simplest case, 92
 - of mean of exponential probability density function, 151–153
 - mean of measurement groups, 89–91
 - of probability density functions, 17*f*
 - Maximum Relative Entropy, 108–109
 - M*-dimensional space, 124*f*
 - Mean, 17
 - of exponential probability density function, 151–153
 - of measurement groups, 89–91
 - sample, 18
 - of unit vector sets, 246–250
 - zero, 27*f*
 - Meaningful, 1
 - Measures of length, 39–43
 - Median, 151–152
 - Menke, J., 138
 - Menke, W., 138
 - Metropolis-Hastings algorithm, 35–36, 182–183
 - in *MatLab*, 183–184
 - Minimum length, 243
 - damped, 78
 - trade-off curves in, 85*f*
 - generalized inverse, 75
 - solution, 60
 - for temperature distribution problem, 244*f*
 - Minimum Relative Entropy, 108–109
 - Mixed-determined problems, 52, 54–56
 - vector spaces and, 130–131
 - Mixtures, 189, 199–200
 - Model, 1
 - one-dimensional, 221*f*
 - regionalized, 262
 - three-dimensional, 262
 - two-dimensional, 262
 - vector spaces, 123
 - Model parameters, 1
 - a priori* information, 93*f*, 94*f*, 95*f*, 99*f*, 100*f*, 134–135
 - bootstrap confidence intervals, 187*f*
 - estimates of, 11, 21–22, 65*f*, 134, 249
 - covariance of, 134–135
 - variance of, 63–64
 - localized averages of, 117
 - Newton's method, 187*f*
 - parameterization and, 150–151
 - prediction error as function of, 168*f*
 - probability density functions, 93*f*, 94*f*
 - representation of, 124*f*
 - resolution of, 73*f*
 - sets of realizations of, 13
 - sorting, 54–55
 - true, 21–22
 - underdetermined problems, 121*f*
 - unpartitioned, 55–56
 - vector, 86
 - weighted averages, 13
 - bounds on, 120*f*
 - Model resolution
 - matrix, 72, 258
 - in resolution computation, 86
 - selected rows of, 73*f*
 - natural generalized inverse, 134
 - Model spaces, 123
 - Model vector, *a priori*, 57
 - Modes, 256–257
 - Moment tensors of earthquakes, 264–265
 - Monte Carlo search, 170–171
 - for nonlinear curve-fitting problem, 171*f*
 - undirected, 181
 - Mossbauer spectroscopy, 9*f*, 252*f*
 - Mountain profiles, 200*f*, 201*f*
 - Mutually perpendicular factors, 196*f*
- ## N
- Natural generalized inverse, 133
 - model resolution of, 134
 - Negative off-diagonal elements, 78
 - Neighborhoods, 13
 - Newtonian heat flow equation, 223
 - Newton's inverse square law of gravity, 143*f*
 - Newton's method
 - model parameters using, 187*f*
 - for nonlinear inverse problem, 171–175
 - curve-fitting, 176*f*
 - for overdetermined problems, 180
 - Nonlinear explicit equations, 10
 - Nonlinear inverse problems
 - complicated surfaces and, 178*f*
 - curve-fitting
 - gradient method for, 181*f*
 - grid search for, 169*f*
 - Monte Carlo search for, 171*f*
 - simulated annealing for, 184*f*
 - error in, 166–167
 - implicit, with Gaussian data, 175–180

likelihood in, 166–167
MatLab for, 168–170
 Newton's method, 171–175
 curve-fitting, 176f
 Nonlinear theory, 172–173
 Nonnegative least squares, 141–143, 144–145
 in *MatLab*, 143
 Nonspiky orthogonal vectors, 196–197
 Nonuniform variance, 112
 Nonunique averaging vectors
 a priori information, 119–121
 bounding, 137
 Nonunique inverse problem, 53
 Nonuniqueness, null vectors and, 115–116
 Normal distribution with zero mean, 27f
 Normal probability density function, 28f
 Normalization, 194–199
 norminv () function, 32
 Norms, 40
 L_∞ , 158–160
 curve fitting using, 160f
 straight line fitting, 245–246
 L_1 , 149–150
 curve fitting using, 156f
 solving, 153–157
 straight line fitting, 245–246
 L_2 , 40–42, 53–54, 92, 111, 126, 137–138
 straight line fitting, 245–246
 matrix, 43
 vector, 42
 Null distribution, 102
 for inexact non-Gaussian nonlinear theories,
 184–185
 Null eigenvectors, 137
 Null Hypothesis, 112
 Null matrix, 133
 Null probability density functions, 94–96
 Null solutions, 115–116
 Null space, 130–131
 identifying, 133
 Null vectors
 fluctuating elements, 232
 nonuniqueness and, 115–116
 of simple inverse problem, 116
 Numbers, complex, 278–280

O
 Oldenburg, D. W., 273
 One-dimensional models, 221f
 One-dimensional temperature distribution,
 241–244
 One-dimensional tomography, 221

Operators
 adjoint, 219
 identity, 220
 linear, 220f
 matrices and, 214–218
 solutions and, 69
 Optical sensors, 231
 Organ pipe example, 258f
 Orthogonality, 195–196
 Outliers, 40–42, 149, 151–152, 240–241
 Overdetermined algorithm, 157
 Overdetermined problems, 126
 bricks, 51–52
 completely, 154–155
 in generalized inverse with good resolution
 and covariance, 76–77
 of inverse problems, 43
 least square, 52
 linear programming problems, 158
 Newton's method for, 180
 Overshooting, 252

P
 P waves, 253f, 255
 Parabolas, 18f
 fitting, 5
 least squares solution, 47–48
 Paraboloids, 173f
 Parallel lines, 214f
 Parameterization, 163–165
 model parameters under, 150–151
 Parameters, 226–227
 Parker, Robert, 227
 Partial derivatives, matrix of, 174
 Patching, 180
 Pavlis, G. L., 262–263
 P -axes, 250f
 Pearson's chi-squared test, 30
 example of, 20f
 Perturbation theory, 256–257
 Perturbed equation, 226–227, 256–257
 Perturbed modes, 256–257
 Petrologic database, 193
 Phases, 266
 Physicality constraints, 194–199
 Pixels, 240, 241
 Plane surface, 48–49
 Points
 balancing, 17
 lines through, 50f
 Precision parameter, 246–248, 248f
 Predicted wave fields, 266–267

Prediction errors, 41*f*, 131, 137–138, 139–140, 157
 as function of model parameters, 168*f*
L2, 167*f*
 of least squares solution, 64–66
 for lines through points, 50*f*
 minimizing, 55–56
 problem of, 146*f*
 Preliminary Reference Earth Model, 268
 Probability, 30
 Probability density functions, 12, 15
a priori, 94, 96
 joint, 98*f*
 value of, 177*f*
 Boltzmann, 182–183
 chi-squared, 29
 combining, 101
 conditional, 30–33
 example of, 32*f*
 for inexact theories, 101*f*
 displaying, 19*f*, 20*f*, 21*f*
 evaluation of, 99*f*
 along surface, 178*f*
 exponential, 149–150, 246–248
 comparison of, 150*f*
 in *MatLab*, 150
 maximum likelihood estimate of mean of, 151–153
 two-sided, 149
 Fisher, 246–248
 Gaussian, 26–29, 36*f*, 97–99
 joint, 32*f*
 multivariate, 34
 log-normal probability density function, 165
 long-tailed, 42*f*
 maximum likelihood point of, 17*f*
 model parameters and, 93*f*, 94*f*
 normal, 28*f*
 null, 94–96
 with ridge, 93*f*
 shaded area, 16*f*
 short-tailed, 42*f*
 transformed, 22*f*, 23*f*, 24*f*
 uniform, 22*f*, 23*f*, 24*f*
 with well-defined peak, 93*f*
 Probability theory
 conditional probability density functions, 30–33
 confidence intervals, 33–34
 correlated data, 19–21
 functions of random variables, 21–26
 Gaussian probability density functions, 26–29

noise and, 15–18
 random variables and, 15–18
 Proportionality factor, 225
 Proposed successors, 35–36
 Pure path approximation, 269
 Purely underdetermined problems, 52–54

Q

Q-mode factor analysis, 199
 Quantitative model, 1

R

Radon transform
 performing, 213*f*
 tomography and, 212–213
 random () function, 34, 150–151
 Random resampling, 185–186
 in *MatLab*, 186
 Random variables
 circular, 279
 computing realizations of, 34–36
 functions of, 21–26
 Gaussian, 29
 histograms of, 37*f*
 realizations of, 90*f*
 Rayleigh wave, 269
 Rays, 212
 deficient distribution of, 242*f*
 refracted paths of, 255*f*
 straight line, 253
 theory, 261
 tracing, 253
 Realizations, 1
 Reciprocal velocity, 261
 Reconstructed gravity anomalies, 238*f*
 Refracted paths, 255*f*
 Regionalized models, 262
 Relationships, 66
 to resolution matrices, 117–118
 Relative entropy, 94–96
 Resolution
 of acoustic tomography problem, 87*f*
 checkerboard test, 87
 computing, 86–87
 model resolution matrix in, 86
 covariance and, 75
 generalized inverse with, 76–78
 overdetermined case, 76–77
 underdetermined case, 77
 of generalized inverses, 74–75
 matrix, 79*f*

- data, 69–71, 71*f*
- deltalike, 79
- relationships to, 117–118
- spikiness of, 234
- model, 134
- trade-off curves, 85*f*
- variance and, 79–82, 209
- Resolving kernel, 208
- Riemann summation, 211, 226
- R-mode factor analysis, 199
- Robust methods, 42, 149
- Romanowicz, B., 270
- Rotations, 123, 125
- Roughness, 56–57
 - matrix, 59
- Rows, 128
- Rutile, 195
- S**
- S wave, 255
- Sample covariance, 21
- Sample matrix, 191, 194, 199
- Sample mean, 18
- Sample standard deviation, 18
- Samples, 189
 - composition of, 190*f*
- Satellite gravity data, 238*f*
- Scalar quantities, 246–248
- Second-order terms, 65
- Sediment, 10*f*, 190*f*
- Seismic attenuation, 269–270
- Seismic surface waves, 267–269
- Seismic wave fields, 266
- Seismology, 227, 258
- Self-adjoint, 217
- Sets
 - of realizations of model parameters, 13
 - of unit vectors, 246–250
- Shear waves, 253*f*
- Short-tailed probability density function, 42*f*
- Shuffling, 118
- Shure, L., 270–271
- Sidelobes, 78–79
- Signal correlation, 270–271
- Simple Gaussian case, 102–104
- Simple inverse problem, 116
- Simple least squares, 179
- Simplicity, 53–54
- Simulated annealing, 181–184
 - for nonlinear curve-fitting problem, 184*f*
 - parameters in, 182
- Singular-value decomposition, 55, 139–140, 157, 191, 263
 - of Atlantic Rock dataset, 198*f*
 - derivation of, 138
 - eigenvectors, 194–195
 - generalized inverse, 132–138
 - in *MatLab*, 134, 192
- Sinusoidal patterns, 243
- Sinusoids, 60*f*
- Size, covariance, 83–84
- Slabs, 241, 242, 243*f*
- Smoothness, 59
- Sparse matrices, 8, 59
- Spectral curve fitting, 9–10
- Spectrum, 135–136
- Spikiness, 195
 - of resolution matrix, 234
- Spirit* rover, 9*f*
- Spread, 75
- sqrt () function, 130
- Standard deviation, sample, 18
- Station correction, 262
- Steepness, 56–57
 - matrix, 56–57
- Straight lines
 - fitting, 4–5, 41*f*
 - constrained, 62–63
 - L_∞ norm, 245–246
 - L_1 norm, 245–246
 - L_2 norm, 245–246, 248*f*
 - least squares, 40*f*, 43–44, 62*f*, 65*f*, 74*f*
 - problem, 46–47
 - rays, 253
- Stretching factor, 22
- Strike and dip, 160
- Surface wave tomography, 269
- svd (), 192–193
- Sylvester equation, 77–78
- T**
- Taylor series, 65, 173–174
- Taylor's theorem, 171–172
- Tectonic plate motions, 271
- Teleseismic tomography, 264
- Temperature distribution
 - Backus-Gilbert for, 244*f*
 - minimum length for, 244*f*
 - model for, 244*f*
 - one-dimensional, 241–244
- Temperature function, 225
- Thermal motion, 182–183
- Three-dimensional models, 262

Time reversed operators, 225
 Time sequence, 203f
 Time series, 234
 Toeplitz matrix, 235
 Tomography
 acoustic, 6–7
 with deficient distribution of rays, 242f
 success of, 241
 true image, 241f
 computed, 7f
 continuous inverse theory and, 211–212
 hypothetical experiments, 84f
 inversions, 264
 one-dimensional, 221
 radon transform, 212–213
 teleseismic, 264
 waveform, 265–267
 Tracks
 ascending, 237f
 descending, 237f
 Trade-off curves, 85, 209
 asymptotes in, 86f
 Backus-Gilbert solutions, 85f
 damped minimum length solution, 85f
 resolution, 85f
 variance, 85f
 Transformations
 forward, 129
 householder, 124–127
 designing, 124–127
 inverse, 129
 length preservation and, 124–127
 linearizing, 165–166
 matrix, 123
 Transformed probability density function, 22f, 23f
 Travel time data, 261–264
 Triangle inequalities, 43
 True model parameters, 21–22
 Two-dimensional models, 262
 Two-sided exponential probability density functions, 149

U

Unary matrix, 195–196
 Unbiased estimation, 165
 Uncorrelated Gaussian noise, 234–235
 Underdetermined algorithm, 157
 Underdetermined problems, 51–52
 Backus-Gilbert generalized inverse and, 79–82
 completely, 154

 in generalized inverse with good resolution and covariance, 77
 model parameters, 121f
 purely, 52–54
 Undirected Monte Carlo method, 181
 Unfolding, 202
 unidrnd (), 186
 Uniform probability density function, 22f, 23f, 24f
 Uniform variance, 234–235
 Unit covariance matrix, 72–74, 99
 Unit data covariance matrix, 72–73
 Unit sphere, 248f
 Unit vectors
 Cartesian, 249
 mean of sets of, 246–250
 scattering, 247f
 Unitary transformations, 125, 127
 Univariate distribution, 24f, 32
 Unknown forcing, 227
 Unpartitioned model parameters, 55–56
 Unperturbed equation, 227
 Unperturbed problem, 256–257
 Unperturbed structures, 256–257

V

Variables
 auxiliary, 186
 random
 circular, 279
 computing realizations of, 34–36
 functions of, 21–26
 Gaussian, 29
 histograms of, 37f
 realizations of, 90f
 Variance, 17–18. *See also* Covariance
 a posteriori, 63
 a priori, 63
 model parameters, 107–108
 a priori model variance, 107–108
 eigenvalues and, 136–137
 expression for, 66
 high, 195
 in *MatLab*, 18
 of model parameter estimates, 63–64
 nonuniform, 112
 prediction error of least squares solution, 64–66
 resolution and, 79–82, 209
 trade-off curves, 85f
 uniform, 234–235
 Varimax procedure, 195–196, 198

Vasco, D. W., 264

Vectors

arbitrary, 235

lambda, 134

N -dimensional position, 215

nonspiky orthogonal, 196–197

nonunique averaging

a priori information, 119–121

bounding, 137

norms, 42

rotation, 195–196

spaces

applications of, 123–148

data spaces, 123

mixed-determined problem solution,
130–131

model, 123

Velocity structure

earthquake location and, 261–264

from free oscillations, 267–269

from seismic surface waves, 267–269

Vertically stratified structures, 262

Vibrational problems, 256–258

Volcano, 215^f

Voxels, 84^f

W

Waveform cross-correlation, 263

Waveform tomography, 265–267

Weight, 64^f

Weighted averages, 115

of model parameters, 13

bounds on, 120^f

Weighted damped least squares, 58–60

true model, 60^f

Weighted least squares, 58

Weighted measures, 56–60

Weighted minimum length, 58

weightedleastquaresfcn (), 59, 180

Wind forcing, 222–223

X

xcorr (), 235

X-ray imaging, 7–9

X-ray opacity, 55^f, 84

X-ray tomography, 54

Z

Zero mean, 27^f