

User Operation Guide

Researcher workflow from room-mix upload to accepted outputs.

Edition	V0.1 / Delivery Package V1.0
Status	Implementation baseline
Date	2026-08-21
Audience	Research users and raters
Interface	Direct browser WebUI
Review tool	Praat

Automatic outputs are research drafts. Researcher-reviewed TextGrid, transcript and matrix files are the final research data.

1. Before starting

- Use an authorized WAV and confirm the intended task boundaries.
- Choose Auto speaker estimation or a fixed participant-count prior. The fixed count does not identify teacher speech.
- Keep the original WAV unchanged; it is the canonical clock.
- Confirm that research definitions required for L2 are available before starting that Layer.

2. L1a workflow

Step	User action	System output
1	Upload the room-mix WAV and configure the speaker-count mode.	Preflight and provider job
2	Listen to representative clips for each candidate.	Candidate evidence, activity duration and intervals
3	Include, Exclude, mark Uncertain or Merge candidates.	Versioned review draft
4	Map included candidates to S1-SN and confirm.	RTTM/CSV, speaker TextGrid, muted mirrors and Phase II handoff

Important

Muted-mirror tracks retain the original timeline and mute non-target intervals. They are listening aids, not clean isolated voice stems.

3. L1b workflow

- Open the accepted L1a handoff and select the required thresholds, normally 0.25 s and 0.35 s.
- Run L1b and wait until the status is ready for Praat review.
- Download the TextGrid drafts and open each with the matching WAV in Praat.
- Correct boundaries and labels according to the approved review strategy.
- Upload the reviewed TextGrids, enter the reviewer/rater ID and confirm finalization.
- Download final duration, pause, floor, transition and validation outputs.

4. L2 and L3

L2 is available only after the reviewed transcript and research definitions are ready. Resolve every pending definition or boundary before accepting the feature table. L3 compiles the final matrix only from accepted upstream artifacts and the signed codebook.

5. Status meanings

Status	Meaning	User action
pending	Inputs or decisions are incomplete	Supply the named item
running	A background task is active	Wait; do not start a second job
ready for review	Automatic draft is available	Review in the stated tool
blocked	A required invariant or input failed	Read diagnostics and correct the cause

Status	Meaning	User action
complete	The current stage completed	Check evidence before acceptance

6. Troubleshooting

- Audio rejected: convert to an approved WAV/PCM format and retry; do not rescale timestamps manually.
- Unexpected speaker candidate: listen to clips and use Exclude/Merge/Uncertain; do not assume the cluster identity from its label.
- TextGrid does not align: verify that the WAV is the exact canonical source for the run.
- L2 field pending: supply or confirm the named linguistic definition or expected example.
- Provider job failed: retain the error ID and contact support; the pipeline will not silently replace the provider.

7. Research integrity

Do not report an automatic draft as human-verified data. The final research dataset is the version actually reviewed and corrected by the research team, with its accepted method and validation record.

8. Artifact reference

Artifact	What to check before acceptance
Speaker TextGrid / RTTM	Candidate mapping and canonical S1-SN identity are confirmed
Muted-mirror WAV	Full duration matches the canonical WAV and non-target intervals are muted
N+3 TextGrid	Tier count, timeline coverage, label vocabulary and flags are valid
Duration / pause table	Source is the reviewed TextGrid, not an earlier automatic draft
Layer 2 feature table	Definitions, tool versions and unresolved fields are recorded
Final matrix	Columns and values reconcile to the accepted codebook

9. Review completion checklist

- The original WAV and task bounds are correct.
- Participant candidates and S1-SN mapping are confirmed.
- The selected TextGrid threshold draft has been reviewed in Praat.
- Pending linguistic definitions and unresolved boundaries are visible.
- The accepted release identifier is recorded in the Acceptance Checklist.