AndChill Application Design

Team AndChill: Rosemond Dorleans, John Parsons, Arman Rahman, Hugo Zul

Motivation

AndChill is a dating application on the web platform that helps users develop meaningful romantic relationships. When a user creates an AndChill account they enter a network of relationship seekers who value partners who have common interests as them.

As part of the AndChill experience, when displayed with potential matches, a user has access to that potential match's name, location, bio and interests. These interests are supplemented by suggested activities which they might enjoy and are further magnified by the absence of their potential match's picture. Upon a mutual liking, users are connected via a chat and are shown each other's pictures.

We believe this advances current online dating applications by our attempt to foster genuine relationships, something often overlooked in the market. Furthermore our app's design is such that it satisfies the following purposes:

- Allow users to find potential love matches based on mutual interests instead of attraction alone
    - The visual aspect in most other dating apps (e.g. tinder) are overly emphasized which results in an unsatisfying user experience as human relationships are founded on more than physical attraction. We provide our users with the ability to find these common interests before meeting in person.
- Allow users to foster potential relationships by communicating with their compatible matches
    - Before going on a date, relationship seekers naturally want to be able to communicate with their date beforehand to reaffirm their compatibility.
- Make the dating experience as comfortable, safe, and fun as possible
    - Given the anonymity of the internet, users want to be sure they're speaking to real people free of malicious intentions.
- Streamline the process of arranging a first date by suggesting mutually agreeable movies to watch
    - People are naturally indecisive and would benefit from suggestions of what to do with their dates.

Concepts

- **Chop:** A Chop is a "chill opportunity:" an offer to begin communicating with another user with similar interests that contains basic information about the other user, but no picture. Two users must "accept" Chops for each other for the Chop to be completed.

    - **Operational principle**: If user A accepts a Chop for user B and user B accepts a Chop for user A, then users A and B have demonstrated interest in spending time together and should be allowed to communicate.
    - **Purpose**: Allow users to find potential love matches based on mutual interests instead of attraction alone
- **Chat:** A Chat is an instant messaging session between two users who have mutually accepted a Chop.
    - **Operational principle:** Two users A and B use a Chat to determine if they are indeed mutually compatible and to arrange a meet-up if so.
    - **Purpose:** Allow users to foster potential relationships by communicating with their compatible matches
- **Rating**: A Rating is a grade of some user A submitted by another user B who has a mutually accepted Chop with A. These Ratings are averaged and shown to the entire network of users.
    - **Operational principle:** All Ratings a user A receives are averaged and displayed to other users.
    - **Purpose**: Make the dating experience as comfortable, safe, and fun as possible
- **Suggestion**: A Suggestion is an activity or list of activities that two users A and B would both enjoy doing based on the information they supply to the application.
    - **Operational principle:** If users A and B receive a Suggestion S, then it is likely that A and B would enjoy watching pieces of S together.
    - **Purpose**: Streamline the process of arranging a first date by suggesting mutually agreeable movies to watch

Data Model



Definitions

- A Chop c is available to be shown to a User u if (u, c) is in currentChops
- A FBProfile represents a User's profile on Facebook
- Tags are items that describe a Movie – for example (but not limited to), a genre, director, or lead actor
- A User u has accepted a Chop c if (u, c) is in acceptedChops
- A Chop c has been mutually accepted if for both users u, v such that (c, u) and (c, v) are in matchedUsers, (c, u) and (c, v) are in acceptingUsers

Textual Constraints

- For any User u, there must be ≤ 10 Chops c such that (u, c) is in currentChops
- If a Chop is mutually accepted, then it must be an Accepted Chop
- A Rejected Chop may not be in a User's currentChops or acceptedChops
- If a Chop ever becomes Rejected, it may not become Pending or Accepted
- Once a Chat has been assigned to an Accepted Chop, it may not be reassigned (the Chop may be un-assigned, though)
- No two Chops may have the same two Users in matchedUsers

- For some Chop c and User u, (c, u) may only be in acceptingUsers and (u, c) in currentChops if (c, u) is in matchedUsers (Users must be matched in a Chop to view or accept it)

Insights

- There is no need to explicitly store Rejected Chops; it is possible to filter matchedUsers to find them instead, which reduces the required number of relations
- As the data model is written, if a Chop goes from Accepted to Rejected, then neither User may access the Chat – this is good for security, but the data model also supports storing the Chat on the server with no Chop for the sake of completeness
- The usefulness of Tags (they will help produce suggestedMovies) is not immediately apparent from the data model; these will act behind-the-scenes in the actual application, so it makes some sense that they are not central
- The Movies for a Chop in suggestedMovies should not be static: if there is an update that allows for better suggestions, then those suggestions should be permitted by the data model

Security Concerns

The main security concern lies in protecting the information of our users. Conversations should only be seen by the receiver and the sender. Furthermore, users should only be able to message users they have been matched to. You can only see a user's bio, interests, age, and distance from you if they are a one of your chops. Pictures can only be seen once the users are matched. In addition, users should not be able to modify their own ratings, or that of others. We should ensure that a user is not able to access the account information of another user.

In order to ensure this, we can encrypt users' information and conversations to prevent XSS and CSRF attacks. We plan on doing server side checks to ensure that only certain users can do certain things using libraries like passport.js. For web attacks, we'll be using CSRF tokens in all our forms and we can avoid XSS by sanitizing user inputs in chat boxes.

User Interface



Home Page:



Log In:



Sign Up:



Set Up:


www.andchill.com/setup
And Chill
Home
About
Profile
Log Out
Get started:
Genres:
Horror
Romance
Movies:
12 years a slave
Fargo
Rashoman

Profile:


www.andchill.com/user/profile
And Chill
Home
About
Profile
Log Out
Find Matches
My Chops
Profile
Pictures:
Name
Old Password
New Password
Email
Age
Location
Prefrences
search width
Not Exclusive
Exclusive

Find Matches:



My Chops:



Design Challenges (problem> options > which one/why)

The core of AndChill's functionality is its matching algorithm. The algorithm is tasked with evaluating two users' interests and deciding whether or not they meet the Chop threshold. Furthermore user will be displayed some potential activities to do with their Chop. We believe this problem is split up into three parts:

- 1) Interests:
    - We'll have to make a decision about the kinds of interests we support. An example would be cinematic interests like movies, actors, directors or genres. Narrowing the scope of interests is beneficial since users will be more likely to have things in common, making it easier to find Chops. However with a large range of interests we might run into challenges with not finding any matches for a user. This issue relies heavily on the size of our user base. All things considered, we believe the effective solution is to allow 3 interests fields, with their cinematic interests being a required field. We want to assign the most value to the cinematic interests because we're planning on using IMDB API which will facilitate the process of finding suggested activities and Chops. In addition we believe our users will have a keen interest in finding users who have similar movie interests.
- 2) Matching:
    - Our algorithm will iterate over users' interests and decide whether 2 users have enough in common to be each other's Chop. We'll have to decide on how to construct the matching parameters such that users will receive enough Chops, and that said Chops have a satisfying number of common interests. Our choices of approach are how many items 2 users will have to have in common to be matched. Firstly, the users will have to be close enough geographically. We have the possible approaches of requiring a Chop to only with people in the same city, adjacent cities or some distance X between the two users. For early implementations we'll be requiring users to be in the same city since the latter two options are more effective, but are not trivial in implementation as they'll require the use of google maps API.
    - Additionally we'll be using common user interests to match users. We have to decide on what the appropriate number of common interests should be, again with the trade off being quality of match v.s. difficulty finding matches. Our approach will be to find some low, arbitrary number of common interests between users and have that be the threshold for being each other's Chop.
- 3) Suggested Activity
    - We suspect a challenge with finding activities for mutual matches. In addition to cinematic activities we'll have to think about whether we want to support

suggestions for all kinds of other activities. For early iterations of this app we'll just focus on cinematic activities since the latter is non trivial and would require us to apply sophisticated methods to find solutions. The cinematics interests will be simpler since we can make use of the IMDB api and say, for example, suggest a movie of the director of a movie two users have a mutual interest in.